

## Homogenizers

| Part No.                                   | Description   | Price in Rs. |
|--|---|--------------|
| <b>Homogenizer</b>                         |   |              |
| FB70300                                    | Fisherbrand* Homogeniser PowerGen 125 hand held dispersing volumes 1mL to 100mL 45mm (w) x 60mm (d) x 185mm (h), protection class IP 31 230V 50/60Hz 125W 8000 to 30,000 rpm              | POR          |
| <b>Homogenizer Accessories</b>             |   |              |
| FB70304                                    | Fisherbrand* Clamp, diameter/length of extension arm 8mm/130mm  | 3506         |
| FB70306                                    | Fisherbrand* Adapters for use with disposable dispersing tool   | 27165        |
| <b>Homogenizer</b>                         |   |              |
| FB70301                                    | Fisherbrand* Homogeniser PowerGen 500 stand fixed dispersing volumes 0.05mL to 2,000mL 65mm (w) x 80mm (d) x 240mm (h), protection class IP 20 230V 50/60Hz 500W 6500 to 24,000 rpm       | POR          |
| <b>Homogenizer Accessories</b>             |   |              |
| FB70306                                    | Fisherbrand* Adapters for use with disposable dispersing tool   | 27165        |
| <b>Homogenizer</b>                         |   |              |
| FB70303                                    | Fisherbrand* Homogeniser PowerGen 1800 stand fixed dispersing volumes 2,000mL to 30,000mL 125mm (w) x 120mm (d) x 367mm (h), protection class IP 21 230V 50/60Hz 1100W 4000 to 10,000 rpm | POR          |
| <b>Homogenizer Accessories</b>             |   |              |
| FB70306                                    | Fisherbrand* Adapters for use with disposable dispersing tool   | 27165        |
| <b>Homogenizer</b>                         |   |              |
| FB70302                                    | Fisherbrand* Homogeniser stand fixed volume range H2O 10L, 7500 to 30,000 rpm 230V 50/60Hz 75mm (w) x 92mm (d) x 300 (h) PowerGen 1000  | POR          |
| <b>Homogenizer Generators &amp; Probes</b> |   |              |
| FB70307                                    | Fisherbrand* 5mm x 95mm generator flat (for PG 125, PG 500, PG 1000)  | POR          |
| FB70308                                    | Fisherbrand* 7mm x 95mm generator flat (for PG 125, PG 500, PG 1000)  | POR          |
| FB70309                                    | Fisherbrand* 7mm x 195mm generator flat (for PG 125, PG 500, PG 1000)   | POR          |
| FB70310                                    | Fisherbrand* 35mm x 195mm generator flat (for PG 500, PG 1000)  | POR          |
| FB70311                                    | Fisherbrand* 7 x 95mm generator saw tooth (for PG125, PG 500, PG 1000)  | POR          |
| FB70312                                    | Fisherbrand* 7mm x 195mm generator saw tooth (for PG 125, PG 500, PG 1000)  | POR          |
| FB70313                                    | Fisherbrand* 10mm x 95mm generator saw tooth (for PG 125, PG 500, PG 1000)  | POR          |
| FB70314                                    | Fisherbrand* 10mm x 195mm generator saw tooth (for PG 125, PG 500, PG 1000)   | POR          |
| FB70315                                    | Fisherbrand* 20mm x 195mm generator saw tooth (for PG 500, PG 1000)   | POR          |
| FB70316                                    | Fisherbrand* 35mm x 195mm generator saw tooth (for PG 500, PG 1000)   | POR          |
| FB70317                                    | Fisherbrand* Generator, flat, fine, 45mm x 300mm (for PG 1800)  | POR          |
| FB70318                                    | Fisherbrand* Generator, flat, medium, 45mm x 300mm (for PG 1800)  | POR          |
| FB70319                                    | Fisherbrand* Generator, flat, coarse, 45mm x 65mm (for PG 1800)   | POR          |
| FB70320                                    | Fisherbrand* Disposable generator, 7mm x 65mm - Pk of 12  | POR          |
| FB70321                                    | Fisherbrand* Disposable generator, 7mm x 65mm - Pk of 25  | 43816        |
| FB70322                                    | Fisherbrand* Disposable generator, 7mm x 110mm - Pk of 12   | 32717        |
| FB70323                                    | Fisherbrand* Disposable generator, 7mm x 110mm - Pk of 25   | 49365        |
| <b>Homogenizer Accessories</b>             |   |              |
| FB70501                                    | Fisherbrand* Transformer and speed control for PowerGen 230V 50Hz   | 91423        |
| FB70511                                    | Fisherbrand* Dispersing tool for all PowerGen models flat bottom / reusable 5mm diam 95mm length 0.03 to 5mL samples  | POR          |
| FB70512                                    | Fisherbrand* Dispersing tool for all PowerGen models flat bottom / reusable 7mm diameter 95mm length 0.25 to 20mL samples   | POR          |
| FB70513                                    | Fisherbrand* Dispersing tool for all PowerGen models flat bottom / reusable 7mm diameter 195mm length 0.25 to 20mL samples  | POR          |
| FB70517                                    | Fisherbrand* Dispersing tool for all PowerGen models saw tooth / reusable 7mm diameter 95mm length 0.25 to 20mL samples   | POR          |
| FB70518                                    | Fisherbrand* Dispersing tool for all PowerGen models saw tooth / reusable 7mm diameter 195mm length 0.25 to 20mL samples  | POR          |
| FB70519                                    | Fisherbrand* Dispersing tool for all PowerGen models saw tooth / reusable 10mm diameter 95mm length 1.5 to 100mL samples  | POR          |
| FB70520                                    | Fisherbrand* Dispersing tool for all PowerGen models saw tooth / reusable 10mm diameter 195mm length 1.5 to 100mL samples   | POR          |
| FB70521                                    | Fisherbrand* Dispersing tool for PowerGen 125, 700 saw tooth / reusable 20mm diam 195mm length 100 to 15,000mL samples  | POR          |

Prices mentioned are for one unit unless pack size is mentioned in the description

| Part No.                                   | Description   | Price in Rs. |
|--|---|--------------|
| FB70524                                    | Fisherbrand* Dispersing tool for all PowerGen models disposable 7mm diameter 110mm length 0.25 to 20mL samples pack of 25   | 39181        |
| FB70525                                    | Fisherbrand* Adapter for use with disposable dispersing tool  | 26889        |
| FB70526                                    | Fisherbrand* Bearing Teflon upper pack of 4   | 13829        |
| FB70527                                    | Fisherbrand* Bearing for 10mm diam probes Teflon lower pack of 4  | 13829        |
| <b>Homogenizer</b>                         |   |              |
| FB70529                                    | Fisherbrand* Homogenising kit PowerGen 125 with 12 disp Omni tips 7mm dia x 65mm length adapter,storage drawer with accessory insert 230V 50Hz 50mm x 160mm 0.03mL to 1,800mL volume 5,000rpm to 30,000rpm adapter,storage drawer with accessory insert     | POR          |
| FB70530                                    | Fisherbrand* Homogenising kit PowerGen 125 with 12 disp Omni tips 7mm dia x 65mm length adapter,storage drawer with accessory insert 230V 50Hz 50mm x 160mm 0.03mL to 1,800mL volume 5,000rpm to 30,000rpm 5mm x 95mm s/s hom. tool,cleaning kit            | POR          |
| FB70531                                    | Fisherbrand* Homogenising kit PowerGen 125 with 12 disp Omni tips 7mm dia x 65mm length adapter,storage drawer with accessory insert 230V 50Hz 50mm x 160mm 0.03mL to 1,800mL volume 5,000rpm to 30,000rpm 7mm x 95mm s/s hom. tool saw teeth,cleaning kit  | POR          |
| FB70532                                    | Fisherbrand* Homogenising kit PowerGen 125 with 12 disp Omni tips 7mm dia x 65mm length adapter,storage drawer with accessory insert 230V 50Hz 50mm x 160mm 0.03mL to 1,800mL volume 5,000rpm to 30,000rpm 10mm x 95mm s/s hom. tool saw teeth,cleaning kit | POR          |
| <b>Homogenizers</b>                        |   |              |
| 153381                                     | Fisher Scientific* Battery Pack for Fisher Scientific PowerGen Model 35 Handheld Homogenizer  | 20288        |
| 153382                                     | Fisher Scientific* Charger, Homogenizer; For Fisher PowerGen Model 35 Handheld Homogenizer  | 3865         |
| 1533835PB                                  | Fisher Scientific* Transformer and Speed Control Unit; For Fisher Scientific PowerGen Model 35 Handheld Homogenizer; 115V 50/60Hz; Enables variable speed control to 30,000rpm  | 45333        |
| 1533835P                                   | Fisher Scientific* PowerGen Homogenizer Package Model 35; Includes 15-338-35H, Transformer and Speed control unit, 5 dia. x 95mmL flat-bottom generator, bearings, cleaning kit   | POR          |
| 1533835H                                   | Fisher Scientific* PowerGen Homogenizer Model 35; Handheld; Fixed speed: battery power 25,000rpm, pulse feature: 25,000rpm; With 115V charger and rechargeable NiCad battery; 115V 50/60Hz  | 63682        |
| 1426128                                    | Fisher Scientific* PowerGen PCR Homogenizing Kit, includes: Model 125 Homogenizer 115V 50/60Hz, case, adapter for disposable generators, and 7 x 65mm disposable plastic generators (pack of 12). STAND NOT INCLUDED  | 58867        |
| 1426129                                    | Fisher Scientific* PowerGen PCR Homogenizing Kit, includes: Model 125 Homogenizer 115V 50/60Hz, case, and one 7 x 95mm saw-tooth SS generator. STAND NOT INCLUDED   | 88330        |
| 1426130                                    | Fisher Scientific* PowerGen PCR Homogenizing Kit, includes: Model 125 Homogenizer 115V 50/60Hz, case, and one 5 x 95mm flat-bottom SS generator. STAND NOT INCLUDED   | 88330        |
| 1426131                                    | Fisher Scientific* PowerGen PCR Homogenizing Kit, includes: Model 125 Homogenizer 115V 50/60Hz, case, and one 10 x 95mm saw-tooth SS generator. STAND NOT INCLUDED  | 88330        |
| 1426132                                    | Fisher Scientific* PowerGen Homogenizer Kit; Model 125; Includes 14-261-02 homogenizer, 12/Pk of 7 x 65mm disposable generators, one 5 x 95mm Flat-bottom SS generator, one 14-261-35 adapter for disposable generators and carrying case; 115V 60Hz; CE    | 95585        |
| 1426133                                    | Fisher Scientific* PowerGen PCR Homogenizing Kit, includes: Model 125 Homogenizer 115V 50/60Hz, case, adapter, one 7 x 95mm saw-tooth SS generator, and 12-pack of 7 x 65mm disposable plastic generators. STAND NOT INCLUDED                               | 95585        |
| 1426102                                    | Fisher Scientific* PowerGen Homogenizer; Model 125; Unit-Only; 115V 60Hz, 125w; Includes: Homogenizer, manual, power cord and tools; Volume range (for water) 0.03 to 100mL; Speed range 8000-30,000rpm; Stepless speed control; scale display; 1-1/8 lb.   | 51612        |
| 1426102P                                   | Fisher Scientific* PowerGen Homogenizer Kit; Model 125; Package; 115V 60Hz, 125w; Includes: unit, stand, 5 x 95mm flat-bottom generator; 7 x 95mm and 10 x 95mm sawtooth generators; Volume range (for water) 0.03-100mL; Speed range 8000-30,000rpm        | POR          |
| 1426104                                    | Fisher Scientific* PowerGen Homogenizer; Model 500; Unit-Only; 115V 60Hz, 500w; Volume range (for water) 0.03 to 5mL; Speed range 6500-24,000rpm; Stepless speed control; scale display; 3-1/2 lb.  | 60312        |
| 1426104P                                   | Fisher Scientific* PowerGen Homogenizer Kit; Model 500; Package; 115V 60Hz, 500w; Includes: unit, stand, 35 x 195mm flat-bottom generator, 10 x 95mm and 20 x 195mm sawtooth generators; Volume range (for water) 0.03-100mL; Speed range 8000-30,000rpm    | POR          |
| 1426104S                                   | Fisher Scientific* Stand Assembly for Fisher Scientific PowerGen 500 Homogenizer 14-261-04 and PowerGen 1000 Homogenizer 14-261-06  | 16516        |
| 1426106                                    | Fisher Scientific* PowerGen Homogenizer; Model 1000; Unit-Only; 115V 60Hz, 1050w; Volume range (for water) 0.03mL-10L; Speed range 7500-30,000rpm; Stepless speed control; scale display; 5-3/4 lb.   | 61786        |
| 1426106P                                   | Fisher Scientific* PowerGen Homogenizer Kit; Model 1000; Package; 115V 60Hz, 1050w; Includes: unit, stand, 35 x 195mm flat-bottom generator, 10 x 95mm and 20 x 195mm sawtooth generators; Volume range (for water) 0.03mL-10L; Speed range 7500-30,000rpm  | POR          |
| 1426110                                    | Fisher Scientific* PowerGen Homogenizer; Model 1800; Unit-Only; 115V 60Hz, 1800w; Volume range (for water) 250mL-30L; Speed range 4000-10,000rpm; Stepless speed control; scale display; 13-1/4 lb.   | POR          |
| 1426110P                                   | Fisher Scientific* PowerGen Homogenizer Kit; Model 1800; Package; 115V 60Hz, 1800w; Includes: unit, stand, 45 x 300mm coarse, medium and fine flat-bottom generators; Volume range (for water) 250mL-30L; Speed range 400-10,000rpm                         | POR          |
| <b>Homogenizer Generators &amp; Probes</b> |   |              |
| 1426126                                    | Fisher Scientific* PowerGen Generator, disposable plastic, 7 x 110mm, autoclavable 5 times, for Models 125, 500, 1000; pack of 25   | 17142        |
| 1426127                                    | Fisher Scientific* PowerGen Generator, disposable plastic, 7 x 110mm, autoclavable 5 times, for Models 125, 500, 1000; pack of 50   | 33916        |

Prices mentioned are for one unit unless pack size is mentioned in the description

| Part No.                       | Description  | Price in Rs. |
|--------------------------------|--|--------------|
| 1426124                        | Fisher Scientific* PowerGen Generator, disposable plastic, 7 x 65mm, autoclavable 5 times, for Models 125, 500, 1000; pack of 25   | 15115        |
| 1426125                        | Fisher Scientific* PowerGen Generator, disposable plastic, 7 x 65mm, autoclavable 5 times, for Models 125, 500, 1000; pack of 50   | 29861        |
| 1426114                        | Fisher Scientific* PowerGen Generator; Flat-bottom Stainless-Steel; Autoclavable; For liquid or soft tissues; Stator Dia. x L: 35 x 195mm; For Use with PowerGen Model(s): 500, 1000; Volume Range: 100mL to 10L | 44435        |
| 1426111                        | Fisher Scientific* PowerGen Generator, Flat-bottom SS, 5 x 95mm, for Models 125, 500, 1000; volume range 0.03 to 5mL   | 36718        |
| 1426113                        | Fisher Scientific* PowerGen Generator, Flat-bottom SS, 7 x 195mm, for Models 125, 500, 1000; volume range 0.25 to 20mL   | 36718        |
| 1426112                        | Fisher Scientific* PowerGen Generator, Flat-bottom SS, 7 x 95mm, for Models 125, 500, 1000; volume range 0.25 to 20mL  | 36718        |
| 1426121                        | Fisher Scientific* PowerGen Generator, Flat-bottom SS, 45 x 300mm coarse, for Model 1800; volume range 500mL to 20L  | POR          |
| 1426122                        | Fisher Scientific* PowerGen Generator, Flat-bottom SS, 45 x 300mm medium, for Model 1800; volume range 500mL to 15L  | POR          |
| 1426123                        | Fisher Scientific* PowerGen Generator, Flat-bottom SS, 45 x 300mm fine, for Model 1800; volume range 250mL to 10L  | POR          |
| 1426118                        | Fisher Scientific* PowerGen Generator, Saw-tooth SS, 10 x 195mm, for Models 125, 500, 1000; volume range 1.5 to 100mL  | 39053        |
| 1426117                        | Fisher Scientific* PowerGen Generator, Saw-tooth SS, 10 x 95mm, for Models 125, 500, 1000; volume range 1.5 to 100mL   | 36718        |
| 1426119                        | Fisher Scientific* PowerGen Generator, Saw-tooth SS, 20 x 195mm, for Models 500, 1000; volume range 100mL to 1800mL  | 43512        |
| 1426120                        | Fisher Scientific* PowerGen Generator, Saw-tooth SS, 32 x 195mm, for Models 500, 1000; volume range 100mL to 5L  | 36718        |
| 1426116                        | Fisher Scientific* PowerGen Generator, Saw-tooth SS, 7 x 195mm, for Models 125, 500, 1000; volume range 0.25 to 20mL   | 36718        |
| 1426115                        | Fisher Scientific* PowerGen Generator, Saw-tooth SS, 7 x 95mm, for Models 125, 500, 1000; volume range 0.25 to 20mL  | 36718        |
| <b>Homogenizers</b>            |  |              |
| FE9017700                      | IKA* T 25 digital Package, High Speed Homogenizer Systems. Speed range : 3500 to 24,000 rpm, Batch volume range : 1 to 2000 mL†, This system is ideal for batch homogenizing of cell                             | POR          |
| FE3420000                      | IKA* T 10 basic ULTRA-TURRAX®, High Performance Dispenser/homogenizer  | 30697        |
| FE3561000                      | IKA* T 18 basic ULTRA-TURRAX®, high-performance Dispenser/Homogenizer  | 42976        |
| FE2900000                      | IKA* A 11 basic Analysenmühle; Analytical mill, Batch mill for 2 different grinding procedures:  | 42976        |
| <b>Dismembrators</b>           |  |              |
| 15338550                       | Fisher Scientific* Dismembrator, Sonic; Model 500; volume range 1 to 500mL; 115V 50/60Hz; 16 L x 7-1/2 W x 9-1/2 in. H; 17 lb.; 400w; 20kHz; Ideal for preparing samples for soil extractions                    | POR          |
| 15338551                       | Fisher Scientific* Dismembrator, Model 500 Sonic, volume range 1 to 500mL, 20-level memory, for 230V 50Hz  | POR          |
| <b>Homogenizer Accessories</b> |  |              |
| 15338218                       | Fisher Scientific* Sleeve Bearing; PTFE; 5mm; For older PowerGen Homogenizers; 4/Pk.   | 9177         |

## Hotplates

| Part No.                  | Description   | Price in Rs. |
|---------------------------|---|--------------|
| <b>Standard Hotplates</b> |   |              |
| FB65302                   | Fisherbrand* Hotplate heating surface 260mm x 260mm 220-240V 50/60Hz 298mm x 431mm x 95mm (w x d x h) +5°C to 540°C ceramic             | 60057        |
| FB65305                   | Fisherbrand* Hotplate heating surface 184mm x 184mm 220-240V 50/60Hz 219mm x 331mm x 95mm (w x d x h) +5°C to 300°C aluminium           | 46319        |
| FB65303                   | Fisherbrand* Hotplate digital heating surface 184mm x 184mm 220-240V 50/60Hz 219mm x 331mm x 95mm (w x d x h) +5°C to 540°C ceramic     | 89013        |
| FB65301                   | Fisherbrand* Hotplate ceramic plate heating surface 180mm x 180mm 220-240V 50/60Hz 690W +5°C to 540°C 220mm x 330mm x 100mm (w x d x h) | 37553        |
| FB65300                   | Fisherbrand* Hotplate ceramic plate heating surface 110mm x 100mm 220-240V 50/60Hz 690W +5°C to 540°C 140mm x 250mm x 100mm (w x d x h) | 38452        |
| FB68050                   | Fisherbrand* Hotplate 230V 50Hz metal top   | 22928        |
| FB68052                   | Fisherbrand* Hotplate 230V 50Hz metal top   | 31716        |
| 1140049HP                 | Fisher Scientific* Isotemp* Hotplate, Digital control; Aluminum top; Temperature range: ambient to 380C; 120V 60Hz                      | 64434        |
| 1130049HP                 | Fisher Scientific* Isotemp* Hotplate, Digital control; Ceramic top; Temperature range: ambient to 540C; 120V 60Hz                       | 52520        |
| 11102100H                 | Fisher Scientific* Isotemp* Hotplate, Ceramic top; 10 x 10 in. heating surface; Temp. control to 400C; 230V 50/60Hz                     | 36727        |
| 1110216H                  | Fisher Scientific* Isotemp* Hotplate, Ceramic top; 4 x 4 in. heating surface; Temp. control to 540C; 230V 50/60Hz                       | 23279        |

Prices mentioned are for one unit unless pack size is mentioned in the description