

Magnetic Stirrers

| Part No. | Vendor Part No | Description | Price in Rs. |
|------------------------|----------------|---|--------------|
| With Heating | | | |
| FE3810000 | 3810000 | RCT basic IKAMAG® safety control (aluminium heating plate) | 30697 |
| FE9016400 | 9016400 | RCT basic IKAMAG® safety control Package | 42976 |
| FE3622000 | 3622000 | RET basic IKAMAG® safety control (stainless steel heating plate) | 69079 |
| FE3964000 | 3964000 | RET control/t IKAMAG® safety control | POR |
| FE3479000 | 3479000 | RH basic 1 | 15082 |
| FE3339000 | 3339000 | RH basic 2 IKAMAG® (stainless steel heating plate) | 26154 |
| FE2930300 | 2930300 | RT 5 power IKAMAG® Multi-station (5) | POR |
| FE2930500 | 2930500 | RT 10 power IKAMAG® Multi-station (10) | POR |
| FE2930700 | 2930700 | RT 15 power IKAMAG® Multi-station (15) | POR |
| FE3581000 | 3581000 | C-MAG HS4 | 30431 |
| FE3581200 | 3581200 | C-MAG HS7 | 24057 |
| FE9015900 | 9015900 | C-MAG HS7 Package Also Includes: Electronic contact thermometer + Support rod + Boss head clamp + Holding rod | 43724 |
| FE3581400 | 3581400 | C-MAG HS10 | 54036 |
| Without Heating | | | |
| FE2930200 | 2930200 | RO 5 power IKAMAG® Multi-station (5) | 54652 |
| FE2930400 | 2930400 | RO 10 power IKAMAG® Multi-station (10) | 73740 |
| FE2930600 | 2930600 | RO 15 power IKAMAG® Multi-station (15) | 92885 |
| FE3674000 | 3674000 | Mini MR Standard IKAMAG® | 24336 |
| FE3671000 | 3671000 | COLOR SQUID IKAMAG® white | 7916 |
| FE3050009 | 3050009 | BIG SQUID IKAMAG® White | 12412 |
| FE3277700 | 3277700 | Lab Disc (WHITE); ultraflat | 8929 |
| FE2812000 | 2812000 | KMO 2 basic IKAMAG® | 37157 |
| FE2621900 | 2621900 | Midi MR 1 inkl. IKAFLON 50 | POR |
| FE2621800 | 2621800 | Maxi MR 1 inkl. IKAFLON 50 | POR |
| FE3368000 | 3368000 | Topolino | 7331 |
| FE3582200 | 3582200 | C-MAG MS4 | 30617 |
| FE3582400 | 3582400 | C-MAG MS7 | 34231 |
| FE3582600 | 3582600 | C-MAG MS10 | 48644 |
| Accessories | | | |
| FE3378000 | 3378000 | ETS-D5 Electronic contact thermometer | 12279 |
| FE2735451 | 2735451 | H 62.51 Stainless steel sensor for ETS-D5/D6, spare | 5277 |
| FE2735551 | 2735551 | H 66.51 Stainless steel sensor for ETS-D5/D6, glass-coated | 38447 |
| FE2735600 | 2735600 | H 70 Extension cable | 15947 |
| FE3516800 | 3516800 | PT 1000.60 Temperature sensor, stainless steel, for RCT basic safety control FE3380000 | 12190 |
| FE3736000 | 3736000 | PT 1000.70 Stainless steel sensor, glass-coated, for RCT basic FE3380000 | 11573 |
| FE2601900 | 2601900 | PT 100.50 Temperature sensor, stainless steel, for RET c.v. / RET c.v. C safety control | 23806 |

Prices mentioned are for one unit unless pack size is mentioned in the description

Contact: India Toll Free.: 1 800 209 7001 Fax: 022-6680 3001 / 02 e-mail: qfc.customer@thermofisher.com

| Part No. | Vendor Part No | Description | Price in Rs. |
|-----------|----------------|--|--------------|
| FE2600300 | 2600300 | PT 100.51 Temperature sensor, glass-coated, for RET c.v. / RET c.v. C safety control | 29355 |
| FE1545100 | 1545100 | H 16 V Support rod | 2352 |
| FE5000500 | 5000500 | H 16.1 Extension for support rod | 1793 |
| FE2437700 | 2437700 | H 44 Boss head clamp | 1305 |
| FE3547700 | 3547700 | H 38 Holding rod | 1420 |
| FE2734500 | 2734500 | H 99 Protective cover for RCT basic FE3378500 and RET basic / control | 2653 |
| FE3661000 | 3661000 | H 100 Protective cover for RCT basic FE3380000 | 2868 |
| FE1572000 | 1572000 | IKAFLO® 10 Magnetic stirring bar (10 x 6 mm) | 574 |
| FE1572100 | 1572100 | IKAFLO® 15 Magnetic stirring bar (15 x 6 mm) | 574 |
| FE1572200 | 1572200 | IKAFLO® 20 Magnetic stirring bar (20 x 8 mm) | 774 |
| FE1572300 | 1572300 | IKAFLO® 25 Magnetic stirring bar (25 x 8 mm) | 774 |
| FE1572400 | 1572400 | IKAFLO® 30 Magnetic stirring bar (30 x 8 mm) | 889 |
| FE1572500 | 1572500 | IKAFLO® 40 Magnetic stirring bar (40 x 8 mm) | 990 |
| FE1572600 | 1572600 | IKAFLO® 50 Magnetic stirring bar (50 x 8 mm) | 1119 |
| FE1572800 | 1572800 | IKAFLO® 80 Magnetic stirring bar (80 x 10 mm) | 2452 |
| FE0793300 | 0793300 | IKAFLO® 110 Magnetic stirring bar (110 x 27 mm) | 26014 |
| FE1129000 | 1129000 | IKAFLO® 155 Magnetic stirring bar (155 x 27 mm) | 35092 |
| FE0356600 | 0356600 | TRIKA® 25 Magnetic stirring bar | 1549 |
| FE0356500 | 0356500 | TRIKA® 40 Magnetic stirring bar | 1993 |
| FE1358600 | 1358600 | RS 1 Set of magnetic stirring bar | 11057 |
| FE1293100 | 1293100 | RSE Stirring bar remover | 5966 |
| FE1091500 | 1091500 | H 11 Mains cable, spare | 2768 |

Overhead Stirrers

| Part No. | Vendor Part No | Description | Price in Rs. |
|-------------------|----------------|----------------------------------|--------------|
| Electronic | | | |
| FE3331400 | 3331400 | RW 14 basic | 68577 |
| FE2572100 | 2572100 | RW 16 basic | 52571 |
| FE2482000 | 2482000 | EUROSTAR digital | 47888 |
| FE9013700 | 9013700 | EUROSTAR digital Package | 55255 |
| FE2572200 | 2572200 | EUROSTAR power basic | 62833 |
| FE2600000 | 2600000 | EUROSTAR power control-visc | 63851 |
| FE3330000 | 3330000 | EUROSTAR power control-visc P1 | 75194 |
| FE2850000 | 2850000 | EUROSTAR power control-visc P4 | POR |
| FE2850700 | 2850700 | EUROSTAR power control-visc P7 | POR |
| FE3460000 | 3460000 | EUROSTAR power control-visc 6000 | POR |
| FE2830004 | 2830004 | RW 11 basic Lab egg creamy blue | 44427 |
| Mechanical | | | |
| FE3593000 | 3593000 | RW 20 digital | 20786 |
| FE9011600 | 9011600 | RW 20 digital Package | 27067 |
| FE2760000 | 2760000 | RW 28 basic | POR |

| Part No. | Vendor Part No | Description | Price in Rs. |
|--|----------------|--|--------------|
| FE9019400 | 9019400 | RW 28 basic package | POR |
| FE1602000 | 1602000 | RW 47 D with three-phase motor | POR |
| FE9019500 | 9019500 | RW 47 D package | POR |
| Stirring Elements (Stainless Steel AISI 316L) | | | |
| Propeller stirrers, 4-bladed | | | |
| FE0741000 | 0741000 | R 1342 R-Ø, W-Ø, W-L; Stirrer Ø, Shaft Ø, shaft length 50, 8, 350 mm | 1993 |
| FE0741300 | 0741300 | R 1345 R-Ø, W-Ø, W-L; Stirrer Ø, Shaft Ø, shaft length 100, 8, 540 mm | 13423 |
| FE0739000 | 0739000 | R 2302 R-Ø, W-Ø, W-L; Stirrer Ø, Shaft Ø, shaft length 150, 13, 800 mm | 59500 |
| Propeller stirrers, 3-bladed | | | |
| FE1296000 | 1296000 | R 1381 R-Ø, W-Ø, W-L; Stirrer Ø, Shaft Ø, shaft length 45, 8, 350 mm | 27964 |
| FE1295900 | 1295900 | R 1382 R-Ø, W-Ø, W-L; Stirrer Ø, Shaft Ø, shaft length 55, 8, 350 mm | 29685 |
| FE0477700 | 0477700 | R 1385 R-Ø, W-Ø, W-L; Stirrer Ø, Shaft Ø, shaft length 140, 10, 550 mm | 27520 |
| FE0477800 | 0477800 | R 1388 R-Ø, W-Ø, W-L; Stirrer Ø, Shaft Ø, shaft length 140, 10, 800 mm | 33815 |
| FE2343600 | 2343600 | R 1389 R-Ø, W-Ø, W-L; Stirrer Ø, Shaft Ø, shaft length 75, 8, 350 mm | 50494 |
| Turbine stirrers | | | |
| FE2332900 | 2332900 | R 1311 R-Ø, W-Ø, W-L; Stirrer Ø, Shaft Ø, shaft length 30, 8, 350 mm | 17883 |
| FE2333000 | 2333000 | R 1312 R-Ø, W-Ø, W-L; Stirrer Ø, Shaft Ø, shaft length 50, 8, 350 mm | 22859 |
| FE2333100 | 2333100 | R 1313 R-Ø, W-Ø, W-L; Stirrer Ø, Shaft Ø, shaft length 70, 10, 400 mm | 29040 |
| Dissolver stirrers | | | |
| FE0513500 | 0513500 | R 1300 R-Ø, W-Ø, W-L; Stirrer Ø, Shaft Ø, shaft length 80, 8, 350 mm | 24910 |
| FE2387900 | 2387900 | R 1302 R-Ø, W-Ø, W-L; Stirrer Ø, Shaft Ø, shaft length 100, 10, 350 mm | 53333 |
| FE2746700 | 2746700 | R 1303 R-Ø, W-Ø, W-L; Stirrer Ø, Shaft Ø, shaft length 42, 8, 350 mm | 40412 |
| Centrifugal stirrers | | | |
| FE0756900 | 0756900 | R 1352 R-Ø, W-Ø, W-L; Stirrer Ø, Shaft Ø, shaft length 60/15, 8, 350 mm | 15201 |
| FE1132700 | 1132700 | R 1355 R-Ø, W-Ø, W-L; Stirrer Ø, Shaft Ø, shaft length 100/24, 8, 550 mm | 19804 |
| Paddle stirrers | | | |
| FE0757700 | 0757700 | R 1375 R-Ø, W-Ø, W-L; Stirrer Ø, Shaft Ø, shaft length 70, 8, 550 mm | 16277 |
| FE0757800 | 0757800 | R 1376 R-Ø, W-Ø, W-L; Stirrer Ø, Shaft Ø, shaft length 150, 10, 550 mm | 33385 |
| FE0739500 | 0739500 | R 2311 R-Ø, W-Ø, W-L; Stirrer Ø, Shaft Ø, shaft length 150, 13, 800 mm | 58252 |
| Anchor stirrers | | | |
| FE2022300 | 2022300 | R 1330 R-Ø, W-Ø, W-L; Stirrer Ø, Shaft Ø, shaft length 45, 8, 350 mm | 35092 |
| FE2022400 | 2022400 | R 1331 R-Ø, W-Ø, W-L; Stirrer Ø, Shaft Ø, shaft length 90, 8, 350 mm | 38792 |

| Part No. | Vendor Part No | Description | Price in Rs. |
|--|----------------|--|--------------|
| FE2747400 | 2747400 | R 1333 R-Ø, W-Ø, W-L; Stirrer Ø, Shaft Ø, shaft length 150, 10, 550 mm | 70011 |
| Kneading stirrer | | | |
| "Special elements for EUROSTAR power control-visc 6000" | | | |
| FE1242900 | 1242900 | R 1401 Propeller Ø 55 mm; Propeller Ø 55 mm | 29513 |
| FE1289800 | 1289800 | R 1405 Propeller Ø 45 mm; Propeller Ø 45 mm | 19374 |
| FE1243300 | 1243300 | R 1402 Dissolver Ø 42 mm; Dissolver Ø 42 mm | 26559 |
| Overhead Stirrers Accessories | | | |
| Stands and fixing elements | | | |
| FE0527400 | 0527400 | R 1001 Paddle stirrer, spare for RW 11 basic | 11587 |
| FE0527500 | 0527500 | R 1002 Screw-type stirrer (RW 11) | 9909 |
| FE2336000 | 2336000 | FK 1 Flexible coupling | 25010 |
| FE2603000 | 2603000 | R 301 Stirring shaft protection | 13509 |
| FE2604000 | 2604000 | R 301.1 Support holder for R 301 | 16277 |
| FE2953800 | 2953800 | R 302 Stirring shaft protection | 33815 |
| FE3294800 | 3294800 | SI 400 Safety switch | 73611 |
| FE3264000 | 3264000 | SI 472 Fixing device | 69266 |
| FE3264400 | 3264400 | SI 474 Fixing device | 31119 |

Shakers

| Part No. | Vendor Part No | Description | Price in Rs. |
|---------------------------|----------------|---|--------------|
| Orbital Shakers | | | |
| FE3617000 | 3617000 | MS 3 basic Small shaker | 18643 |
| FE3319000 | 3319000 | MS 3 digital Small shaker | 22945 |
| FE3365000 | 3365000 | lab dancer Test tube shaker | 4671 |
| FE3340000 | 3340000 | Vortex Genius 3 | 14341 |
| FE9014100 | 9014100 | Vortex Genius 3 Package, Package includes: VORTEX Genius 3 VG 3.3 Universal attachment VG 3.31 Test tube attachment VG 3.37 Microtiter plate attachment | 29375 |
| FE2819000 | 2819000 | VXR basic Vibrax® ; Small shaker | 56015 |
| FE3208000 | 3208000 | MTS 2/4 digital M; MTS 2/4 Digital microtiter shaker | 77985 |
| FE2980000 | 2980000 | KS 130 basic Small shaker | 64481 |
| FE9019000 | 9019000 | KS 130 basic Package | 71098 |
| FE2980100 | 2980100 | KS 130 control Small shaker with positioning point | POR |
| FE9019100 | 9019100 | KS 130 control Package | POR |
| FE2980200 | 2980200 | KS 260 basic Laboratory shaker | 85266 |
| FE9019200 | 9019200 | KS 260 basic Package | 91982 |
| FE2980300 | 2980300 | KS 260 control Laboratory shaker with positioning point | POR |
| FE9019300 | 9019300 | KS 260 control Package | POR |
| FE2526400 | 2526400 | KS 501 digital Laboratory shaker | POR |
| Horizontal Shakers | | | |
| FE2527000 | 2527000 | HS 501 digital Laboratory shaker | POR |

Prices mentioned are for one unit unless pack size is mentioned in the description

| Part No. | Vendor Part No | Description | Price in Rs. |
|---|----------------|---|--------------|
| FE3066600 | 3066600 | HS 260 basic Laboratory shaker | 91135 |
| FE3066700 | 3066700 | HS 260 control Laboratory shaker with positioning point | POR |
| Incubator Shakers | | | |
| FE3510000 | 3510000 | KS 4000 i control Incubator shaker | POR |
| FE3510100 | 3510100 | KS 4000 ic control Incubator shaker with built-in cooler | POR |
| Incubator Shakers Accessories | | | |
| FE8022200 | 8022200 | AS 4000.1 Universal attachment | 91551 |
| FE3710100 | 3710100 | AS 4000.2 Fixing clip attachment | 73482 |
| FE3710000 | 3710000 | AS 4000.3 Dish attachment | 18141 |
| FE3710200 | 3710200 | AS 1.400 Basic holder | 51928 |
| FE3712000 | 3712000 | AS 1.401Clamping roll | 5263 |
| FE3712300 | 3712300 | AS 1.402 Fastening screw | 889 |
| Shakers Accessories | | | |
| Accessories for MS 3 basic / digital | | | |
| FE3426300 | 3426300 | MS 3.1Standard attachment | 2094 |
| FE3426600 | 3426600 | MS 3.3 Universal attachment | 2094 |
| FE3426400 | 3426400 | MS 3.4 Microtiter plate attachment | 5966 |
| FEL001540 | L001540 | MS 1.21 One-hand insert | 2667 |
| FEL001840 | L001840 | MS 1.31 Test tube insert | 5751 |
| FEL001850 | L001850 | MS 1.32 Test tube insert | 5751 |
| FEL001860 | L001860 | MS 1.33 Test tube insert | 5751 |
| FEL001830 | L001830 | MS 1.34 Test tube insert | 2868 |
| Accessories For Vortex Genius 3 | | | |
| FE3341200 | 3341200 | VG 3.1 Standard attachment | 990 |
| FE3342300 | 3342300 | VG 3.2 One-hand attachment | 1764 |
| FE3342400 | 3342400 | VG 3.3 Universal attachment | 2094 |
| FE3344300 | 3344300 | VG 3.31 Test tube attachment for 54 Eppendorf tubes | 5751 |
| FE3343900 | 3343900 | VG 3.32 Test tube attachment (for 18 reagent glasses ø10mm) | 2983 |
| FE3344000 | 3344000 | VG 3.33 Test tube attachment (for 12 reagent glasses ø12mm) | 2768 |
| FE3344100 | 3344100 | VG 3.34 Test tube attachment (for 8 reagent glasses ø16mm) | 2768 |
| FE3344200 | 3344200 | VG 3.35 Test tube attachment (for 8 reagent glasses ø 20mm) | 2768 |
| FE3342100 | 3342100 | VG 3.36 Erlenmeyer flask attachment for 1 Erlenmeyer/round flask | 2338 |
| FE3344400 | 3344400 | VG 3.37 Microtiter plate attachment for 1 standard microtiter plate | 2452 |
| Accessories For VXR | | | |
| FE0607200 | 0607200 | VX 1 One-hand attachment | 7973 |
| FE0568900 | 0568900 | VX 2 Test tube attachment | 33270 |
| FE1618100 | 1618100 | VX 2E Eppendorf attachment | 34346 |
| FE0953300 | 0953300 | VX 7 Dish attachment | 23834 |
| FE0910400 | 0910400 | VX 8 Universal attachment | 54738 |
| FE3627700 | 3627700 | VX 11 Basic holder | 13466 |

| Part No. | Vendor Part No | Description | Price in Rs. |
|--|----------------|--|--------------|
| FE3659000 | 3659000 | VX 11.1 Test tube insert | 12190 |
| FE3659100 | 3659100 | VX 11.2 Test tube insert | 12190 |
| FE3659200 | 3659200 | VX 11.3 Test tube insert | 10813 |
| FE3659300 | 3659300 | VX 11.4 Test tube insert | 10813 |
| FE3375400 | 3375400 | VX 8.1 Clamping roll | 5650 |
| Accessories for KS 130 basic / control | | | |
| FE8017300 | 8017300 | AS 130.1Universal attachment | 19474 |
| FE3115000 | 3115000 | AS 130.2 Fixing clip attachment | 16196 |
| FE3115000 | 3115000 | AS 130.2 Fixing clip attachment | 3549 |
| FE3120000 | 3120000 | AS 130.3 Dish attachment | 2419 |
| FE3120300 | 3120300 | AS 130.4 Test tube support | 33681 |
| FE3120300 | 3120300 | AS 130.4 Test tube support | 24239 |
| Accessories for KS / HS 260 basic / control | | | |
| FE8017400 | 8017400 | AS 260.1 Universal attachment | 27542 |
| FE3115500 | 3115500 | AS 260.2 Fixing clip attachment | 15238 |
| FE3115500 | 3115500 | AS 260.2 Fixing clip attachment | 5538 |
| FE3120600 | 3120600 | AS 260.3 Dish attachment | 2493 |
| FE3120900 | 3120900 | AS 260.5 Separating funnel attachment | 47711 |
| Accessories for KS / HS 501 digital | | | |
| FE8000200 | 8000200 | AS 501.1 Universal attachment | POR |
| FE2341100 | 2341100 | AS 501.4 Fixing clip attachment | 90934 |
| FE2339600 | 2339600 | AS 501.5 Dish attachment | 18413 |
| FE8000300 | 8000300 | AS 501.2 Separating funnel attachment | POR |
| FE8000400 | 8000400 | AS 501.3 Separating funnel attachment | POR |
| FE8000500 | 8000500 | AS 501.6 Separating funnel attachment | POR |
| Accessories | | | |
| FE3148000 | 3148000 | AS 1.30 Basic holder for AS 130.1 | 23504 |
| FE3149000 | 3149000 | AS 1.60 Basic holder for AS 260.1 | 41846 |
| FE2339700 | 2339700 | AS 1.10 Basic holder for AS 501.1 | 61794 |
| FE3030500 | 3030500 | AS 1.31 Clamping roll for AS 130.1 | 2768 |
| FE3030501 | 3030501 | AS 1.61Clamping roll for AS 260.1 | 3298 |
| FE2339800 | 2339800 | AS 1.11 Clamping roll for AS 501.1 | 5966 |
| FE2979400 | 2979400 | AS 1.5 Fastening screw | 774 |
| FE1268400 | 1268400 | AS 1.6 Clamping device for AS 501.1 | 903 |
| FE1269200 | 1269200 | AS 1.7 Clamping device for AS 501.1 | 5851 |
| FE1268900 | 1268900 | AS 1.8 Supporting clamping device for AS 501.1 | 5435 |
| FE2594500 | 2594500 | AS 1.12 Supporting bar for AS 1.10 | 11702 |
| FE2597000 | 2597000 | AS 1.13 Ground section holder for AS 1.10 | 11387 |
| FE1234300 | 1234300 | AS 2.1 Fixing clip (25 ml) | 3107 |
| FE1234400 | 1234400 | AS 2.2 Fixing clips (50 ml) | 3475 |
| FE1234500 | 1234500 | AS 2.3 Fixing clip (100 ml) | 3745 |
| FE1234600 | 1234600 | AS 2.4 Fixing clip (200 / 250 ml) | 4654 |
| FE1234700 | 1234700 | AS 2.5 Fixing clip (500 ml) | 5390 |
| FE3819300 | 3819300 | AS 2.6 HFixing clip (1.000 ml) | 6434 |
| FE3920000 | 3920000 | STICKMAX, Adhesive mat | 1523 |

Prices mentioned are for one unit unless pack size is mentioned in the description

Contact: India Toll Free.: 1 800 209 7001 Fax: 022-6680 3001 / 02 e-mail: qfc.customer@thermofisher.com

Crushing

| Part No. | Vendor Part No | Description | Price in Rs. |
|---|----------------|---|--------------|
| Dispensers (Batch Operation) | | | |
| FE3645000 | 3645000 | ULTRA-TURRAX® Workstation ULTRA-TURRAX® workstation consists of: Tube Drive, 2 x ST-20, 2 x DT-20, 2 x BMT-20 G / S, 1 x removal hook for removal the rotor-stator unit, power supply | 55871 |
| FE3646000 | 3646000 | ULTRA-TURRAX® Tube drive; Drive, incl. 1 x removal hook for removal the rotor-stator unit (DT-20) | 55843 |
| Accessories for ULTRA-TURRAX® Tube drive | | | |
| Volume 20 ml (25 pcs.) | | | |
| FE3703000 | 3703000 | ST-20 Tube with stirring device | 6224 |
| FE3703100 | 3703100 | DT-20 Mischgefäß mit Dispergiereinheit; Tube with rotor-stator element | 6224 |
| FE3703200 | 3703200 | BMT-20-S Tube for grinding with stainless steel balls | 6224 |
| FE3703300 | 3703300 | BMT-20-G Tube for grinding with glass balls | 6224 |
| Volume 20 ml, cover with pierceable membrane (25 pcs.) | | | |
| FE3702500 | 3702500 | ST-20-M Tube with stirring device | 6224 |
| FE3702600 | 3702600 | DT-20-M Tube with rotor-stator element | 6224 |
| FE3702700 | 3702700 | BMT-20-S-M Tube for grinding with stainless steel balls | 6224 |
| FE3702800 | 3702800 | BMT-20-G-M Tube for grinding with glass balls | 6224 |
| Volume 20 ml, cover with pierceable membrane, gamma-sterilized (20 pcs.) | | | |
| FE3700500 | 3700500 | ST-20-M-gamma; Tube with stirring device | 12061 |
| FE3700600 | 3700600 | DT-20-M-gamma; Tube with rotor-stator element | 12061 |
| FE3700700 | 3700700 | BMT-20-S-M-gamma; Tube for grinding with stainless steel balls | 12061 |
| Volume 50 ml (10 pcs.) | | | |
| FE3699500 | 3699500 | ST-50 Tube with stirring device | 3098 |
| FE3699600 | 3699600 | DT-50 Tube with rotor-stator element | 3098 |
| FE3699700 | 3699700 | BMT-50-S Tube for grinding with stainless steel balls | 3098 |
| FE3699800 | 3699800 | BMT-50-G Tube for grinding with glass balls | 3098 |
| Volume 50 ml, cover with pierceable membrane (10 pcs.) | | | |
| FE3629500 | 3629500 | ST-50-M Tube with stirring device | 3098 |
| FE3629600 | 3629600 | DT-50-M Tube with rotor-stator element | 3098 |
| FE3629700 | 3629700 | BMT-50-S-M Tube for grinding with stainless steel balls | 3098 |
| FE3629800 | 3629800 | BMT-50-G-M Tube for grinding with glass balls | 3098 |
| Volume 50 ml, cover with pierceable membrane, gamma-sterilized (10 pcs.) | | | |
| FE3701500 | 3701500 | ST-50-M-gamma Tube with stirring device | 6195 |
| FE3701600 | 3701600 | DT-50-M-gamma Tube with rotor-stator element | 6195 |
| FE3701700 | 3701700 | BMT-50-S-M-gamma Tube for grinding with stainless steel balls | 6195 |
| Cover (25 pcs.) | | | |
| FE3749700 | 3749700 | TC-20 für 20 ml für 20 ml tubes | 3083 |
| FE3749800 | 3749800 | TC-50 für 50 ml für 50 ml tubes | 3083 |
| FE3749900 | 3749900 | TC-20-M with pierceable membran for 20 ml tubes | 3083 |
| FE3750000 | 3750000 | TC-50-M with pierceable membran for 50 ml tubes | 3083 |
| Balls for BMT tube | | | |
| FE3599200 | 3599200 | Glass balls, Ø 6 mm (250 g) | 402 |
| FE3599300 | 3599300 | Stainless steel balls, Ø 6mm (250 g) | 2610 |

Homogenizer

| Part No. | Vendor Part No | Description | Price in Rs. |
|---|----------------|--|--------------|
| ULTRA-TURRAX® Drives-Homogenizer | | | |
| FE3420000 | 3420000 | T 10 basic ULTRA-TURRAX® | 30697 |
| FE3561000 | 3561000 | T 18 basic ULTRA-TURRAX® | 42976 |
| FE9018900 | 9018900 | T 18 basic ULTRA-TURRAX® Package Package includes T 18 basic + dispersing element (S 18 N - 19 G). | 51829 |
| FE9013100 | 9013100 | T 18 basic ULTRA-TURRAX® Package 1, Includes: T 18 basic ULTRA-TURRAX® S 18 N - 10 G Dispersing element R 1822 Plate stand R 182 Boss head clamp | 99223 |
| FE9013200 | 9013200 | T 18 basic ULTRA-TURRAX® Package 2, includes: T 18 basic ULTRA-TURRAX® S 18 N - 19 G Dispersing element R 1822 Plate stand R 182 Boss head clamp | 99223 |
| FE3565000 | 3565000 | T 25 digital ULTRA-TURRAX® | 76343 |
| FE9017700 | 9017700 | T 25 digital ULTRA-TURRAX® Package | POR |
| FE3783500 | 3783500 | T 50 basic ULTRA-TURRAX® | POR |
| FE1602800 | 1602800 | T 65 D ULTRA-TURRAX® | POR |
| FE9019600 | 9019600 | T 65 D ULTRA-TURRAX® package | POR |
| Dispersing elements for T 10 basic | | | |
| FE3304000 | 3304000 | S 10 N - 5 G Dispersing element | 30216 |
| FE3305500 | 3305500 | S 10 N - 8 G Dispersing element | 45302 |
| FE3370100 | 3370100 | S 10 N - 10 G Dispersing element | 37759 |
| FE3433225 | 3433225 | S 10 D - 7 G - KS - 65 Plastic dispersing element (25 pcs.) | 6812 |
| FE3433325 | 3433325 | S 10 D - 7 G - KS - 110 Plastic dispersing element (25 pcs.) | 6812 |
| Dispersing elements for T 18 basic | | | |
| FEL004639 | L004639 | S 18 N - 10 G Dispersing element | 66268 |
| FEL004640 | L004640 | S 18 N - 19 G Dispersing element | 66268 |
| FE3452400 | 3452400 | S 18 D - 10 G - KS Plastic dispersing element (10 pcs.) | 20034 |
| FE3452300 | 3452300 | S 18 D - 14 G - KS Plastic dispersing element (10 pcs.) | 20034 |
| FE3452500 | 3452500 | S 18/25-ET50 Disposable tube | 430 |
| Dispersing elements for T 25 digital | | | |
| FE1024200 | 1024200 | S 25 N - 8 G Dispersing element | POR |
| FE0594000 | 0594000 | S 25 N - 10 G Dispersing element | 67961 |
| FE0593400 | 0593400 | S 25 N - 18 G Dispersing element | 69796 |
| FE1713300 | 1713300 | S 25 N - 25 G Dispersing element | 87191 |
| FE1713800 | 1713800 | S 25 N - 25 F Dispersing element | 92827 |
| FE2494700 | 2494700 | S 25 NK - 19 G Dispersing element | 75117 |
| FE2348000 | 2348000 | S 25 KV - 18 G Dispersing element | POR |
| FE2466900 | 2466900 | S 25 KV - 25 G Dispersing element | POR |
| FE2404000 | 2404000 | S 25 KV - 25 F Dispersing element | POR |
| FE3452200 | 3452200 | S 25 D - 10 G - KS Plastic dispersing element (10 pcs.) | 20034 |

Prices mentioned are for one unit unless pack size is mentioned in the description

| Part No. | Vendor Part No | Description | Price in Rs. |
|---|----------------|--|--------------|
| FE3452100 | 3452100 | S 25 D - 14 G -KS Plastic dispersing element (10 pcs.) | 20034 |
| FE3452500 | 3452500 | S 18/25-ET50 Disposable tube | 430 |
| Dispersing elements for T 50 basic | | | |
| FE8003000 | 8003000 | S 50 N - G 45 G Dispersing element | POR |
| FE8003300 | 8003300 | S 50 N - G 45 M Dispersing element | POR |
| FE8003900 | 8003900 | S 50 N - G 45 F Dispersing element | POR |
| Dispersing elements for T 65 D | | | |
| FE8005500 | 8005500 | S 65 KG - HH - G 65 G Dispersing element | POR |
| FE8005700 | 8005700 | S 65 KG - HH - G 65 M Dispersing element | POR |
| FE8005900 | 8005900 | S 65 KG - HH - G 65 F Dispersing element | POR |
| FE1451000 | 1451000 | S 65 KG-HH (Shaft completed without rotor & stator) | POR |
| FE0362800 | 0362800 | G 65 G (Rotor & Stator) | 39021 |
| FE0386900 | 0386900 | G 65 M (Rotor & Stator) | 39021 |
| FE0386800 | 0386800 | G 65 F (Rotor & Stator & Cutter) | 55742 |
| Dispersing elements for T 50 basic | | | |
| FE1689300 | 1689300 | R 50 Rührwelle high speed; stirring shaft high speed | POR |
| FE1289800 | 1289800 | R 1405 Propeller Ø 45 mm; Propeller Ø 45 mm | 19374 |
| FE1243300 | 1243300 | R 1402 Dissolver Ø 42 mm; Dissolver Ø 42 mm | 26559 |
| FE8006300 | 8006300 | S 50 N - W 80 SMK Strahlmischkopf; Jet mixer head | POR |
| FE8005100 | 8005100 | S 50 N - W 65 SK Schneidkopf; Cutting head | POR |

Analytical Mill

| Part No. | Vendor Part No | Description | Price in Rs. |
|---------------------------------------|----------------|--|--------------|
| FE2900000 | 2900000 | A 11 basic; Analytical mill | 42976 |
| FE1603500 | 1603500 | A 10; Analytical mill | POR |
| Accessories A 11 basic | | | |
| FE2904600 | 2904600 | A 11.1; Spare beater | 8303 |
| FE2905200 | 2905200 | A 11.2; Cutting blade | 11917 |
| FE2983000 | 2983000 | A 11.3; Beater (chromcarbid coated) | 18112 |
| FE2904100 | 2904100 | A 11.4; Grinding chamber (250 ml) | 11200 |
| FE2983100 | 2983100 | A 11.5 r; Spare grinding chamber (80 ml) | 15631 |
| FE3302900 | 3302900 | A 11.6; Double beater | 31808 |
| FE3048700 | 3048700 | A 11.7; Funnel | 19503 |
| Accessories analytical grinder | | | |
| FE1059300 | 1059300 | A 14; Stainless steel cutter | 4374 |
| FE1059100 | 1059100 | A 15; Hard metal cutter | 24910 |
| FE1462700 | 1462700 | A 17; Star-shaped cutter | 12089 |
| FE2318200 | 2318200 | A 18; Grinding chamber reduction | 9795 |

Universal mill

| Part No. | Vendor Part No | Description | Price in Rs. |
|-------------------------|----------------|-------------------------------------|--------------|
| FE1603600 | 1603600 | M 20; Universal mill | POR |
| Accessories M 20 | | | |
| FE0328200 | 0328200 | M 21; Spare cutter, stainless steel | 6826 |
| FE0521800 | 0521800 | M 22; Hard metal cutter | 27520 |
| FE1443400 | 1443400 | M 23; Star-shaped cutter | 13624 |
| FE8006200 | 8006200 | M 20.1; Grinding chamber | POR |

Prices mentioned are for one unit unless pack size is mentioned in the description

Microfine Grinder

| Part No. | Vendor Part No | Description | Price in Rs. |
|--------------------------------|----------------|---|--------------|
| FE2836000 | 2836000 | MF 10 basic Microfine grinder drive | POR |
| Accessories MF 10 basic | | | |
| FE2870900 | 2870900 | MF 10.1 Cutting-grinding head | POR |
| FE2871000 | 2871000 | MF 10.2 Impact grinding head | POR |
| Sieves MF 10 basic | | | |
| FE2938900 | 2938900 | MF 0.25 Sieb; Sieve (Hole size Ø 0.25 mm) | 23834 |
| FE2939000 | 2939000 | MF 0.5 Sieb; Sieve (Hole size Ø 0.5 mm) | 21353 |
| FE2939200 | 2939200 | MF 1.0 Sieb; Sieve (Hole size Ø 1.0 mm) | 21353 |
| FE2939400 | 2939400 | MF 2.0 Sieb; Sieve (Hole size Ø 2.0 mm) | 21353 |
| FE2939500 | 2939500 | MF 3.0 Sieb; Sieve (Hole size Ø 3.0 mm) | 23074 |
| FE2939600 | 2939600 | MF 4.0 Sieb; Sieve (Hole size Ø 4.0 mm) | 23117 |

Heating / Tempering

| Part No. | Vendor Part No | Description | Price in Rs. |
|---|----------------|-------------------------------------|--------------|
| Heating Baths | | | |
| FE2602300 | 2602300 | HBR 4 digital Heating bath | POR |
| Heating Plates(Hotplate) | | | |
| FE3581600 | 3581600 | C-MAG HP4 | 30617 |
| FE3581800 | 3581800 | C-MAG HP7 | 34231 |
| FE3582000 | 3582000 | C-MAG HP10 | 48644 |
| Accessories HB 4 basic / HBR 4 digital | | | |
| FE2858700 | 2858700 | H 240 Ring set | 43352 |
| FE1809700 | 1809700 | H 159 Intermediate bottom | 19804 |
| Thermostats | | | |
| FE3658800 | 3658800 | CC3-308B vpc Circulating thermostat | POR |
| FE3164000 | 3164000 | EH 4 basic Immersion thermostat | POR |
| FE3335000 | 3335000 | EH 4.1 Bath vessel (5 l) | 19274 |
| FE3335100 | 3335100 | EH 4.2 Bath vessel (11 l) | 36311 |
| FE3335200 | 3335200 | EH 4.3 Bath vessel (18 l) | 41201 |
| Accessories CC3-308B vpc | | | |
| FE2606700 | 2606700 | LT 5.20 Hose | POR |
| FE2807000 | 2807000 | LT 5.22 Hose adapter | 13509 |
| FE2235000 | 2235000 | LT 5.23 Hose adapter | 14054 |
| FE2578100 | 2578100 | LT 5.24 Hose adapter | 29484 |
| FE3036200 | 3036200 | PC 2.3 Cable | 37759 |
| FE2506800 | 2506800 | PT 100.5 Temperature sensor | 43811 |
| FE2611500 | 2611500 | PT 100.7 Temperature sensor | 56388 |

Distilling Rotary evaporators

| Part No. | Vendor Part No | Description | Price in Rs. |
|---------------------------------|----------------|---|--------------|
| Rotary evaporators RV 10 | | | |
| FE8022500 | 8022500 | RV 10 digital V, with set of glassware vertical | POR |
| FE8022700 | 8022700 | RV 10 control V, with set of glassware vertical | POR |
| FE8031500 | 8031500 | RV 10 digital FLEX (Heizbad HB 10 digital; Heating bath HB 10 digital) | POR |
| FE8031600 | 8031600 | RV 10 control FLEX (Heizbad HB 10 control; Heating bath HB 10 control) | POR |
| Accessories RV 10 | | | |
| FE3641800 | 3641800 | HB 10.1 Shield for heating bath HB 10 | 17367 |
| FE3641000 | 3641000 | HB 10.2 Protection cover for heating bath HB 10 | 48056 |
| FE3655300 | 3655300 | RV 10.1 Set of glassware, vertical | 50852 |
| FE3755400 | 3755400 | RV 10.10 Set of glassware, vertical, coated | 65910 |
| FE3755300 | 3755300 | RV 10.2 Set of glassware, diagonal | 50895 |
| FE3755500 | 3755500 | RV 10.20 Set of glassware, diagonal, coated | 65910 |
| FE3741000 | 3741000 | RV 10.3 vertical-intensive action condenser with manifold | 68477 |
| FE3741100 | 3741100 | RV 10.30 vertical-intensive action condenser with manifold, coated | 95968 |
| FE3742000 | 3742000 | RV 10.4 Dry ice condensor | POR |
| FE3742100 | 3742100 | RV 10.40 Dry ice condensor, coated | POR |
| FE3743000 | 3743000 | RV 10.5 Vertical-condenser with manifold and cut-off valve for reflux distillation | POR |
| FE3743100 | 3743100 | RV 10.50 Vertical-condenser with manifold and cut-off valve for reflux distillation, coated | POR |
| FE3744000 | 3744000 | RV 10.6 Vertical-intensive condenser with manifold and cut-off valve for reflux distillation, coated | POR |
| FE3744100 | 3744100 | RV 10.60 Vertical-intensive condenser with manifold and cut-off valve for reflux distillation, coated | POR |
| FE3812200 | 3812200 | NS 29/32 Steam duct | 9780 |
| FE3740100 | 3740100 | NS 29/32 Verdampferkolben (50 ml); Evaporation flask (50 ml) | 4403 |
| FE3740200 | 3740200 | NS 29/32 Evaporation flask (100 ml) | 4403 |
| FE3740300 | 3740300 | NS 29/32 Evaporation flask (250 ml) | 4403 |
| FE3740400 | 3740400 | NS 29/32 Evaporation flask (500 ml) | 4403 |
| FE3740500 | 3740500 | NS 29/32 Evaporation flask (1.000 ml) | 4403 |
| FE3740600 | 3740600 | NS 29/32 Evaporation flask (2.000 ml) | 7701 |
| FE3740700 | 3740700 | NS 29/32 Evaporation flask (3.000 ml) | 10985 |

| Part No. | Vendor Part No | Description | Price in Rs. |
|-----------|----------------|---|--------------|
| FE3742200 | 3742200 | KS35/20 Receiving flask (100 ml) | 4403 |
| FE3742300 | 3742300 | KS35/20 Receiving flask (250 ml) | 4403 |
| FE3742400 | 3742400 | KS35/20 Receiving flask (500 ml) | 4403 |
| FE3742500 | 3742500 | KS35/20 Receiving flask (1.000 ml) | 4403 |
| FE3742600 | 3742600 | KS35/20 Receiving flask (2.000 ml) | 7701 |
| FE3742700 | 3742700 | KS35/20 Receiving flask (3.000 ml) | 10985 |
| FE3743200 | 3743200 | KS35/20 Receiving flask, coated (100 ml) | 8791 |
| FE3743300 | 3743300 | KS35/20 Receiving flask, coated (250 ml) | 8791 |
| FE3743400 | 3743400 | KS35/20 Receiving flask, coated (500 ml) | 8791 |
| FE3743500 | 3743500 | KS35/20 Receiving flask, coated (1.000 ml) | 8791 |
| FE3743600 | 3743600 | KS35/20 Receiving flask, coated (2.000 ml) | 15388 |
| FE3743700 | 3743700 | KS35/20 Receiving flask, coated (3.000 ml) | 21970 |
| FE3738200 | 3738200 | NS 29/32 Powder flask (500 ml) | 13021 |
| FE3738300 | 3738300 | NS 29/32 Powder flask (1.000 ml) | 16291 |
| FE3738400 | 3738400 | NS 29/32 Powder flask (2.000 ml) | 19231 |
| FE3738800 | 3738800 | NS 29/32 Evaporation cylinder (500 ml) | 53519 |
| FE3738900 | 3738900 | NS 29/32 Evaporation cylinder (1.500 ml) | 63142 |
| FE3739200 | 3739200 | NS 29/32 Schaumbremse; foam brake | 7471 |
| FE3739400 | 3739400 | NS 29/32 Destilling spider with 6 destilling sleeves | 41244 |
| FE3739500 | 3739500 | NS 29/32 Destilling spider with 12 destilling sleeves | 68735 |
| FE3739600 | 3739600 | NS 29/32 Destilling spider with 20 destilling sleeves | 96240 |
| FE3919400 | 3919400 | Distilling sleeve, 20ml | 1262 |
| FE3740800 | 3740800 | NS 29/32 Destilling spider with 5 flasks 50 ml | 64605 |
| FE3740900 | 3740900 | NS 29/32 Destilling spider with 5 flasks 100 ml | 67272 |
| FE3741200 | 3741200 | RV 10.90 Evaporation flask (NS 24/29, 50 ml) | |
| FE3741300 | 3741300 | RV 10.91 Evaporation flask (NS 24/29, 100 ml) | |
| FE3859000 | 3859000 | RV 10.3000 Extension plate | 10770 |
| FE3902600 | 3902600 | RV 10.4001 magnetiv valve | 13853 |
| FE3880300 | 3880300 | RV 10.4002 magnetic valve | 26645 |
| FE3900200 | 3900200 | RV 10.4003 Pump control | 53692 |
| FE3902700 | 3902700 | RV 10.5001 | 50063 |
| FE3903800 | 3903800 | RV 10.5002 | 6238 |
| FE3907100 | 3907100 | RV 10.5003 | 15760 |

Prices mentioned are for one unit unless pack size is mentioned in the description