

Bottles

Part No.	Vendor Part No	Description	Price in Rs.
Glass Serum Bottles			
FL7573610	7573610	30 ml Serum Bottle (20mm corkage), pkg of 100	19665

Chemicals

Part No.	Vendor Part No	Description	Price in Rs.
Standard Solutions			
FL9011148	4425069	Chloride Standard, 120 ml bottle	3840

Cleaners

Part No.	Vendor Part No	Description	Price in Rs.
Detergents and Cleaners			
FL043341	4522000	LabSolutions Liquid Detergent, 1 gallon	9921
FL043342	4522200	LabSolutions Neutralizing Acid Rinse, 1 liter	1979
FL04334	4422000	LabSolutions Powder Detergent, 10 lbs.	10017

Desiccators

Part No.	Vendor Part No	Description	Price in Rs.
Plastic Nonvacuum Desiccators			
FL08644	5530000	Vacuum Desiccator Cabinet	POR

Digestion

Part No.	Vendor Part No	Description	Price in Rs.
Digestion			
FL2126002	2126002	Kjeldahl, Digestion Unit, 6-unit, water ejector, 230V, 50/60Hz	POR
FL2118002	2118002	Kjeldahl, Hooded Combination, 12-unit, water ejector, 230V, 50/60Hz	POR
FL2117902	2117902	Kjeldahl, Hooded Combination, 6-unit, water ejector, 230V, 50/60Hz	POR
FL2123305	2123305	Kjeldahl, Open Combination, 12-unit, blower exhaust, 230V, 50Hz	POR
FL2123702	2123702	Kjeldahl, Open Combination, 12-unit, water ejector, 230V, 50/60Hz	POR
FL2123205	2123205	Kjeldahl, Open Combination, 6-unit, blower exhaust, 230V, 50Hz	POR
FL211316	6030001	Micro Kjeldahl Digestion Unit, with glass manifold, 220V, 50/60 Hz	POR
FL13160	2301200	Rapid Digestor-25, without tubes	POR
FL131602	2308000	Rapid Digestor-4	POR
FL13162B	2304025	250 ml Straight Tubes, pkg of 25	97782
FL1316211	2304005	250 ml Straight Tubes, pkg of 5	19938
FL13162A	2303025	250 ml Volumetric Tubes, pkg of 25	POR
FL1316210	2303005	250 ml Volumetric Tubes, pkg of 5	23563
FL3004300	3004300	Beaker, Crude Fiber, pkg of 6	13165
FL3000200	3000200	Crude Fiber Apparatus, 6-unit, 230V	POR
FL131611	2354000	Fume Removal System, 25-place	POR

Prices mentioned are for one unit unless pack size is mentioned in the description

Distillation

Part No.	Vendor Part No	Description	Price in Rs.
Distillation Equipment			
FL4517200	4517200	Auto Densi-Flow Density Gradient Fractionator, complete 230V, 50/60 Hz	POR
FL1311810	2127602	Kjeldahl, Distillation Unit, 6-unit, 230, 50/60Hz	POR
FL1312055	2123602	Kjeldahl, Open Combination, 6-unit, water ejector, 230V, 50/60Hz	POR

Electrophoresis

Part No.	Vendor Part No	Description	Price in Rs.
Gel Dryers			
FL4330150	4330150	Gel Dryer, complete, 203V, 50/60 Hz	POR

Evaporators/Concentrators

Part No.	Vendor Part No	Description	Price in Rs.
Cold Trap			
FL6108349	7811030	CentriVap Cold Trap, 230V, 50 Hz	POR
Rotational Evaporator			
FL6108455	7983014	CentriVap Acid System, 230V, 50 Hz	POR
FL6108355	7982011	CentriVap Aqueous System, 230V, 50 Hz	POR
FL6108364	7475011	CentriVap Gel Dryer System, 230V, 50 Hz	POR
FL6108361	7984011	CentriVap Solvent System, 230V, 50 Hz	POR
FL7310031	7310031	Refrigerated CentriVap Benchtop Concentrator with Glass Lid, 230 V, 50 Hz	POR
FL7310030	7310030	Refrigerated CentriVap Benchtop Concentrator, 230 V, 50 Hz	POR
Vacuum Concentrator			
FL7810017	7810017	CentriVap Acid-Resistant Benchtop Concentrator, 230 V, 50/60 Hz	POR
FL6108339	7810015	CentriVap Benchtop Concentrator with Glass Lid, 230V, 50 Hz	POR
FL6108337	7810013	CentriVap Benchtop Concentrator with Heat Boost, 230V, 50 Hz	POR
FL6108335	7810011	CentriVap Benchtop Concentrator, 230V, 50 Hz	POR
FL6108347	7970011	CentriVap DNA Centrifugal Concentrator, 220V, 50 Hz	POR
Vacuum Evaporator			
FL7910011	7910011	RapidVap N2 Evaporation System with RS-232 Link, 230V, 50/60 Hz	POR
FL7910001	7910001	RapidVap N2 Evaporation System, 230V, 50 Hz	POR
FL7910015	7910015	RapidVap N2/48 Evaporation System with RS-232 Link, 230V, 50/60 Hz	POR
FL7910013	7910013	RapidVap N2/48 Evaporation System, 230V, 50/60 Hz	POR
FL7900013	7900013	RapidVap Vacuum Evaporation System with RS-232 Link and Lid Heater, 230V, 50/60 Hz	POR
FL7900011	7900011	RapidVap Vacuum Evaporation System with RS-232 Link, 230V, 50/60 Hz	POR
FL7900001	7900001	RapidVap Vacuum Evaporation System, 230V, 50 Hz	POR
FL9733807	7900003	RapidVap Vacuum Evaporation System, 230V, 50 Hz with Lid Heater	POR

Extraction

Part No.	Vendor Part No	Description	Price in Rs.
Fat Fiber Oil Systems			
FL09680B	3500100	Goldfisch Fat Extractor, 6-unit	POR
Extraction Sample Handling Accessories			
FL096805	3505300	Beaker, Fat Extractor, pkg of 6	13356

Prices mentioned are for one unit unless pack size is mentioned in the description

Freeze Dry

Part No.	Vendor Part No	Description	Price in Rs.
Freeze Drying Equipment			
FL9756881	7548000	Fast-Freeze Straight Adapter (Stainless Steel) 3/4" flask top to 3/4" valve*	POR
FL0030129	7740031	FreeZone 1 Liter Benchtop Freeze Dry System with Teflon-Coated Collector, 220/240V, 50 Hz	POR
FL0030128	7740030	FreeZone 1 Liter Benchtop Freeze Dry System, 220/240V, 50 Hz	POR
FL1027174	7754036	FreeZone 12 Liter Freeze Dry System with Purge Valve and Vacuum Drying Chamber, 220/240V, 50 Hz	POR
FL1027172	7754032	FreeZone 12 Liter Freeze Dry System with Purge Valve, 220/240V, 50 Hz	POR
FL1027473	7759032	FreeZone 12 Liter Freeze Dry System with Stoppering Tray Dryer and Purge Valve, 220/240V, 50 Hz	POR
FL1027472	7759031	FreeZone 12 Liter Freeze Dry System with Stoppering Tray Dryer and Teflon-Coated Collector, 220/240V, 50 Hz	POR
FL1027471	7759030	FreeZone 12 Liter Freeze Dry System with Stoppering Tray Dryer, 220/240V, 50 Hz	POR
FL1027474	7759034	FreeZone 12 Liter Freeze Dry System with Stoppering Tray Dryer, Teflon-Coated Collector and Purge Valve, 220/240V, 50 Hz	POR
FL1027173	7754034	FreeZone 12 Liter Freeze Dry System with Teflon-Coated Collector and Purge Valve, 220/240V, 50 Hz	POR
FL1027171	7754031	FreeZone 12 Liter Freeze Dry System with Teflon-Coated Collector, 220/240V, 50 Hz	POR
FL1027175	7754037	FreeZone 12 Liter Freeze Dry System with Teflon-Coated Collector, Purge Valve and Vacuum Drying Chamber, 220/240V, 50 Hz	POR
FL1027170	7754030	FreeZone 12 Liter Freeze Dry System, 220/240V, 50 Hz	POR
FL1027198	7755036	FreeZone 18 Liter Freeze Dry System with Purge Valve and Vacuum Drying Chamber, 220/240V, 50 Hz	POR
FL1027196	7755032	FreeZone 18 Liter Freeze Dry System with Purge Valve, 220/240V, 50 Hz	POR
FL1027197	7755034	FreeZone 18 Liter Freeze Dry System with Teflon-Coated Collector and Purge Valve, 220/240V, 50 Hz	POR
FL1027195	7755031	FreeZone 18 Liter Freeze Dry System with Teflon-Coated Collector, 220/240V, 50 Hz	POR
FL1027199	7755037	FreeZone 18 Liter Freeze Dry System with Teflon-Coated Collector, Purge Valve and Vacuum Drying Chamber, 220/240V, 50 Hz	POR
FL1027194	7755030	FreeZone 18 Liter Freeze Dry System, 220/240V, 50 Hz	POR
FL0030135	7670531	FreeZone 2.5 Liter Benchtop Freeze Dry System with Teflon-Coated Collector, 220/240V, 50 Hz	POR
FL0030134	7670530	FreeZone 2.5 Liter Benchtop Freeze Dry System, 220/240V, 50 Hz	POR
FL6108504	7386030	FreeZone 4.5 Liter Benchtop Cascade Freeze Dry System, 220/240V 50Hz	POR
FL6108505	7386031	FreeZone 4.5 Liter Benchtop Cascade Freeze Dry System, Teflon-Coated Collector, 220/240V 50Hz	POR
FL1027113	7750031	FreeZone 4.5 Liter Benchtop Freeze Dry System with Teflon-Coated Collector, 220/240V, 50 Hz	POR
FL1027112	7750030	FreeZone 4.5 Liter Benchtop Freeze Dry System, 220/240V, 50 Hz	POR
FL6108510	7387030	FreeZone 4.5 Liter Console Cascade Freeze Dry System, 220/240V 50Hz	POR
FL6108511	7387031	FreeZone 4.5 Liter Console Cascade Freeze Dry System, Teflon-Coated Collector, 220/240V 50Hz	POR
FL1027119	7751031	FreeZone 4.5 Liter Freeze Dry System with Teflon-Coated Collector, 220/240V, 50 Hz	POR
FL1027118	7751030	FreeZone 4.5 Liter Freeze Dry System, 220/240V, 50 Hz	POR
FL1027456	7758031	FreeZone 6 Liter Benchtop Freeze Dry System with Stoppering Tray Dryer and Teflon-Coated Collector, 220/240V, 50 Hz	POR
FL1027455	7758030	FreeZone 6 Liter Benchtop Freeze Dry System with Stoppering Tray Dryer, 220/240V, 50 Hz	POR
FL1027125	7752031	FreeZone 6 Liter Benchtop Freeze Dry System with Teflon-Coated Collector, 220/240V, 50 Hz	POR
FL1027124	7752030	FreeZone 6 Liter Benchtop Freeze Dry System, 220/240V, 50 Hz	POR
FL1027148	7753532	FreeZone 6 Liter Freeze Dry System with Purge Valve and Shell Freezer, 220/240V, 50 Hz	POR
FL1027138	7753036	FreeZone 6 Liter Freeze Dry System with Purge Valve and Vacuum Drying Chamber, 220/240V, 50 Hz	POR
FL1027136	7753032	FreeZone 6 Liter Freeze Dry System with Purge Valve, 220/240V, 50 Hz	POR
FL1027465	7758532	FreeZone 6 Liter Freeze Dry System with Stoppering Tray Dryer and Purge Valve, 220/240V, 50 Hz	POR
FL1027464	7758531	FreeZone 6 Liter Freeze Dry System with Stoppering Tray Dryer and Teflon-Coated Collector, 220/240V, 50 Hz	POR
FL1027463	7758530	FreeZone 6 Liter Freeze Dry System with Stoppering Tray Dryer, 220/240V, 50 Hz	POR
FL1027466	7758534	FreeZone 6 Liter Freeze Dry System with Stoppering Tray Dryer, Teflon-Coated Collector and Purge Valve, 220/240V, 50 Hz	POR
FL1027137	7753034	FreeZone 6 Liter Freeze Dry System with Teflon-Coated Collector and Purge Valve, 220/240V, 50 Hz	POR
FL1027135	7753031	FreeZone 6 Liter Freeze Dry System with Teflon-Coated Collector, 220/240V, 50 Hz	POR
FL1027151	7753544	FreeZone 6 Liter Freeze Dry System with Teflon-Coated Collector, Purge Valve and Shell Freezer, 208/230 volts, 60 Hz, 5.5 A	POR

Prices mentioned are for one unit unless pack size is mentioned in the description

Part No.	Vendor Part No	Description	Price in Rs.
FL1027149	7753534	FreeZone 6 Liter Freeze Dry System with Teflon-Coated Collector, Purge Valve and Shell Freezer, 220/240V, 50 Hz	POR
FL1027139	7753037	FreeZone 6 Liter Freeze Dry System with Teflon-Coated Collector, Purge Valve and Vacuum Drying Chamber, 220/240V, 50 Hz	POR
FL1027134	7753030	FreeZone 6 Liter Freeze Dry System, 220/240V, 50 Hz	POR
FL9761744	7949030	FreeZone Benchtop Shell Freezer, 230V, 50 Hz	POR
FL1027186	7960036	FreeZone Plus (-84° C) 12 Liter Freeze Dry System with Purge Valve and Vacuum Drying Chamber, 220/240V, 50 Hz	POR
FL1027184	7960032	FreeZone Plus (-84° C) 12 Liter Freeze Dry System with Purge Valve, 220/240V, 50 Hz	POR
FL1027185	7960034	FreeZone Plus (-84° C) 12 Liter Freeze Dry System with Teflon-Coated Collector and Purge Valve, 220/240V, 50 Hz	POR
FL1027183	7960031	FreeZone Plus (-84° C) 12 Liter Freeze Dry System with Teflon-Coated Collector, 220/240V, 50 Hz	POR
FL1027187	7960037	FreeZone Plus (-84° C) 12 Liter Freeze Dry System with Teflon-Coated Collector, Purge Valve and Vacuum Drying Chamber, 220/240V, 50 Hz	POR
FL1027182	7960030	FreeZone Plus (-84° C) 12 Liter Freeze Dry System, 220/240V, 50 Hz	POR
FL0030141	7670031	FreeZone Plus (-84° C) 2.5 Liter Cascade Benchtop Freeze Dry System with Teflon-Coated Collector, 220/240V, 50 Hz	POR
FL0030140	7670030	FreeZone Plus (-84° C) 2.5 Liter Cascade Benchtop Freeze Dry System, 220/240V, 50 Hz	POR
FL0030147	7420031	FreeZone Plus (-84° C) 2.5 Liter Cascade Console Freeze Dry System with Teflon-Coated Collector, 220/240V, 50 Hz	POR
FL0030146	7420030	FreeZone Plus (-84° C) 2.5 Liter Cascade Console Freeze Dry System, 220/240V, 50 Hz	POR
FL1027162	7934036	FreeZone Plus (-84° C) 6 Liter Freeze Dry System with Purge Valve and Vacuum Drying Chamber, 220/240V, 50 Hz	POR
FL1027160	7934032	FreeZone Plus (-84° C) 6 Liter Freeze Dry System with Purge Valve, 220/240V, 50 Hz	POR
FL1027161	7934034	FreeZone Plus (-84° C) 6 Liter Freeze Dry System with Teflon-Coated Collector and Purge Valve, 220/240V, 50 Hz	POR
FL1027159	7934031	FreeZone Plus (-84° C) 6 Liter Freeze Dry System with Teflon-Coated Collector, 220/240V, 50 Hz	POR
FL1027163	7934037	FreeZone Plus (-84° C) 6 Liter Freeze Dry System with Teflon-Coated Collector, Purge Valve and Vacuum Drying Chamber, 220/240V, 50 Hz	POR
FL1027158	7934030	FreeZone Plus (-84° C) 6 Liter Freeze Dry System, 220/240V, 50 Hz	POR
FL0030171	7400030	FreeZone Triad Benchtop Stoppering Tray Dryer and Lyophilizer, 230V, 50 Hz	POR
Freeze Drying Flasks			
FL7570610	7570610	1 ml Flat Bottom Pre-Scored Ampule, pkg of 100	19223
FL9645888	7572710	1 ml Straight Ampule, pkg of 100	45177
FL7571210	7571210	10 ml Flat Bottom Pre-Scored Ampule, pkg of 100	34547
FL7552200	7552200	100 & 250 ml Lyph-Lock Flask Top, 19/38 STJ	10541
FL7556200	7556200	100 & 250 ml Lyph-Lock Flask Top, 24/40 STJ	12047
FL7559200	7559200	100 & 250 ml Lyph-Lock Seal	6245
FL026967C	7550400	100 ml Complete Lyph-Lock Flask, 19/38 STJ	23563
FL026968C	7554400	100 ml Complete Lyph-Lock Flask, 24/40 STJ	26309
FL7557400	7557400	100 ml Lyph-Lock Flask Bottom, 19/38 or 24/40 STJ	5271
FL026967F	7551000	1000 ml Complete Lyph-Lock Flask, 19/38 STJ	34547
FL026968F	7555000	1000 ml Complete Lyph-Lock Flask, 24/40 STJ	34547
FL9821777	7558000	1000 ml Lyph-Lock Flask Bottom, 19/38 or 24/40 STJ	7906
FL1026962	7540300	120 ml Complete Fast-Freeze Flask	13199
FL026962A	7542300	120 ml Fast-Freeze Flask Bottom	7352
FL026952A	7544200	120, 150 & 300 ml Fast-Freeze Flask Top	3898
FL1026955	7541000	1200 ml Complete Fast-Freeze Flask	24183
FL026955B	7543000	1200 ml Fast-Freeze Flask Bottom	14882
FL1026952	7540400	150 ml Complete Fast-Freeze Flask	13642
FL026952B	7542400	150 ml Fast-Freeze Flask Bottom	8017
FL1026956	7541200	2000 ml Complete Fast-Freeze Flask	28789
FL026956B	7543200	2000 ml Fast-Freeze Flask Bottom	19488
FL7552000	7552000	25 & 50 ml Lyph-Lock Flask Top, 19/38 STJ	7618

Prices mentioned are for one unit unless pack size is mentioned in the description

Part No.	Vendor Part No	Description	Price in Rs.
FL7556000	7556000	25 & 50 ml Lyph-Lock Flask Top, 24/40 STJ	8172
FL7559000	7559000	25 & 50 ml Lyph-Lock Seal	6444
FL026967A	7550000	25 ml Complete Lyph-Lock Flask, 19/38 STJ	22500
FL026968A	7554000	25 ml Complete Lyph-Lock Flask, 24/40 STJ	19223
FL7557000	7557000	25 ml Lyph-Lock Flask Bottom, 19/38 or 24/40 STJ	4274
FL026967D	7550600	250 ml Complete Lyph-Lock Flask, 19/38 STJ	25246
FL026968D	7554600	250 ml Complete Lyph-Lock Flask, 24/40 STJ	27461
FL7557600	7557600	250 ml Lyph-Lock Flask Bottom, 19/38 or 24/40 STJ	5625
FL1026953	7540600	300 ml Complete Fast-Freeze Flask	16122
FL026953B	7542600	300 ml Fast-Freeze Flask Bottom	10719
FL026950A	7544000	40 & 80 ml Fast-Freeze Flask Top	2724
FL1026950	7540000	40 ml Complete Fast-Freeze Flask	8415
FL026950B	7542000	40 ml Fast-Freeze Flask Bottom	3720
FL026967B	7550200	50 ml Complete Lyph-Lock Flask, 19/38 STJ	23032
FL026968B	7554200	50 ml Complete Lyph-Lock Flask, 24/40 STJ	23563
FL7557200	7557200	50 ml Lyph-Lock Flask Bottom, 19/38 or 24/40 STJ	4473
FL1026970	7550800	500 ml Complete Lyph-Lock Flask, 19/38 STJ	32333
FL026968E	7554800	500 ml Complete Lyph-Lock Flask, 24/40 STJ	31447
FL9764836	7557800	500 ml Lyph-Lock Flask Bottom, 19/38 or 24/40 STJ	6223
FL7552400	7552400	500, 750 & 1000 ml Lyph-Lock Flask Top, 19/38 STJ	11782
FL7556400	7556400	500, 750 & 1000 ml Lyph-Lock Flask Top, 24/40 STJ	13199
FL7559400	7559400	500, 750 & 1000 ml Lyph-Lock Seal	7109
FL1026954	7540800	600 ml Complete Fast-Freeze Flask	19931
FL026954B	7542800	600 ml Fast-Freeze Flask Bottom	10719
FL026954A	7544400	600, 750, 900, 1200 & 2000 ml Fast-Freeze Flask Top	7530
FL1027206	7541100	750 ml Complete Fast-Freeze Flask	20551
FL026967G	7550900	750 ml Complete Lyph-Lock Flask, 19/38 STJ	32333
FL026968G	7554900	750 ml Complete Lyph-Lock Flask, 24/40 STJ	32333
FL9782178	7542700	750 ml Fast-Freeze Flask Bottom	11959
FL026966G	7557900	750 ml Lyph-Lock Flask Bottom, 19/38 or 24/40 STJ	7463
FL1026951	7540200	80 ml Complete Fast-Freeze Flask	7507
FL026951B	7542200	80 ml Fast-Freeze Flask Bottom	4584
FL1026963	7540900	900 ml Complete Fast-Freeze Flask	20817
FL026963A	7542900	900 ml Fast-Freeze Flask Bottom	11339
FL1026980	7593401	Adapter Valve for Ampules, pkg of 10	7618
Accessories			
FL7573210	7573210	10 ml Serum Bottle (20mm corkage), pkg of 100	13553
FL7574010	7574010	100 ml Serum Bottle (20mm corkage), pkg of 100	76624
FL7574210	7574210	125 ml Serum Bottle (20mm corkage), pkg of 100	85483
FL7570810	7570810	2 ml Flat Bottom Pre-Scored Ampule, pkg of 100	21969
FL9825267	7575010	2 ml Serum Bottle (13mm corkage), pkg of 100	10276
FL7573410	7573410	20 ml Serum Bottle (20mm corkage), pkg of 100	19223
FL7575210	7575210	3 ml Serum Bottle (13mm corkage), pkg of 100	11782
FL7571010	7571010	5 ml Flat Bottom Pre-Scored Ampule, pkg of 100	30118
FL7573010	7573010	5 ml Serum Bottle (20mm corkage), pkg of 100	13376

Prices mentioned are for one unit unless pack size is mentioned in the description

Contact: India Toll Free.: 1 800 209 7001 Fax: 022-6680 3001 / 02 e-mail: qfc.customer@thermofisher.com

Part No.	Vendor Part No	Description	Price in Rs.
FL7573810	7573810	50 ml Serum Bottle (20mm corkage), pkg of 100	34547
FL7948030	7948030	FreeZone Stoppering Tray Dryer, 230V, 50 Hz	POR
FL7394800	7394800	Liquid Nitrogen Trap	POR
Adapters [Freeze Drying]			
FL026969B	7568200	90° Adapter, 19/38 STJ (Glass)	3898
FL026969C	7568400	90° Adapter, 24/40 STJ (Glass) Flask Top to 1/2" valve*	4252
FL026969D	7568600	90° Adapter, 24/40 STJ (Glass) Flask Top to 3/4" valve*	4252
FL026957B	7545600	Fast-Freeze 45° Adapter (Glass) 1/2" flask top to 1/2" valve*	1705
FL026959B	7546000	Fast-Freeze 45° Adapter (Glass) 1/2" flask top to 3/4" valve*	2790
FL026958B	7545800	Fast-Freeze 45° Adapter (Glass) 3/4" flask top to 3/4" valve*	1705
FL026960B	7547400	Fast-Freeze 45° Adapter (Stainless Steel) 1/2" flask top to 1/2" valve*	3167
FL026961B	7547600	Fast-Freeze 45° Adapter (Stainless Steel) 3/4" flask top to 3/4" valve*	3167
FL026957A	7545000	Fast-Freeze Straight Adapter (Glass) 1/2" flask top to 1/2" valve*	997
FL026959A	7545400	Fast-Freeze Straight Adapter (Glass) 1/2" flask top to 3/4" valve*	1750
FL026958A	7545200	Fast-Freeze Straight Adapter (Glass) 3/4" flask top to 3/4" valve*	1240
FL026961A	7547200	Fast-Freeze Straight Adapter (Stainless Steel)	2436
FL026960A	7547000	Fast-Freeze Straight Adapter (Stainless Steel) 1/2" flask top to 1/2" valve*	2436

Fume Hoods and Enclosures

Part No.	Vendor Part No	Description	Price in Rs.
Air Flow Monitors			
FL1030471	3908801	Guardian 1000 Digital Airflow Monitor, 230V, 50 Hz	POR
FL3944701	3944701	Guardian 500 Airflow Monitor Kit, for 230V, 50 Hz operation	76318
Biosafety Cabinets			
FL3430020	3430020	3' Purifier Logic Class II Type A2 Biosafety Cabinet with 10" sash opening, 230V, 50/60 Hz, British (UK) Plug & Receptacle	POR
FL3430024	3430024	3' Purifier Logic Class II Type A2 Biosafety Cabinet with 10" sash opening, 230V, 50/60 Hz, China/Australia Plug & Receptacle	POR
FL3430022	3430022	3' Purifier Logic Class II Type A2 Biosafety Cabinet with 10" sash opening, 230V, 50/60 Hz, Schuko Plug & Receptacle	POR
FL3430021	3430021	3' Purifier Logic Class II Type A2 Biosafety Cabinet with 10" sash opening, UV Light and service fixture, 230V, 50/60 Hz, British (UK) Plug & Receptacle	POR
FL3430025	3430025	3' Purifier Logic Class II Type A2 Biosafety Cabinet with 10" sash opening, UV Light and service fixture, 230V, 50/60 Hz, China/Australia Plug & Receptacle	POR
FL9825168	3430023	3' Purifier Logic Class II Type A2 Biosafety Cabinet with 10" sash opening, UV Light and service fixture, 230V, 50/60 Hz, Schuko Plug & Receptacle	POR
FL9681125	3430820	3' Purifier Logic Class II Type A2 Biosafety Cabinet with 8" sash opening, 230V, 50/60 Hz, British (UK) Plug & Receptacle	POR
FL3430824	3430824	3' Purifier Logic Class II Type A2 Biosafety Cabinet with 8" sash opening, 230V, 50/60 Hz, China/Australia Plug & Receptacle	POR
FL3430822	3430822	3' Purifier Logic Class II Type A2 Biosafety Cabinet with 8" sash opening, 230V, 50/60 Hz, Schuko Plug & Receptacle	POR
FL9681126	3430821	3' Purifier Logic Class II Type A2 Biosafety Cabinet with 8" sash opening, UV Light and service fixture, 230V, 50/60 Hz, British (UK) Plug & Receptacle	POR
FL3430825	3430825	3' Purifier Logic Class II Type A2 Biosafety Cabinet with 8" sash opening, UV Light and service fixture, 230V, 50/60 Hz, China/Australia Plug & Receptacle	POR
FL9761897	3430823	3' Purifier Logic Class II Type A2 Biosafety Cabinet with 8" sash opening, UV Light and service fixture, 230V, 50/60 Hz, Schuko Plug & Receptacle	POR
FL3440020	3440020	4' Purifier Logic Class II Type A2 Biosafety Cabinet with 10" sash opening, 230V, 50/60 Hz, British (UK) Plug & Receptacle	POR
FL3440024	3440024	4' Purifier Logic Class II Type A2 Biosafety Cabinet with 10" sash opening, 230V, 50/60 Hz, China/Australia Plug & Receptacle	POR
FL3440022	3440022	4' Purifier Logic Class II Type A2 Biosafety Cabinet with 10" sash opening, 230V, 50/60 Hz, Schuko Plug & Receptacle	POR
FL3440021	3440021	4' Purifier Logic Class II Type A2 Biosafety Cabinet with 10" sash opening, UV Light and service fixture, 230V, 50/60 Hz, British (UK) Plug & Receptacle	POR

Prices mentioned are for one unit unless pack size is mentioned in the description

Part No.	Vendor Part No	Description	Price in Rs.
FL3440025	3440025	4' Purifier Logic Class II Type A2 Biosafety Cabinet with 10" sash opening, UV Light and service fixture, 230V, 50/60 Hz, China/Australia Plug & Receptacle	POR
FL3440023	3440023	4' Purifier Logic Class II Type A2 Biosafety Cabinet with 10" sash opening, UV Light and service fixture, 230V, 50/60 Hz, Schuko Plug & Receptacle	POR
FL9681127	3440820	4' Purifier Logic Class II Type A2 Biosafety Cabinet with 8" sash opening, 230V, 50/60 Hz, British (UK) Plug & Receptacle	POR
FL3440824	3440824	4' Purifier Logic Class II Type A2 Biosafety Cabinet with 8" sash opening, 230V, 50/60 Hz, China/Australia Plug & Receptacle	POR
FL3440822	3440822	4' Purifier Logic Class II Type A2 Biosafety Cabinet with 8" sash opening, 230V, 50/60 Hz, Schuko Plug & Receptacle	POR
FL3440830	3440830	4' Purifier Logic Class II Type A2 Biosafety Cabinet with 8" sash opening, low velocity alarm and ON/OFF lock, 230V, 50/60 Hz, Schuko Plug & Receptacle	POR
FL3440831	3440831	4' Purifier Logic Class II Type A2 Biosafety Cabinet with 8" sash opening, low velocity alarm and ON/OFF lock, UV Light and service fixture, 230V, 50/60 Hz, Schuko Plug & Receptacle	POR
FL9681128	3440821	4' Purifier Logic Class II Type A2 Biosafety Cabinet with 8" sash opening, UV Light and service fixture, 230V, 50/60 Hz, British (UK) Plug & Receptacle	POR
FL3440825	3440825	4' Purifier Logic Class II Type A2 Biosafety Cabinet with 8" sash opening, UV Light and service fixture, 230V, 50/60 Hz, China/Australia Plug & Receptacle	POR
FL3440823	3440823	4' Purifier Logic Class II Type A2 Biosafety Cabinet with 8" sash opening, UV Light and service fixture, 230V, 50/60 Hz, Schuko Plug & Receptacle	POR
FL3441025	3441025	4' Purifier Logic Class II Type B2 Biosafety Cabinet with UV Light and service fixture, 230V, 50/60 Hz, China/Australia Plug & Receptacle	POR
FL3441023	3441023	4' Purifier Logic Class II Type B2 Biosafety Cabinet with UV Light and service fixture, 230V, 50/60 Hz, Schuko Plug & Receptacle	POR
FL3441024	3441024	4' Purifier Logic Class II Type B2 Biosafety Cabinet, 230V, 50/60 Hz, China/Australia Plug & Receptacle	POR
FL3441022	3441022	4' Purifier Logic Class II Type B2 Biosafety Cabinet, 230V, 50/60 Hz, Schuko Plug & Receptacle	POR
FL9681138	3441021	4' Purifier Logic Class II Type B2 Total Exhaust Biosafety Cabinet with UV light and service fixture, 230V, 50/60 Hz, British (UK) Plug & Receptacle	POR
FL9681137	3441020	4' Purifier Logic Class II Type B2 Total Exhaust Biosafety Cabinet, 230V, 50/60 Hz, British (UK) Plug & Receptacle	POR
FL3450020	3450020	5' Purifier Logic Class II Type A2 Biosafety Cabinet with 10" sash opening, 230V, 50/60 Hz, British (UK) Plug & Receptacle	POR
FL3450024	3450024	5' Purifier Logic Class II Type A2 Biosafety Cabinet with 10" sash opening, 230V, 50/60 Hz, China/Australia Plug & Receptacle	POR
FL3450022	3450022	5' Purifier Logic Class II Type A2 Biosafety Cabinet with 10" sash opening, 230V, 50/60 Hz, Schuko Plug & Receptacle	POR
FL3450021	3450021	5' Purifier Logic Class II Type A2 Biosafety Cabinet with 10" sash opening, UV Light and service fixture, 230V, 50/60 Hz, British (UK) Plug & Receptacle	POR
FL3450025	3450025	5' Purifier Logic Class II Type A2 Biosafety Cabinet with 10" sash opening, UV Light and service fixture, 230V, 50/60 Hz, China/Australia Plug & Receptacle	POR
FL3450023	3450023	5' Purifier Logic Class II Type A2 Biosafety Cabinet with 10" sash opening, UV Light and service fixture, 230V, 50/60 Hz, Schuko Plug & Receptacle	POR
FL9681129	3450820	5' Purifier Logic Class II Type A2 Biosafety Cabinet with 8" sash opening, 230V, 50/60 Hz, British (UK) Plug & Receptacle	POR
FL3450824	3450824	5' Purifier Logic Class II Type A2 Biosafety Cabinet with 8" sash opening, 230V, 50/60 Hz, China/Australia Plug & Receptacle	POR
FL3450822	3450822	5' Purifier Logic Class II Type A2 Biosafety Cabinet with 8" sash opening, 230V, 50/60 Hz, Schuko Plug & Receptacle	POR
FL9681130	3450821	5' Purifier Logic Class II Type A2 Biosafety Cabinet with 8" sash opening, UV Light and service fixture, 230V, 50/60 Hz, British (UK) Plug & Receptacle	POR
FL3450825	3450825	5' Purifier Logic Class II Type A2 Biosafety Cabinet with 8" sash opening, UV Light and service fixture, 230V, 50/60 Hz, China/Australia Plug & Receptacle	POR
FL3450823	3450823	5' Purifier Logic Class II Type A2 Biosafety Cabinet with 8" sash opening, UV Light and service fixture, 230V, 50/60 Hz, Schuko Plug & Receptacle	POR
FL3460020	3460020	6' Purifier Logic Class II Type A2 Biosafety Cabinet with 10" sash opening, 230V, 50/60 Hz, British (UK) Plug & Receptacle	POR
FL3460024	3460024	6' Purifier Logic Class II Type A2 Biosafety Cabinet with 10" sash opening, 230V, 50/60 Hz, China/Australia Plug & Receptacle	POR
FL3460022	3460022	6' Purifier Logic Class II Type A2 Biosafety Cabinet with 10" sash opening, 230V, 50/60 Hz, Schuko Plug & Receptacle	POR
FL3460021	3460021	6' Purifier Logic Class II Type A2 Biosafety Cabinet with 10" sash opening, UV Light and service fixture, 230V, 50/60 Hz, British (UK) Plug & Receptacle	POR
FL3460025	3460025	6' Purifier Logic Class II Type A2 Biosafety Cabinet with 10" sash opening, UV Light and service fixture, 230V, 50/60 Hz, China/Australia Plug & Receptacle	POR
FL3460023	3460023	6' Purifier Logic Class II Type A2 Biosafety Cabinet with 10" sash opening, UV Light and service fixture, 230V, 50/60 Hz, Schuko Plug & Receptacle	POR

Prices mentioned are for one unit unless pack size is mentioned in the description

Contact: India Toll Free.: 1 800 209 7001 Fax: 022-6680 3001 / 02 e-mail: qfc.customer@thermofisher.com

Part No.	Vendor Part No	Description	Price in Rs.
FL9681131	3460820	6' Purifier Logic Class II Type A2 Biosafety Cabinet with 8" sash opening, 230V, 50/60 Hz, British (UK) Plug & Receptacle	POR
FL3460824	3460824	6' Purifier Logic Class II Type A2 Biosafety Cabinet with 8" sash opening, 230V, 50/60 Hz, China/Australia Plug & Receptacle	POR
FL3460822	3460822	6' Purifier Logic Class II Type A2 Biosafety Cabinet with 8" sash opening, 230V, 50/60 Hz, Schuko Plug & Receptacle	POR
FL9681132	3460821	6' Purifier Logic Class II Type A2 Biosafety Cabinet with 8" sash opening, UV Light and service fixtures, 230V, 50/60 Hz, British (UK) Plug & Receptacle	POR
FL3460825	3460825	6' Purifier Logic Class II Type A2 Biosafety Cabinet with 8" sash opening, UV Light and service fixtures, 230V, 50/60 Hz, China/Australia Plug & Receptacle	POR
FL3460823	3460823	6' Purifier Logic Class II Type A2 Biosafety Cabinet with 8" sash opening, UV Light and service fixtures, 230V, 50/60 Hz, Schuko Plug & Receptacle	POR
FL3461025	3461025	6' Purifier Logic Class II Type B2 Biosafety Cabinet with UV Light and service fixtures, 230V, 50/60 Hz, China/Australia Plug & Receptacle	POR
FL3461023	3461023	6' Purifier Logic Class II Type B2 Biosafety Cabinet with UV Light and service fixtures, 230V, 50/60 Hz, Schuko Plug & Receptacle	POR
FL3461024	3461024	6' Purifier Logic Class II Type B2 Biosafety Cabinet, 230V, 50/60 Hz, China/Australia Plug & Receptacle	POR
FL3461022	3461022	6' Purifier Logic Class II Type B2 Biosafety Cabinet, 230V, 50/60 Hz, Schuko Plug & Receptacle	POR
FL3461021	3461021	6' Purifier Logic Class II Type B2 Total Exhaust Biosafety Cabinet with UV light and service fixtures, 230V, 50/60 Hz, British (UK) Plug & Receptacle	POR
FL3461020	3461020	6' Purifier Logic Class II Type B2 Total Exhaust Biosafety Cabinet, 230V, 50/60 Hz, British (UK) Plug & Receptacle	POR
Blower			
FL7068600	7068600	Coated Steel Blower, 10", 1/2 hp	POR
FL92302	7068400	Coated Steel Blower, 10", 1/3 hp	POR
FL1609012	7068200	Coated Steel Blower, 10", 1/4 hp	POR
FL1609011	7068000	Coated Steel Blower, 10", 1/6 hp	POR
FL9838941	7069400	Coated Steel Blower, 12", 1 hp	POR
FL1609021	7069000	Coated Steel Blower, 12", 1/2 hp	POR
FL1609019	7068800	Coated Steel Blower, 12", 1/3 hp	POR
FL9818074	7069600	Coated Steel Blower, 12", 1-1/2 hp	POR
FL0269273	7071900	Coated Steel Blower, 12", 2 hp	POR
FL9150093	7069200	Coated Steel Blower, 12", 3/4 hp	POR
FL1609018	7068700	Coated Steel Blower, EP, 10", 1/2 hp	POR
FL7068500	7068500	Coated Steel Blower, EP, 10", 1/3 hp	POR
FL1609014	7068300	Coated Steel Blower, EP, 10", 1/4 hp	POR
FL7068100	7068100	Coated Steel Blower, EP, 10", 1/6 hp	POR
FL7069500	7069500	Coated Steel Blower, EP, 12", 1 hp	POR
FL7069100	7069100	Coated Steel Blower, EP, 12", 1/2 hp	POR
FL7068900	7068900	Coated Steel Blower, EP, 12", 1/3 hp	POR
FL7069700	7069700	Coated Steel Blower, EP, 12", 1-1/2 hp	POR
FL1630710	7069300	Coated Steel Blower, EP, 12", 3/4 hp	POR
FL1609031	7180600	Fiberglass Blower, 10", 1/2 hp	POR
FL1609029	7180400	Fiberglass Blower, 10", 1/3 hp	POR
FL9804256	7180200	Fiberglass Blower, 10", 1/4 hp	POR
FL1609025	7180000	Fiberglass Blower, 10", 1/6 hp	POR
FL1631111	7181200	Fiberglass Blower, 12", 1/2 hp	POR
FL1609035	7181000	Fiberglass Blower, 12", 1/4 hp	POR
FL1609033	7180800	Fiberglass Blower, 12", 1/6 hp	POR
FL1609050	7181600	Fiberglass Blower, 12", 1-1/2 hp	POR
FL1609039	7181400	Fiberglass Blower, 12", 3/4 hp	POR
FL1609043	7182000	Fiberglass Blower, 16", 2 hp	POR

Prices mentioned are for one unit unless pack size is mentioned in the description

Part No.	Vendor Part No	Description	Price in Rs.
FL1609045	7182200	Fiberglass Blower, 16", 3 hp	POR
FL1609032	7180700	Fiberglass Blower, EP, 10", 1/2 hp	POR
FL7180500	7180500	Fiberglass Blower, EP, 10", 1/3 hp	POR
FL7180300	7180300	Fiberglass Blower, EP, 10", 1/4 hp	POR
FL7180100	7180100	Fiberglass Blower, EP, 10", 1/6 hp	POR
FL7181300	7181300	Fiberglass Blower, EP, 12", 1/2 hp	POR
FL1609036	7181100	Fiberglass Blower, EP, 12", 1/4 hp	POR
FL1609034	7180900	Fiberglass Blower, EP, 12", 1/6 hp	POR
FL7181700	7181700	Fiberglass Blower, EP, 12", 1-1/2 hp	POR
FL7181500	7181500	Fiberglass Blower, EP, 12", 3/4 hp	POR
FL1609044	7182100	Fiberglass Blower, EP, 16", 2 hp	POR
FL1609046	7182300	Fiberglass Blower, EP, 16", 3 hp	POR
FL160903	7183000	PVC Blower, 10", 1/2 hp	POR
FL1609010	7183200	PVC Blower, 12", 1 hp	POR
FL160909	7183100	PVC Blower, 12", 1/2 hp	POR
FL6108105	3668000	Remote Blower for 3' & 4' Purifier Delta Series Type A2 Safety Cabinet & 4' PuriCare Procedure Station mfd. before 09/2007	POR
FL6307240	3668001	Remote Blower for 5' & 6' Purifier Delta Series Type A2 Safety Cabinet & 6' PuriCare Procedure Station mfd. before 09/2007	POR
FL3716001	3716001	Remote Blower with Backdraft Damper, 230V, 50 Hz	POR
Cabinets Floor and Wall			
FL1630481	3730600	6' Telescoping Base Stand, with fixed feet, 27.5" - 33.5" high	73081
Canopy			
FL3924405	3924405	2' Canopy Kit for FilterMate Portable Exhauster	38636
FL3924406	3924406	3' Canopy Kit for FilterMate Portable Exhauster	38636
FL3924407	3924407	4' Canopy Kit for FilterMate Portable Exhauster	43883
FL3924403	3924403	5' Canopy Kit for XPert Filtered Balance Systems	63439
FL6963700	6963700	Canopy Exhaust Transition for Paramount Ductless Enclosures	28619
FL3898000	3898000	Canopy Kit for 3' Purifier Logic Class II Cabinets	55807
FL3898001	3898001	Canopy Kit for 4' Purifier Logic Class II Cabinets and PuriCare Procedure Stations	61054
FL3898002	3898002	Canopy Kit for 5' Purifier Logic Class II Cabinets	63439
FL3898003	3898003	Canopy Kit for 6' Purifier Logic Class II Cabinets and PuriCare Procedure Stations	68209
FL0304150	3924400	2' Canopy Kit for Purifier Class I and HEPA Filtered Enclosures and XPert Filtered Balance Systems	47699
FL0304151	3924401	3' Canopy Kit for Purifier Class I and HEPA Filtered Enclosures and XPert Filtered Balance Systems	50083
FL0304152	3924402	4' Canopy Kit for Purifier Class I and HEPA Filtered Enclosures and XPert Filtered Balance Systems	53422
FL9769139	3924404	6' Canopy Kit for XPert Filtered Balance Systems	74410
Canopy Hoods			
FL165002	7099000	6' Canopy Hood	POR
castor for stand			
FL9830465	3730500	Caster Kit for Telescoping Base Stands with Fixed Feet	31004
Disposal System			
FL3840020	3840020	3' PuriCare Bedding Disposal Station, 230V, 50 Hz	POR
Distillation Grid			
FL6973300	6973300	Distillation Grid for 4' Protector ClassMate Hoods	52468
FL6973301	6973301	Distillation Grid for 5' Protector ClassMate Hoods	77272
FL6973302	6973302	Distillation Grid for 6' Protector ClassMate Hoods	POR

Prices mentioned are for one unit unless pack size is mentioned in the description

Contact: India Toll Free.: 1 800 209 7001 Fax: 022-6680 3001 / 02 e-mail: qfc.customer@thermofisher.com

Part No.	Vendor Part No	Description	Price in Rs.
Ductless Enclosures			
FL0030214	6963422	Paramount Ductless Enclosure ,4', 360 degree visibility with glass rear wall and baffle, 32" IH x 29" D, 230V 50/60Hz	POR
FL0030201	6963220	Paramount Ductless Enclosure 2', 22.7" IH x 29" D, 230V 50/60Hz	POR
FL0030205	6963320	Paramount Ductless Enclosure, 3', 22.7" IH x 29" D, 230V 50/60Hz	POR
FL0030207	6963322	Paramount Ductless Enclosure, 3', 360 degree visibility with glass rear wall and baffle, 32" IH x 29" D, 230V 50/60Hz	POR
FL0030212	6963420	Paramount Ductless Enclosure, 4', 22.7" IH x 29" D, 230V 50/60Hz	POR
FL0030213	6963421	Paramount Ductless Enclosure, 4', 32" IH x 29" D, 230V 50/60Hz	POR
FL0030215	6963423	Paramount Ductless Enclosure, 4', 35" IH x 35.5" D, 230V	POR
FL0030218	6963521	Paramount Ductless Enclosure, 5', 32" IH x 29" D, 230V 50/60Hz	POR
FL0030219	6963523	Paramount Ductless Enclosure, 5', 35" IH x 35.5" D, 230V 50/60Hz	POR
FL0030222	6963621	Paramount Ductless Enclosure, 6', 32" IH x 29" D, 230V 50/60Hz	POR
FL0030223	6963623	Paramount Ductless Enclosure, 6', 35" IH x 35.5" D, 230V 50/60Hz	POR
Ductless Fume hood			
FL6963321	6963321	Paramount Ductless Enclosure, 3', 32" IH x 29" D, 230V 50/60Hz	POR
Ductwork			
FL1630469	3715000	Exhaust Connection Kit, for 2' Enclosure	47699
FL1630470	3715001	Exhaust Connection Kit, for 3' Enclosure	50083
Fume Hood Conversion Packages			
FL9039122	3801000	Waste Container	13260
FL9039123	3801500	Waste Container Platform	14119
Fume Hoods			
FL9700205	9700205	10' Protector XL Benchtop Hood with 2 service fixtures and 24" interior depth	POR
FL9700201	9700201	10' Protector XL Benchtop Hood with 2 service fixtures and 30" interior depth	POR
FL9700204	9700204	10' Protector XL Benchtop Hood with 24" interior depth	POR
FL9700200	9700200	10' Protector XL Benchtop Hood with 30" interior depth	POR
FL9700901	9700901	10' Protector XL Floor-Mounted Hood with 2 service fixtures, 30" interior depth, and horizontal-sliding sashes	POR
FL9700903	9700903	10' Protector XL Floor-Mounted Hood with 2 service fixtures, 36" interior depth, and horizontal-sliding sashes	POR
FL9700905	9700905	10' Protector XL Floor-Mounted Hood with 2 service fixtures, 48" interior depth, and horizontal-sliding sashes	POR
FL9700203	9700203	10" Protector XL Benchtop Hood with 2 service fixtures and 36" interior depth	POR
FL9700202	9700202	10" Protector XL Benchtop Hood with 36" interior depth	POR
FL9700305	9700305	12' Protector XL Benchtop Hood with 2 service fixtures and 24" interior depth	POR
FL9700301	9700301	12' Protector XL Benchtop Hood with 2 service fixtures and 30" interior depth	POR
FL9700303	9700303	12' Protector XL Benchtop Hood with 2 service fixtures and 36" interior depth	POR
FL9700304	9700304	12' Protector XL Benchtop Hood with 24" interior depth	POR
FL9700300	9700300	12' Protector XL Benchtop Hood with 30" interior depth	POR
FL9700302	9700302	12' Protector XL Benchtop Hood with 36" interior depth	POR
FL9701001	9701001	12' Protector XL Floor-Mounted Hood with 2 service fixtures, 30" interior depth, and horizontal-sliding sashes	POR
FL9701003	9701003	12' Protector XL Floor-Mounted Hood with 2 service fixtures, 36" interior depth, and horizontal-sliding sashes	POR
FL9701005	9701005	12' Protector XL Floor-Mounted Hood with 2 service fixtures, 48" interior depth, and horizontal-sliding sashes	POR
FL9700405	9700405	16' Protector XL Benchtop Hood with 2 service fixtures and 24" interior depth	POR
FL9700401	9700401	16' Protector XL Benchtop Hood with 2 service fixtures and 30" interior depth	POR
FL9700403	9700403	16' Protector XL Benchtop Hood with 2 service fixtures and 36" interior depth	POR
FL9700404	9700404	16' Protector XL Benchtop Hood with 24" interior depth	POR
FL9700400	9700400	16' Protector XL Benchtop Hood with 30" interior depth	POR
FL9700402	9700402	16' Protector XL Benchtop Hood with 36" interior depth	POR

Prices mentioned are for one unit unless pack size is mentioned in the description

Part No.	Vendor Part No	Description	Price in Rs.
FL9716001	9716001	16' Protector XL Floor-Mounted Hood with 2 service fixtures, 30" interior depth, and horizontal-sliding sashes	POR
FL9716003	9716003	16' Protector XL Floor-Mounted Hood with 2 service fixtures, 36" interior depth, and horizontal-sliding sashes	POR
FL9716005	9716005	16' Protector XL Floor-Mounted Hood with 2 service fixtures, 48" interior depth, and horizontal-sliding sashes	POR
FL1030442	3930222	2' XPert Balance Enclosure with Guardian 1000 Digital Airflow Monitor, 22.8" tall, 230V, 50 Hz	POR
FL0090262	3930242	2' XPert Balance Enclosure with Guardian 1000 Digital Airflow Monitor, 32" tall, 230V, 50 Hz	POR
FL1030441	3930221	2' XPert Balance Enclosure with Guardian Jr. Airflow Monitor, 22.8" tall, 230V, 50 Hz	POR
FL0090261	3930241	2' XPert Balance Enclosure with Guardian Jr. Airflow Monitor, 32" tall, 230V, 50 Hz	POR
FL1030489	3950222	2' XPert Filtered Balance System with Guardian Digital Monitor, 230V, 50 Hz	POR
FL1030488	3950221	2' XPert Filtered Balance System with Guardian LED Monitor, 230V, 50 Hz	POR
FL0090291	3950220	2' XPert Filtered Balance System, 230V, 50 Hz	POR
FL0090274	3960322	3' XPert Balance Enclosure Easy-Order, includes 3' XPert Enclosure with Guardian 1000 Digital Airflow Monitor 3930322, FilterMate Portable Exhauster with HEPA Filter 3970020, 3' Black Work Surface 3908401, 230V, 50 Hz	POR
FL0090273	3960321	3' XPert Balance Enclosure Easy-Order, includes 3' XPert Enclosure with Guardian Jr. Airflow Monitor 3930321, FilterMate Portable Exhauster with HEPA Filter 3970020, 3' Black Work Surface 3908401, 230V, 50 Hz	POR
FL1030446	3930322	3' XPert Balance Enclosure with Guardian 1000 Digital Airflow Monitor, 22.8" tall, 230V, 50 Hz	POR
FL0090266	3930342	3' XPert Balance Enclosure with Guardian 1000 Digital Airflow Monitor, 32" tall, 230V, 50 Hz	POR
FL1030445	3930321	3' XPert Balance Enclosure with Guardian Jr. Airflow Monitor, 22.8" tall, 230V, 50 Hz	POR
FL0090265	3930341	3' XPert Balance Enclosure with Guardian Jr. Airflow Monitor, 32" tall, 230V, 50 Hz	POR
FL0304105	3940322	3' XPert Filtered Balance Station with Guardian Digital Monitor, 230V, 50 Hz	POR
FL0304104	3940321	3' XPert Filtered Balance Station with Guardian LED Monitor, 230V, 50 Hz	POR
FL0090287	3940320	3' XPert Filtered Balance Station, 230V, 50 Hz	POR
FL1030493	3950322	3' XPert Filtered Balance System with Guardian Digital Monitor, 230V, 50 Hz	POR
FL1030492	3950321	3' XPert Filtered Balance System with Guardian LED Monitor, 230V, 50 Hz	POR
FL0090293	3950320	3' XPert Filtered Balance System, 230V, 50 Hz	POR
FL6971400	6971400	4' Protector ClassMate Combination Sash Hood	POR
FL6971401	6971401	4' Protector ClassMate Combination Sash Hood with 4 service fixtures	POR
FL6307225	6970400	4' Protector ClassMate Hood	POR
FL6970401	6970401	4' Protector ClassMate Hood with 4 service fixtures	POR
FLS94272	9942403	4' Protector Pass-Through Laboratory Hood	POR
FLS94271	9942402	4' Protector Pass-Through Laboratory Hood with right-side mounted viewing window , 15" x 24"	POR
FL4882100	4882100	4' Protector Perchloric Acid Laboratory Hood with Support Surface	POR
FL16304	4880000	4' Protector Premier Fiberglass-Lined Hood with blower	POR
FL16305	4880300	4' Protector Premier Fiberglass-Lined Hood with blower and fixtures	POR
FL9799162	4871400	4' Protector Premier Fiberglass-Lined Hood with blower and fixtures, 230V, 50 Hz	POR
FL9039001	4871300	4' Protector Premier Fiberglass-Lined Hood with blower, 230V, 50 Hz	POR
FL16307	4880200	4' Protector Premier Fiberglass-Lined Hood with EP blower and EP light	POR
FL16306	4880100	4' Protector Premier Fiberglass-Lined Hood without blower	POR
FL4871500	4871500	4' Protector Premier Fiberglass-Lined Hood without blower, 230V, 50 Hz	POR
FL163063	4880400	4' Protector Premier Fiberglass-Lined Hood without blower, with fixtures	POR
FL9039000	4871600	4' Protector Premier Fiberglass-Lined Hood without blower, with fixtures, 230V, 50 Hz	POR
FL163077	4882400	4' Protector PVC Acid Digestion Laboratory Hood with Support Surface	POR
FL163076	4882300	4' Protector PVC Perchloric Acid Laboratory Hood with Support Surface	POR
FL9039056	4882200	4' Protector Radioisotope Laboratory Hood with Support Surface	POR
FL9750405	9750405	4' Protector XL Benchtop Hood with 2 service fixtures and 24" interior depth	POR
FL9759302	9750401	4' Protector XL Benchtop Hood with 2 service fixtures and 30" interior depth	POR
FL9750403	9750403	4' Protector XL Benchtop Hood with 2 service fixtures and 36" interior depth	POR

Prices mentioned are for one unit unless pack size is mentioned in the description

Contact: India Toll Free.: 1 800 209 7001 Fax: 022-6680 3001 / 02 e-mail: qfc.customer@thermofisher.com

Part No.	Vendor Part No	Description	Price in Rs.
FL9601959	9750404	4' Protector XL Benchtop Hood with 24" interior depth	POR
FL9832118	9750400	4' Protector XL Benchtop Hood with 30" interior depth	POR
FL9750402	9750402	4' Protector XL Benchtop Hood with 36" interior depth	POR
FL9730400	9730400	4' Protector XL HOPEC IV Hood	POR
FL9970401	9970401	4' Protector XLE Benchtop Hood with 2 service fixtures and 30" interior depth	POR
FL9970400	9970400	4' Protector XLE Benchtop Hood with 30" interior depth	POR
FL9840403	9840403	4' Protector XStream Laboratory Hood with 2 fixtures, 230V, 50 Hz	POR
FL6309114	9840402	4' Protector XStream Laboratory Hood, 230V, 50 Hz	POR
FL1030450	3930422	4' XPert Balance Enclosure with Guardian 1000 Digital Airflow Monitor, 22.8" tall, 230V, 50 Hz	POR
FL0090270	3930442	4' XPert Balance Enclosure with Guardian 1000 Digital Airflow Monitor, 32" tall, 230V, 50 Hz	POR
FL1030449	3930421	4' XPert Balance Enclosure with Guardian Jr. Airflow Monitor, 22.8" tall, 230V, 50 Hz	POR
FL0090269	3930441	4' XPert Balance Enclosure with Guardian Jr. Airflow Monitor, 32" tall, 230V, 50 Hz	POR
FL1030497	3950422	4' XPert Filtered Balance System with Guardian Digital Monitor, 230V, 50 Hz	POR
FL1030496	3950421	4' XPert Filtered Balance System with Guardian LED Monitor, 230V, 50 Hz	POR
FL0090295	3950420	4' XPert Filtered Balance System, 230V, 50 Hz	POR
FL6309118	9860401	4' Protector XL Floor-Mounted Hood with 2 service fixtures, 30" interior depth, and vertical-rising sashes	POR
FL9860403	9860403	4' Protector XL Floor-Mounted Hood with 2 service fixtures, 36" interior depth, and vertical-rising sashes	POR
FL9860405	9860405	4' Protector XL Floor-Mounted Hood with 2 service fixtures, 48" interior depth, and vertical-rising sashes	POR
FL6971500	6971500	5' Protector ClassMate Combination Sash Hood	POR
FL6971501	6971501	5' Protector ClassMate Combination Sash Hood with 4 service fixtures	POR
FL6970500	6970500	5' Protector ClassMate Hood	POR
FL6970501	6970501	5' Protector ClassMate Hood with 4 service fixtures	POR
FLS94274	9942503	5' Protector Pass-Through Laboratory Hood	POR
FLS94273	9942502	5' Protector Pass-Through Laboratory Hood with right-side mounted viewing window , 15" x 24"	POR
FL9039059	6082100	5' Protector Perchloric Acid Laboratory Hood with Work Surface	POR
FL16308	6080000	5' Protector Premier Fiberglass-Lined Hood with blower	POR
FL16309	6080300	5' Protector Premier Fiberglass-Lined Hood with blower and fixtures	POR
FL9039005	6071400	5' Protector Premier Fiberglass-Lined Hood with blower and fixtures, 230V, 50 Hz	POR
FL9039004	6071300	5' Protector Premier Fiberglass-Lined Hood with blower, 230V, 50 Hz	POR
FL1631020	6080200	5' Protector Premier Fiberglass-Lined Hood with EP blower and EP light	POR
FL16310	6080100	5' Protector Premier Fiberglass-Lined Hood without blower	POR
FL9039002	6071500	5' Protector Premier Fiberglass-Lined Hood without blower, 230V, 50 Hz	POR
FL1631010	6080400	5' Protector Premier Fiberglass-Lined Hood without blower, with fixtures	POR
FL9039003	6071600	5' Protector Premier Fiberglass-Lined Hood without blower, with fixtures, 230V, 50 Hz	POR
FL1631049	6082200	5' Protector Radioisotope Laboratory Hood with Work Surface	POR
FL9750505	9750505	5' Protector XL Benchtop Hood with 2 service fixtures and 24" interior depth	POR
FL9750501	9750501	5' Protector XL Benchtop Hood with 2 service fixtures and 30" interior depth	POR
FL9750503	9750503	5' Protector XL Benchtop Hood with 2 service fixtures and 36" interior depth	POR
FL9750504	9750504	5' Protector XL Benchtop Hood with 24" interior depth	POR
FL9750500	9750500	5' Protector XL Benchtop Hood with 30" interior depth	POR
FL9750502	9750502	5' Protector XL Benchtop Hood with 36" interior depth	POR
FL6309119	9860501	5' Protector XL Floor-Mounted Hood with 2 service fixtures, 30" interior depth, and vertical-rising sashes	POR
FL9784215	9860503	5' Protector XL Floor-Mounted Hood with 2 service fixtures, 36" interior depth, and vertical-rising sashes	POR
FL9860505	9860505	5' Protector XL Floor-Mounted Hood with 2 service fixtures, 48" interior depth, and vertical-rising sashes	POR
FL9730500	9730500	5' Protector XL HOPEC IV Hood	POR

Prices mentioned are for one unit unless pack size is mentioned in the description

Part No.	Vendor Part No	Description	Price in Rs.
FL9675749	9970501	5' Protector XLE Benchtop Hood with 2 service fixtures and 30" interior depth	POR
FL9970500	9970500	5' Protector XLE Benchtop Hood with 30" interior depth	POR
FL6309111	9840503	5' Protector XStream Laboratory Hood with 2 fixtures, 230V, 50 Hz	POR
FL6309115	9840502	5' Protector XStream Laboratory Hood, 230V, 50 Hz	POR
FL0305156	3971522	5' XPert Balance Enclosure with Guardian 1000 Digital Airflow Monitor, 22.8" tall, 230V, 50 Hz	POR
FL0305161	3971542	5' XPert Balance Enclosure with Guardian 1000 Digital Airflow Monitor, 32" tall, 230V, 50 Hz	POR
FL0305166	3971572	5' XPert Balance Enclosure with Guardian 1000 Digital Airflow Monitor, 32" tall, 35.5" Deep, 230V, 50 Hz	POR
FL0305155	3971521	5' XPert Balance Enclosure with Guardian Jr. Airflow Monitor, 22.8" tall, 230V, 50 Hz	POR
FL0305160	3971541	5' XPert Balance Enclosure with Guardian Jr. Airflow Monitor, 32" tall, 230V, 50 Hz	POR
FL0305165	3971571	5' XPert Balance Enclosure with Guardian Jr. Airflow Monitor, 32" tall, 35.5" Deep, 230V, 50 Hz	POR
FL0305105	3950522	5' XPert Filtered Balance System with Guardian 1000 Digital Monitor, 28.6" deep, 230V, 50 Hz	POR
FL0305111	3950542	5' XPert Filtered Balance System with Guardian 1000 Digital Monitor, 35.3" deep, 230V, 50 Hz	POR
FL0305104	3950521	5' XPert Filtered Balance System with Guardian LED Monitor, 28.6" deep, 230V, 50 Hz	POR
FL0305110	3950541	5' XPert Filtered Balance System with Guardian LED Monitor, 35.3" deep, 230V, 50 Hz	POR
FL0305103	3950520	5' XPert Filtered Balance System, 28.6" deep, 230V, 50 Hz	POR
FL0305109	3950540	5' XPert Filtered Balance System, 35.3" deep, 230V, 50 Hz	POR
FL163078	7282400	6' Protector Acid Digestion Laboratory Hood with Work Surface	POR
FL6971600	6971600	6' Protector ClassMate Combination Sash Hood	POR
FL6971601	6971601	6' Protector ClassMate Combination Sash Hood with 4 service fixtures	POR
FL6970600	6970600	6' Protector ClassMate Hood	POR
FL6970601	6970601	6' Protector ClassMate Hood with 4 service fixtures	POR
FLS94276	9942603	6' Protector Pass-Through Laboratory Hood	POR
FLS94275	9942602	6' Protector Pass-Through Laboratory Hood with right-side mounted viewing window , 15" x 24"	POR
FL9039060	7282100	6' Protector Perchloric Acid Laboratory Hood with Work Surface	POR
FL7280000	7280000	6' Protector Premier Fiberglass-Lined Hood with blower	POR
FL16312	7280300	6' Protector Premier Fiberglass-Lined Hood with blower and fixtures	POR
FL9039010	7271400	6' Protector Premier Fiberglass-Lined Hood with blower and fixtures, 230V, 50 Hz	POR
FL9039009	7271300	6' Protector Premier Fiberglass-Lined Hood with blower, 230V, 50 Hz	POR
FL9039008	7280200	6' Protector Premier Fiberglass-Lined Hood with EP blower and EP light	POR
FL16313	7280100	6' Protector Premier Fiberglass-Lined Hood without blower	POR
FL9039006	7271500	6' Protector Premier Fiberglass-Lined Hood without blower, 230V, 50 Hz	POR
FL16314	7280400	6' Protector Premier Fiberglass-Lined Hood without blower, with fixtures	POR
FL9039007	7271600	6' Protector Premier Fiberglass-Lined Hood without blower, with fixtures, 230V, 50 Hz	POR
FL7282300	7282300	6' Protector PVC Perchloric Acid Laboratory Hood with Work Surface	POR
FL9039057	7282200	6' Protector Radioisotope Laboratory Hood with Work Surface	POR
FL9750605	9750605	6' Protector XL Benchtop Hood with 2 service fixtures and 24" interior depth	POR
FL9750601	9750601	6' Protector XL Benchtop Hood with 2 service fixtures and 30" interior depth	POR
FL9750603	9750603	6' Protector XL Benchtop Hood with 2 service fixtures and 36" interior depth	POR
FL9750604	9750604	6' Protector XL Benchtop Hood with 24" interior depth	POR
FL9750600	9750600	6' Protector XL Benchtop Hood with 30" interior depth	POR
FL9750602	9750602	6' Protector XL Benchtop Hood with 36" interior depth	POR
FL6309120	9860601	6' Protector XL Floor-Mounted Hood with 2 service fixtures, 30" interior depth, and vertical-rising sashes	POR
FL9860603	9860603	6' Protector XL Floor-Mounted Hood with 2 service fixtures, 36" interior depth, and vertical-rising sashes	POR
FL9860605	9860605	6' Protector XL Floor-Mounted Hood with 2 service fixtures, 48" interior depth, and vertical-rising sashes	POR
FL9970601	9970601	6' Protector XLE Benchtop Hood with 2 service fixtures and 30" interior depth	POR

Prices mentioned are for one unit unless pack size is mentioned in the description

Contact: India Toll Free.: 1 800 209 7001 Fax: 022-6680 3001 / 02 e-mail: qfc.customer@thermofisher.com

Part No.	Vendor Part No	Description	Price in Rs.
FL9970600	9970600	6' Protector XLE Benchtop Hood with 30" interior depth	POR
FL6309112	9840603	6' Protector XStream Laboratory Hood with 2 fixtures, 230V, 50 Hz	POR
FL6309116	9840602	6' Protector XStream Laboratory Hood, 230V, 50 Hz	POR
FL0305171	3971622	6' XPert Balance Enclosure with Guardian 1000 Digital Airflow Monitor, 22.8" tall, 230V, 50 Hz	POR
FL0305176	3971642	6' XPert Balance Enclosure with Guardian 1000 Digital Airflow Monitor, 32" tall, 230V, 50 Hz	POR
FL0305181	3971672	6' XPert Balance Enclosure with Guardian 1000 Digital Airflow Monitor, 32" tall, 35.5" Deep, 230V, 50 Hz	POR
FL0305175	3971641	6' XPert Balance Enclosure with Guardian Jr. Airflow Monitor, 32" tall, 230V, 50 Hz	POR
FL0305180	3971671	6' XPert Balance Enclosure with Guardian Jr. Airflow Monitor, 32" tall, 35.5" Deep, 230V, 50 Hz	POR
FL0305117	3950622	6' XPert Filtered Balance System with Guardian 1000 Digital Monitor, 28.6" deep, 230V, 50 Hz	POR
FL0305123	3950642	6' XPert Filtered Balance System with Guardian 1000 Digital Monitor, 35.3" deep, 230V, 50 Hz	POR
FL0305116	3950621	6' XPert Filtered Balance System with Guardian LED Monitor, 28.6" deep, 230V, 50 Hz	POR
FL0305122	3950641	6' XPert Filtered Balance System with Guardian LED Monitor, 35.3" deep, 230V, 50 Hz	POR
FL0305115	3950620	6' XPert Filtered Balance System, 28.6" deep, 230V, 50 Hz	POR
FL0305121	3950640	6' XPert Filtered Balance System, 35.3" deep, 230V, 50 Hz	POR
FL9970701	9970701	7' Protector XLE Benchtop Hood with 2 service fixtures and 30" interior depth	POR
FL9970700	9970700	7' Protector XLE Benchtop Hood with 30" interior depth	POR
FL9039063	9682400	8' Protector Acid Digestion Laboratory Hood with Work Surface	POR
FL9039061	9682100	8' Protector Perchloric Acid Laboratory Hood with Work Surface	POR
FL1631210	9683000	8' Protector Premier Fiberglass-Lined Hood with vertical-rising sashes	POR
FL9039011	9674500	8' Protector Premier Fiberglass-Lined Hood with vertical-rising sashes, 230V, 50 Hz	POR
FL9039062	9682300	8' Protector PVC Perchloric Acid Laboratory Hood with Work Surface	POR
FL9039058	9682200	8' Protector Radioisotope Laboratory Hood with Work Surface	POR
FL9700105	9700105	8' Protector XL Benchtop Hood with 2 service fixtures and 24" interior depth	POR
FL9646202	9700101	8' Protector XL Benchtop Hood with 2 service fixtures and 30" interior depth	POR
FL9700103	9700103	8' Protector XL Benchtop Hood with 2 service fixtures and 36" interior depth	POR
FL9700104	9700104	8' Protector XL Benchtop Hood with 24" interior depth	POR
FL9700100	9700100	8' Protector XL Benchtop Hood with 30" interior depth	POR
FL9700102	9700102	8' Protector XL Benchtop Hood with 36" interior depth	POR
FL6309121	9700801	8' Protector XL Floor-Mounted Hood with 2 service fixtures, 30" interior depth, and horizontal-sliding sashes	POR
FL6309122	9700807	8' Protector XL Floor-Mounted Hood with 2 service fixtures, 30" interior depth, and vertical-rising sashes	POR
FL9700803	9700803	8' Protector XL Floor-Mounted Hood with 2 service fixtures, 36" interior depth, and horizontal-sliding sashes	POR
FL9700809	9700809	8' Protector XL Floor-Mounted Hood with 2 service fixtures, 36" interior depth, and vertical-rising sashes	POR
FL9700805	9700805	8' Protector XL Floor-Mounted Hood with 2 service fixtures, 48" interior depth, and horizontal-sliding sashes	POR
FL9700811	9700811	8' Protector XL Floor-Mounted Hood with 2 service fixtures, 48" interior depth, and vertical-rising sashes	POR
FL9970801	9970801	8' Protector XLE Benchtop Hood with 2 service fixtures and 30" interior depth	POR
FL9970800	9970800	8' Protector XLE Benchtop Hood with 30" interior depth	POR
FL6309113	9840803	8' Protector XStream Laboratory Hood with 2 fixtures, 230V, 50 Hz	POR
FL6309117	9840802	8' Protector XStream Laboratory Hood, 230V, 50 Hz	POR
FL0305186	3971822	8' XPert Balance Enclosure with Guardian 1000 Digital Airflow Monitor, 22.8" tall, 230V, 50 Hz	POR
FL0305191	3971842	8' XPert Balance Enclosure with Guardian 1000 Digital Airflow Monitor, 32" tall, 230V, 50 Hz	POR
FL0305196	3971872	8' XPert Balance Enclosure with Guardian 1000 Digital Airflow Monitor, 32" tall, 35.5" Deep, 230V, 50 Hz	POR
FL0305185	3971821	8' XPert Balance Enclosure with Guardian Jr. Airflow Monitor, 22.8" tall, 230V, 50 Hz	POR
FL0305190	3971841	8' XPert Balance Enclosure with Guardian Jr. Airflow Monitor, 32" tall, 230V, 50 Hz	POR
FL0305195	3971871	8' XPert Balance Enclosure with Guardian Jr. Airflow Monitor, 32" tall, 35.5" Deep, 230V, 50 Hz	POR
FL1608014	2246606	Basic 47 Hood with blower and EP light, 220V, 50 Hz, assembly required	POR

Prices mentioned are for one unit unless pack size is mentioned in the description

Part No.	Vendor Part No	Description	Price in Rs.
FL1608022	2247301	Basic 47 Hood with blower, 220V, 50 Hz	POR
FL1608012	2246604	Basic 47 Hood with blower, 220V, 50 Hz, assembly required	POR
FL1608024	2247501	Basic 47 Hood with EP blower, 220V, 50 Hz	POR
FL1608023	2247401	Basic 47 Hood without blower, 220V, 50 Hz	POR
FL160809	2246601	Basic 47 Hood without blower, 220V, 50 Hz, assembly required	POR
FL160803	2246301	Basic 70 Hood with blower, 220V, 50 Hz	POR
FL1608019	2246704	Basic 70 Hood with blower, 220V, 50 Hz, assembly required	POR
FL1608021	2246706	Basic 70 Hood with EP blower and EP light, 220V, 50 Hz, assembly required	POR
FL160807	2246501	Basic 70 Hood with EP blower, 220V, 50 Hz	POR
FL160805	2246401	Basic 70 Hood without blower, 220V, 50 Hz	POR
FL1608016	2246701	Basic 70 Hood without blower, 220V, 50 Hz, assembly required	POR
FL16316	3030001	Fiberglass 30 Laboratory Hood with blower, 230V, 50 Hz	POR
FL16325	3030005	Fiberglass 30 Laboratory Hood with EP blower, 230V, 50 Hz	POR
FL16318	3030003	Fiberglass 30 Laboratory Hood without blower, 230V, 50 Hz	POR
FL6108292	3945020	Protector Demonstration Hood System, includes 22.8" tall Demonstration Hood, FilterMate Portable Exhauster for two Carbon Filters 3970024 and cart, 230V, 50 Hz	POR
FL6108293	3945021	Protector Demonstration Hood System, includes 32" tall Demonstration Hood, FilterMate Portable Exhauster for two Carbon Filters 3970024 and cart, 230V, 50 Hz	POR
FL6108288	3944300	Protector Demonstration Hood, 22.8" tall	POR
FL6108289	3944301	Protector Demonstration Hood, 32" tall	POR
Laminar Flow			
FL0304113	3980223	2' Purifier Class I Safety Enclosure with airflow monitor, 230V, 50 Hz	POR
FL0304112	3980221	2' Purifier Class I Safety Enclosure, 230V, 50 Hz	POR
FL6108271	3970225	2' Purifier Filtered PCR Enclosure with airflow monitor, 230V, 50 Hz	POR
FL0304125	3980222	2' Purifier HEPA Filtered Enclosure with airflow monitor, 230V, 50 Hz	POR
FL0304124	3980220	2' Purifier HEPA Filtered Enclosure, 230V, 50 Hz	POR
FL0090272	3960222	2' XPert Balance Enclosure Easy-Order, includes 2' XPert Enclosure with Guardian 1000 Digital Airflow Monitor 3930222, FilterMate Portable Exhauster with HEPA Filter 3970020, 2' Black Work Surface 3908400, 230V, 50 Hz	POR
FL0090271	3960221	2' XPert Balance Enclosure Easy-Order, includes 2' XPert Enclosure with Guardian Jr. Airflow Monitor 3930221, FilterMate Portable Exhauster with HEPA Filter 3970020, 2' Black Work Surface 3908400, 230V, 50 Hz	POR
FL0304101	3940222	2' XPert Filtered Balance Station with Guardian Digital Monitor, 230V, 50 Hz	POR
FL0304100	3940221	2' XPert Filtered Balance Station with Guardian LED Monitor, 230V, 50 Hz	POR
FL0090285	3940220	2' XPert Filtered Balance Station, 230V, 50 Hz	POR
FL2167531	3887262	2' XPert Nano Enclosure with Built-In Ionizer and Guardian Jr. Airflow Monitor, 230V, 50 Hz	POR
FL0304117	3980323	3' Purifier Class I Safety Enclosure with airflow monitor, 230V, 50 Hz	POR
FL0304116	3980321	3' Purifier Class I Safety Enclosure, 230V, 50 Hz	POR
FL6108275	3970325	3' Purifier Filtered PCR Enclosure with airflow monitor, 230V, 50 Hz	POR
FL0304129	3980322	3' Purifier HEPA Filtered Enclosure with airflow monitor, 230V, 50 Hz	POR
FL0304128	3980320	3' Purifier HEPA Filtered Enclosure, 230V, 50 Hz	POR
FL3600024	3600024	3' Purifier Horizontal Clean Bench with UV light and service fixture, 230V, 50 Hz	POR
FL3600020	3600020	3' Purifier Horizontal Clean Bench, 230V, 50 Hz	POR
FL2167536	3887362	3' XPert Nano Enclosure with Built-In Ionizer and Guardian Jr. Airflow Monitor, 230V, 50 Hz	POR
FL2167533	3887321	3' XPert Nano Enclosure with Guardian Jr. Airflow Monitor, 230V, 50 Hz	POR
FL0359130	3480020	4' PuriCare Procedure Station with 10" sash opening, 230V, 50/60 Hz, British (UK) Plug & Receptacle	POR
FL3480024	3480024	4' PuriCare Procedure Station with 10" sash opening, 230V, 50/60 Hz, China/Australia Plug & Receptacle	POR
FL3480022	3480022	4' PuriCare Procedure Station with 10" sash opening, 230V, 50/60 Hz, Schuko Plug & Receptacle	POR
FL0359131	3480021	4' PuriCare Procedure Station with 10" sash opening, service fixture and UV Light, 230V, 50/60 Hz, British (UK) Plug & Receptacle	POR

Prices mentioned are for one unit unless pack size is mentioned in the description

Part No.	Vendor Part No	Description	Price in Rs.
FL3480025	3480025	4' PuriCare Procedure Station with 10" sash opening, service fixture and UV Light, 230V, 50/60 Hz, China/Australia Plug & Receptacle	POR
FL3480023	3480023	4' PuriCare Procedure Station with 10" sash opening, service fixture and UV Light, 230V, 50/60 Hz, Schuko Plug & Receptacle	POR
FL0360102	3480220	4' PuriCare Procedure Station with 12" sash opening, 230V, 50/60 Hz, British (UK) Plug & Receptacle	POR
FL3480224	3480224	4' PuriCare Procedure Station with 12" sash opening, 230V, 50/60 Hz, China/Australia Plug & Receptacle	POR
FL3480222	3480222	4' PuriCare Procedure Station with 12" sash opening, 230V, 50/60 Hz, Schuko Plug & Receptacle	POR
FL0360103	3480221	4' PuriCare Procedure Station with 12" sash opening, service fixture and UV Light, 230V, 50/60 Hz, British (UK) Plug & Receptacle	POR
FL3480225	3480225	4' PuriCare Procedure Station with 12" sash opening, service fixture and UV Light, 230V, 50/60 Hz, China/Australia Plug & Receptacle	POR
FL3480223	3480223	4' PuriCare Procedure Station with 12" sash opening, service fixture and UV Light, 230V, 50/60 Hz, Schuko Plug & Receptacle	POR
FL3830020	3830020	4' PuriCare Vertical Flow Station, 230V, 50 Hz	POR
FL0304121	3980423	4' Purifier Class I Safety Enclosure with airflow monitor, 230V, 50 Hz	POR
FL0304120	3980421	4' Purifier Class I Safety Enclosure, 230V, 50 Hz	POR
FL6108279	3970425	4' Purifier Filtered PCR Enclosure with airflow monitor, 230V, 50 Hz	POR
FL0304133	3980422	4' Purifier HEPA Filtered Enclosure with airflow monitor, 230V, 50 Hz	POR
FL0304132	3980420	4' Purifier HEPA Filtered Enclosure, 230V, 50 Hz	POR
FL3612524	3612524	4' Purifier Horizontal Clean Bench with UV light and service fixture, 230V, 50 Hz	POR
FL3612520	3612520	4' Purifier Horizontal Clean Bench, 230V, 50 Hz	POR
FL6108264	3970420	4' Purifier Vertical Clean Bench, 230V, 50 Hz	POR
FL0090276	3960422	4' XPert Balance Enclosure Easy-Order, includes 4' XPert Enclosure with Guardian 1000 Digital Airflow Monitor 3930422, FilterMate Portable Exhauster with HEPA Filter 3970020, 4' Black Work Surface 3908402, 230V, 50 Hz	POR
FL0090275	3960421	4' XPert Balance Enclosure Easy-Order, includes 4' XPert Enclosure with Guardian Jr. Airflow Monitor 3930421, FilterMate Portable Exhauster with HEPA Filter 3970020, 4' Black Work Surface 3908402, 230V, 50 Hz	POR
FL0304109	3940422	4' XPert Filtered Balance Station with Guardian Digital Monitor, 230V, 50 Hz	POR
FL0304108	3940421	4' XPert Filtered Balance Station with Guardian LED Monitor, 230V, 50 Hz	POR
FL0090289	3940420	4' XPert Filtered Balance Station, 230V, 50 Hz	POR
FL2167541	3887462	4' XPert Nano Enclosure with Built-In Ionizer and Guardian Jr. Airflow Monitor, 230V, 50 Hz	POR
FL2167538	3887421	4' XPert Nano Enclosure with Guardian Jr. Airflow Monitor, 230V, 50 Hz	POR
FL0305149	3975503	5' x 35.5"D Stainless Work Surface With Spill Trough (Deep) for XPert Systems, Stations	POR
FL0265159	3963521	5' XPert Bulk Powder Enclosure with Access Opening Center, 230V, 50 Hz	POR
FL0265158	3963520	5' XPert Bulk Powder Enclosure with Access Opening Left Side, 230V, 50 Hz	POR
FL0304162	3963522	5' XPert Bulk Powder Enclosure with Access Opening Right Side, 230V, 50 Hz	POR
FL0265151	3962521	5' XPert Bulk Powder Filtered Station with Access Opening Center, 230V, 50 Hz	POR
FL0265150	3962520	5' XPert Bulk Powder Filtered Station with Access Opening Left Side, 230V, 50 Hz	POR
FL0304158	3962522	5' XPert Bulk Powder Filtered Station with Access Opening Right Side, 230V, 50 Hz	POR
FL0265143	3961521	5' XPert Bulk Powder Filtered System with Access Opening Center, 230V, 50 Hz	POR
FL0265142	3961520	5' XPert Bulk Powder Filtered System with Access Opening Left Side, 230V, 50 Hz	POR
FL0304154	3961522	5' XPert Bulk Powder Filtered System with Access Opening Right Side, 230V, 50 Hz	POR
FL0305129	3946522	5' XPert Filtered Balance Station with Guardian 1000 Digital Monitor, 28.6" deep, 230V, 50 Hz	POR
FL0305135	3946542	5' XPert Filtered Balance Station with Guardian 1000 Digital Monitor, 35.3" deep, 230V, 50 Hz	POR
FL0305128	3946521	5' XPert Filtered Balance Station with Guardian LED Monitor, 28.6" deep, 230V, 50 Hz	POR
FL0305134	3946541	5' XPert Filtered Balance Station with Guardian LED Monitor, 35.3" deep, 230V, 50 Hz	POR
FL0305127	3946520	5' XPert Filtered Balance Station, 28.6" deep, 230V, 50 Hz	POR
FL0305133	3946540	5' XPert Filtered Balance Station, 35.3" deep, 230V, 50 Hz	POR
FL2167546	3887562	5' XPert Nano Enclosure with Built-In Ionizer and Guardian Jr. Airflow Monitor, 47.5" tall, 230V, 50 Hz	POR
FL2167556	3888562	5' XPert Nano Enclosure with Built-In Ionizer and Guardian Jr. Airflow Monitor, 47.5" tall, 35.6" deep, 230V, 50 Hz	POR
FL2167543	3887521	5' XPert Nano Enclosure with Guardian Jr. Airflow Monitor, 47.5" tall, 230V, 50 Hz	POR
FL0359134	3481020	6' PuriCare Procedure Station with 10" sash opening, 230V, 50/60 Hz, British (UK) Plug & Receptacle	POR

Prices mentioned are for one unit unless pack size is mentioned in the description

Part No.	Vendor Part No	Description	Price in Rs.
FL3481024	3481024	6' PuriCare Procedure Station with 10" sash opening, 230V, 50/60 Hz, China/Australia Plug & Receptacle	POR
FL3481022	3481022	6' PuriCare Procedure Station with 10" sash opening, 230V, 50/60 Hz, Schuko Plug & Receptacle	POR
FL0359135	3481021	6' PuriCare Procedure Station with 10" sash opening, service fixtures and UV Light, 230V, 50/60 Hz, British (UK) Plug & Receptacle	POR
FL3481025	3481025	6' PuriCare Procedure Station with 10" sash opening, service fixtures and UV Light, 230V, 50/60 Hz, China/Australia Plug & Receptacle	POR
FL3481023	3481023	6' PuriCare Procedure Station with 10" sash opening, service fixtures and UV Light, 230V, 50/60 Hz, Schuko Plug & Receptacle	POR
FL0360106	3481220	6' PuriCare Procedure Station with 12" sash opening, 230V, 50/60 Hz, British (UK) Plug & Receptacle	POR
FL3481224	3481224	6' PuriCare Procedure Station with 12" sash opening, 230V, 50/60 Hz, China/Australia Plug & Receptacle	POR
FL3481222	3481222	6' PuriCare Procedure Station with 12" sash opening, 230V, 50/60 Hz, Schuko Plug & Receptacle	POR
FL0360107	3481221	6' PuriCare Procedure Station with 12" sash opening, service fixtures and UV Light, 230V, 50/60 Hz, British (UK) Plug & Receptacle	POR
FL3481225	3481225	6' PuriCare Procedure Station with 12" sash opening, service fixtures and UV Light, 230V, 50/60 Hz, China/Australia Plug & Receptacle	POR
FL3481223	3481223	6' PuriCare Procedure Station with 12" sash opening, service fixtures and UV Light, 230V, 50/60 Hz, Schuko Plug & Receptacle	POR
FL3610024	3610024	6' Purifier Horizontal Clean Bench with UV light and service fixtures, 230V, 50 Hz	POR
FL3610020	3610020	6' Purifier Horizontal Clean Bench, 230V, 50 Hz	POR
FL0265163	3963621	6' XPert Bulk Powder Enclosure with Access Opening Center, 230V, 50 Hz	POR
FL0265162	3963620	6' XPert Bulk Powder Enclosure with Access Opening Left Side, 230V, 50 Hz	POR
FL0304164	3963622	6' XPert Bulk Powder Enclosure with Access Opening Right Side, 230V, 50 Hz	POR
FL0265155	3962621	6' XPert Bulk Powder Filtered Station with Access Opening Center, 230V, 50 Hz	POR
FL0265154	3962620	6' XPert Bulk Powder Filtered Station with Access Opening Left Side, 230V, 50 Hz	POR
FL0304160	3962622	6' XPert Bulk Powder Filtered Station with Access Opening Right Side, 230V, 50 Hz	POR
FL0265147	3961621	6' XPert Bulk Powder Filtered System with Access Opening Center, 230V, 50 Hz	POR
FL0265146	3961620	6' XPert Bulk Powder Filtered System with Access Opening Left Side, 230V, 50 Hz	POR
FL0304156	3961622	6' XPert Bulk Powder Filtered System with Access Opening Right Side, 230V, 50 Hz	POR
FL0305141	3946622	6' XPert Filtered Balance Station with Guardian 1000 Digital Monitor, 28.6" deep, 230V, 50 Hz	POR
FL0305147	3946642	6' XPert Filtered Balance Station with Guardian 1000 Digital Monitor, 35.3" deep, 230V, 50 Hz	POR
FL0305140	3946621	6' XPert Filtered Balance Station with Guardian LED Monitor, 28.6" deep, 230V, 50 Hz	POR
FL0305146	3946641	6' XPert Filtered Balance Station with Guardian LED Monitor, 35.3" deep, 230V, 50 Hz	POR
FL0305139	3946620	6' XPert Filtered Balance Station, 28.6" deep, 230V, 50 Hz	POR
FL0305145	3946640	6' XPert Filtered Balance Station, 35.3" deep, 230V, 50 Hz	POR
FL2167551	3887662	6' XPert Nano Enclosure with Built-In Ionizer and Guardian Jr. Airflow Monitor, 47.5" tall, 230V, 50 Hz	POR
FL2167561	3888662	6' XPert Nano Enclosure with Built-In Ionizer and Guardian Jr. Airflow Monitor, 47.5" tall, 35.6" deep, 230V, 50 Hz	POR
FL2167548	3887621	6' XPert Nano Enclosure with Guardian Jr. Airflow Monitor, 47.5" tall, 230V, 50 Hz	POR
FL2167558	3888621	6' XPert Nano Enclosure with Guardian Jr. Airflow Monitor, 47.5" tall, 35.6" deep, 230V, 50 Hz	POR
FL0265167	3963821	8' XPert Bulk Powder Enclosure with Access Opening Center, 230V, 50 Hz	POR
FL0265166	3963820	8' XPert Bulk Powder Enclosure with Access Opening Left Side, 230V, 50 Hz	POR
FL0304166	3963822	8' XPert Bulk Powder Enclosure with Access Opening Right Side, 230V, 50 Hz	POR
FL3930020	3930020	Protector Work Station with built-in blower for use with carbon filters, 230V, 50 Hz	POR
FL3930021	3930021	Protector Work Station without blower, 230V, 50 Hz	POR
FL6108287	3952420	Purifier Non-Ventilated PCR Enclosure, 230V, 50 Hz	POR
FL3951420	3951420	Purifier Tissue Culture Enclosure, 230V, 50 Hz	POR
Pump for Biosafety Cabinet			
FL0269279	3850301	Aspirator Pump System for Purifier Logic Class II Cabinets and PuriCare Procedure Stations, 230V	POR
Snuffer Fire Extinguisher			
FL1115003	1115003	Snuffer Fire Extinguisher, 5 lb. charge for vertically mounting through top liner of hood	72502
FL1115004	1115004	Snuffer Fire Extinguisher, 8 lb. charge for vertically mounting through top liner of hood	75841

Prices mentioned are for one unit unless pack size is mentioned in the description

Contact: India Toll Free.: 1 800 209 7001 Fax: 022-6680 3001 / 02 e-mail: qfc.customer@thermofisher.com

Part No.	Vendor Part No	Description	Price in Rs.
Stand bench			
FL6101144	3780103	3' Electric Hydraulic Lift Stand, with fixed feet, 230V, 50 Hz	POR
FL6101128	3730610	6' Telescoping Base Stand, with casters, 27.5" - 33.5" high	88413
Storage and Base Cabinet			
FL1630565	9904500	12" ADA Standard Base Cabinet, Left Hinge Door	86266
FL1630553	9901600	18" Acid Cabinet without Shelf, Left Hinge Door	POR
FL1630552	9901400	18" Acid Cabinet without Shelf, Right Hinge Door	POR
FL1630577	9907000	18" Vacuum Pump Storage Cabinet, Right Hinged Door	91172
FL1630555	9901500	24" Acid Cabinet without Shelf, Left Hinge Door	POR
FL1630554	9901300	24" Acid Cabinet without Shelf, Right Hinge Door	POR
FL1630572	9905200	24" ADA Acid Cabinet, Left Hinge Door	POR
FL1630573	9906000	24" ADA Solvent Cabinet, includes Shelf, Right Hinge Door	POR
FL1630567	9904000	24" ADA Standard Base Cabinet, Right Hinge Door	94443
FL1630557	9902400	24" Solvent Cabinet, includes Shelf, Left Hinge Door	POR
FL1630556	9902300	24" Solvent Cabinet, includes Shelf, Right Hinge Door	POR
FL1630551	9900600	24" Standard Base Cabinet, Left Hinge Door	88719
FL1630550	9900300	24" Standard Base Cabinet, Right Hinge Door	88719
FL1630587	9901200	30" Acid Cabinet without Shelf	POR
FL1630584	9902200	30" Solvent Cabinet, includes Shelf	POR
FL1630581	9900200	30" Standard Base Cabinet	92808
FL1630585	9901100	36" Acid Cabinet without Shelf	POR
FL1630561	9903100	36" Solvent Cabinet with Self-Closing Doors, includes Shelf	POR
FL1630582	9902100	36" Solvent Cabinet, includes Shelf	POR
FL1630579	9900100	36" Standard Base Cabinet	96079
FL1630586	9901000	48" Acid Cabinet without Shelf	POR
FL1630562	9903000	48" Solvent Cabinet with Self-Closing Doors, includes Shelf	POR
FL1630583	9902000	48" Solvent Cabinet, includes Shelf	POR
FL1630580	9900000	48" Standard Base Cabinet	POR
UV Screen Kit for Laminar Flow			
FL3617000	3617000	UV Screen Kit for 3' Purifier Horizontal Clean Bench	46268
Vent Kit			
FL161053	3591100	Vent Kit for Acid Storage Cabinet	21751
Work Surface			
FL1030462	3908400	2' Black Solid Epoxy Dished Work Surface, 24" w x 26.66" d x 1" thick	34752
FL0304134	3909900	2' Black Solid Epoxy Dished Work Surface, 24" w x 29" d x 1" thick	34752
FL1030465	3908403	2' Gray Solid Epoxy Dished Work Surface, 24" w x 26.66" d x 1" thick	38840
FL3909903	3909903	2' Gray Solid Epoxy Dished Work Surface, 24" w x 29" d x 1" thick	38840
FL1030463	3908401	3' Black Solid Epoxy Dished Work Surface, 36" w x 26.66" d x 1" thick	50697
FL0304135	3909901	3' Black Solid Epoxy Dished Work Surface, 36" w x 29" d x 1" thick	50697
FL6963800	6963800	3' Black Solid Epoxy Dished Work Surface, 36" w x 29" d x 1" thick with Deck-Mounted Service Fixtures	POR
FL1030466	3908404	3' Gray Solid Epoxy Dished Work Surface, 36" w x 26.66" d x 1" thick	56012
FL3909904	3909904	3' Gray Solid Epoxy Dished Work Surface, 36" w x 29" d x 1" thick	56012
FL1030464	3908402	4' Black Solid Epoxy Dished Work Surface, 48" w x 26.66" d x 1" thick	62553
FL0304136	3909902	4' Black Solid Epoxy Dished Work Surface, 48" w x 29" d x 1" thick	62553
FL6963801	6963801	4' Black Solid Epoxy Dished Work Surface, 48" w x 29" d x 1" thick with Deck-Mounted Service Fixtures	POR

Prices mentioned are for one unit unless pack size is mentioned in the description

Part No.	Vendor Part No	Description	Price in Rs.
FL0030232	3909906	4' Black Solid Epoxy Dished Work Surface, 48" w x 35.5" d x 1" thick	POR
FL1030467	3908405	4' Gray Solid Epoxy Dished Work Surface, 48" w x 26.66" d x 1" thick	68686
FL3909905	3909905	4' Gray Solid Epoxy Dished Work Surface, 48" w x 29" d x 1" thick	68686
FL0030231	3975504	4' x 35.5"D Stainless Work Surface With Spill Trough (Deep)	98940
FL0030233	3909907	5' Black Solid Epoxy Dished Work Surface, 60" w x 29" d x 1" thick	94443
FL6963802	6963802	5' Black Solid Epoxy Dished Work Surface, 60" w x 29" d x 1" thick with Deck-Mounted Service Fixtures	POR
FL0030234	3909908	5' Black Solid Epoxy Dished Work Surface, 60" w x 35.5" d x 1" thick	POR
FL0305197	3975500	5' x 26.7"D Stainless Work Surface With Spill Trough	POR
FL0305148	3975502	5' x 29"D Stainless Work Surface With Spill Trough	POR
FL0305198	3975501	5' x 35.5"D Stainless Work Surface With Spill Trough (Deep) for XPert Enclosures	POR
FL0030235	3909910	6' Black Solid Epoxy Dished Work Surface, 72" w x 29" d x 1" thick	POR
FL6963803	6963803	6' Black Solid Epoxy Dished Work Surface, 72" w x 29" d x 1" thick with Deck-Mounted Service Fixtures	POR
FL0030236	3909911	6 Black Solid Epoxy Dished Work Surface, 72" w x 35.5" d x 1" thick	POR
FL0305199	3975600	6' x 26.7"D Stainless Work Surface With Spill Trough	POR
FL0305150	3975602	6' x 29"D Stainless Work Surface With Spill Trough	POR
FL0305200	3975601	6' x 35.5"D Stainless Work Surface With Spill Trough (Deep) for XPert Enclosures	POR
FL0305151	3975603	6' x 35.5"D Stainless Work Surface With Spill Trough (Deep) for XPert Systems, Stations	POR
FL0305201	3975800	8' x 26.7"D Stainless Work Surface With Spill Trough	POR
FL0305202	3975801	8' x 35.5"D Stainless Work Surface With Spill Trough (Deep)	POR
FL6304118	4882803	Flat Epoxy Work Surface for Basic 47 Hood, 48" wide	97305
FL6304119	4882804	Flat Epoxy Work Surface for Basic 70 Hood, 72" wide	POR
FL6090128	4882806	Flat Epoxy Work Surface for Fiberglass 30 Hood, 30" wide	58465
FL6304120	4882805	Flat Epoxy Work Surface for Fiberglass 30 Hood, 36" wide	67051
FL6108410	4882807	Flat Epoxy Work Surface for Precise and XPert Weigh Boxes, 60" wide	POR
FL6307237	6986400	Protector ClassMate Work Surface, 48" w x 25.9" d, no cutouts	POR
FL6986401	6986401	Protector ClassMate Work Surface, 48" w x 25.9" d, sink cutout, left rear	POR
FL6986402	6986402	Protector ClassMate Work Surface, 48" w x 25.9" d, sink cutout, right rear	POR
FL6986403	6986403	Protector ClassMate Work Surface, 48" w x 25.9" d, sink cutouts, left and right rear	POR
FL6307238	6986500	Protector ClassMate Work Surface, 60" w x 25.9" d, no cutouts	POR
FL6986501	6986501	Protector ClassMate Work Surface, 60" w x 25.9" d, sink cutout, left rear	POR
FL6986502	6986502	Protector ClassMate Work Surface, 60" w x 25.9" d, sink cutout, right rear	POR
FL6986503	6986503	Protector ClassMate Work Surface, 60" w x 25.9" d, sink cutouts, left and right rear	POR
FL6307239	6986600	Protector ClassMate Work Surface, 72" w x 25.9" d, no cutouts	POR
FL6986601	6986601	Protector ClassMate Work Surface, 72" w x 25.9" d, sink cutout, left rear	POR
FL6986602	6986602	Protector ClassMate Work Surface, 72" w x 25.9" d, sink cutout, right rear	POR
FL6986603	6986603	Protector ClassMate Work Surface, 72" w x 25.9" d, sink cutouts, left and right rear	POR
FL9847500	9847500	SpillStopper Work Surface, 10' w x 30" d, no cutouts	POR
FL9847501	9847501	SpillStopper Work Surface, 10' w x 30" d, with cupsink cutout, left rear	POR
FL9847503	9847503	SpillStopper Work Surface, 10' w x 30" d, with cupsink cutout, left side	POR
FL9847502	9847502	SpillStopper Work Surface, 10' w x 30" d, with cupsink cutout, right rear	POR
FL9847504	9847504	SpillStopper Work Surface, 10' w x 30" d, with cupsink cutout, right side	POR
FL9847505	9847505	SpillStopper Work Surface, 10' w x 30" d, with cupsink cutouts, left and right rear	POR
FL9848200	9848200	SpillStopper Work Surface, 10' w x 36" d, no cutouts	POR
FL9848201	9848201	SpillStopper Work Surface, 10' w x 36" d, with cupsink cutout, left rear	POR
FL9848203	9848203	SpillStopper Work Surface, 10' w x 36" d, with cupsink cutout, left side	POR

Prices mentioned are for one unit unless pack size is mentioned in the description

Contact: India Toll Free.: 1 800 209 7001 Fax: 022-6680 3001 / 02 e-mail: qfc.customer@thermofisher.com

Part No.	Vendor Part No	Description	Price in Rs.
FL9848202	9848202	SpillStopper Work Surface, 10' w x 36" d, with cupsink cutout, right rear	POR
FL9848204	9848204	SpillStopper Work Surface, 10' w x 36" d, with cupsink cutout, right side	POR
FL9848205	9848205	SpillStopper Work Surface, 10' w x 36" d, with cupsink cutouts, left and right rear	POR
FL9848900	9848900	SpillStopper Work Surface, 10' w x 42" d, no cutouts	POR
FL9848901	9848901	SpillStopper Work Surface, 10' w x 42" d, with cupsink cutout, left rear	POR
FL9848903	9848903	SpillStopper Work Surface, 10' w x 42" d, with cupsink cutout, left side	POR
FL9848902	9848902	SpillStopper Work Surface, 10' w x 42" d, with cupsink cutout, right rear	POR
FL9848904	9848904	SpillStopper Work Surface, 10' w x 42" d, with cupsink cutout, right side	POR
FL9848905	9848905	SpillStopper Work Surface, 10' w x 42" d, with cupsink cutouts, left and right rear	POR
FL9847600	9847600	SpillStopper Work Surface, 12' w x 30" d, no cutouts	POR
FL9847601	9847601	SpillStopper Work Surface, 12' w x 30" d, with cupsink cutout, left rear	POR
FL9847603	9847603	SpillStopper Work Surface, 12' w x 30" d, with cupsink cutout, left side	POR
FL9847602	9847602	SpillStopper Work Surface, 12' w x 30" d, with cupsink cutout, right rear	POR
FL9847604	9847604	SpillStopper Work Surface, 12' w x 30" d, with cupsink cutout, right side	POR
FL9847605	9847605	SpillStopper Work Surface, 12' w x 30" d, with cupsink cutouts, left and right rear	POR
FL9848300	9848300	SpillStopper Work Surface, 12' w x 36" d, no cutouts	POR
FL9848301	9848301	SpillStopper Work Surface, 12' w x 36" d, with cupsink cutout, left rear	POR
FL9848303	9848303	SpillStopper Work Surface, 12' w x 36" d, with cupsink cutout, left side	POR
FL9848302	9848302	SpillStopper Work Surface, 12' w x 36" d, with cupsink cutout, right rear	POR
FL9848304	9848304	SpillStopper Work Surface, 12' w x 36" d, with cupsink cutout, right side	POR
FL9848305	9848305	SpillStopper Work Surface, 12' w x 36" d, with cupsink cutouts, left and right rear	POR
FL9849000	9849000	SpillStopper Work Surface, 12' w x 42" d, no cutouts	POR
FL9849001	9849001	SpillStopper Work Surface, 12' w x 42" d, with cupsink cutout, left rear	POR
FL9849003	9849003	SpillStopper Work Surface, 12' w x 42" d, with cupsink cutout, left side	POR
FL9849002	9849002	SpillStopper Work Surface, 12' w x 42" d, with cupsink cutout, right rear	POR
FL9849004	9849004	SpillStopper Work Surface, 12' w x 42" d, with cupsink cutout, right side	POR
FL9849005	9849005	SpillStopper Work Surface, 12' w x 42" d, with cupsink cutouts, left and right rear	POR
FL9847700	9847700	SpillStopper Work Surface, 16' w x 30" d, no cutouts	POR
FL9847701	9847701	SpillStopper Work Surface, 16' w x 30" d, with cupsink cutout, left rear	POR
FL9847703	9847703	SpillStopper Work Surface, 16' w x 30" d, with cupsink cutout, left side	POR
FL9847702	9847702	SpillStopper Work Surface, 16' w x 30" d, with cupsink cutout, right rear	POR
FL9847704	9847704	SpillStopper Work Surface, 16' w x 30" d, with cupsink cutout, right side	POR
FL9847705	9847705	SpillStopper Work Surface, 16' w x 30" d, with cupsink cutouts, left and right rear	POR
FL9848400	9848400	SpillStopper Work Surface, 16' w x 36" d, no cutouts	POR
FL9848401	9848401	SpillStopper Work Surface, 16' w x 36" d, with cupsink cutout, left rear	POR
FL9848403	9848403	SpillStopper Work Surface, 16' w x 36" d, with cupsink cutout, left side	POR
FL9848402	9848402	SpillStopper Work Surface, 16' w x 36" d, with cupsink cutout, right rear	POR
FL9848404	9848404	SpillStopper Work Surface, 16' w x 36" d, with cupsink cutout, right side	POR
FL9848405	9848405	SpillStopper Work Surface, 16' w x 36" d, with cupsink cutouts, left and right rear	POR
FL9849100	9849100	SpillStopper Work Surface, 16' w x 42" d, no cutouts	POR
FL9849101	9849101	SpillStopper Work Surface, 16' w x 42" d, with cupsink cutout, left rear	POR
FL9849103	9849103	SpillStopper Work Surface, 16' w x 42" d, with cupsink cutout, left side	POR
FL9849102	9849102	SpillStopper Work Surface, 16' w x 42" d, with cupsink cutout, right rear	POR
FL9849104	9849104	SpillStopper Work Surface, 16' w x 42" d, with cupsink cutout, right side	POR
FL9849105	9849105	SpillStopper Work Surface, 16' w x 42" d, with cupsink cutouts, left and right rear	POR

Prices mentioned are for one unit unless pack size is mentioned in the description

Part No.	Vendor Part No	Description	Price in Rs.
FL9039012	9847100	SpillStopper Work Surface, 4' w x 30" d, no cutouts	75227
FLS94277	9972400	SpillStopper Work Surface, 4' w x 30" d, no cutouts, for Protector Pass-Through Laboratory Hoods	75227
FL9039013	9847101	SpillStopper Work Surface, 4' w x 30" d, with cupsink cutout, left rear	84222
FL9039014	9847102	SpillStopper Work Surface, 4' w x 30" d, with cupsink cutout, right rear	84222
FL9847104	9847104	SpillStopper Work Surface, 4' w x 30" d, with cupsink cutout, right side	84222
FL9039017	9847105	SpillStopper Work Surface, 4' w x 30" d, with cupsink cutouts, left and right rear	91990
FL9849200	9849200	SpillStopper Work Surface, 4' w x 31.5" d, no cutouts, for Protector XL HOPEC Hoods	POR
FL9849201	9849201	SpillStopper Work Surface, 4' w x 31.5" d, with cupsink cutout, left rear, for Protector XL HOPEC IV Hoods	POR
FL9849203	9849203	SpillStopper Work Surface, 4' w x 31.5" d, with cupsink cutout, left side, for Protector XL HOPEC IV Hoods	POR
FL9849204	9849204	SpillStopper Work Surface, 4' w x 31.5" d, with cupsink cutout, right side, for Protector XL HOPEC IV Hoods	POR
FL9849205	9849205	SpillStopper Work Surface, 4' w x 31.5" d, with cupsink cutouts, left and right rear, for Protector XL HOPEC IV Hoods	POR
FL9969400	9969400	SpillStopper Work Surface, 4' w x 33.5" d, no cutouts, for Protector XLE Laboratory Hoods	95670
FL9969401	9969401	SpillStopper Work Surface, 4' w x 33.5" d, with cupsink cutout left rear, for Protector XLE Laboratory Hoods	POR
FL9969403	9969403	SpillStopper Work Surface, 4' w x 33.5" d, with cupsink cutout left side, for Protector XLE Laboratory Hoods	POR
FL9969402	9969402	SpillStopper Work Surface, 4' w x 33.5" d, with cupsink cutout right rear, for Protector XLE Laboratory Hoods	POR
FL9969404	9969404	SpillStopper Work Surface, 4' w x 33.5" d, with cupsink cutout right side, for Protector XLE Laboratory Hoods	POR
FL9969405	9969405	SpillStopper Work Surface, 4' w x 33.5" d, with cupsink cutouts left and right rear, for Protector XLE Laboratory Hoods	POR
FL9719590	9847800	SpillStopper Work Surface, 4' w x 36" d, no cutouts	95670
FL6071104	9849600	SpillStopper Work Surface, 4' w x 36" d, no cutouts, for Protector XStream Hoods	POR
FL9847801	9847801	SpillStopper Work Surface, 4' w x 36" d, with cupsink cutout, left rear	POR
FL6071105	9849601	SpillStopper Work Surface, 4' w x 36" d, with cupsink cutout, left rear, for Protector XStream Hoods	POR
FL9847803	9847803	SpillStopper Work Surface, 4' w x 36" d, with cupsink cutout, left side	POR
FL9849603	9849603	SpillStopper Work Surface, 4' w x 36" d, with cupsink cutout, left side, for Protector XStream Hoods	POR
FL9847802	9847802	SpillStopper Work Surface, 4' w x 36" d, with cupsink cutout, right rear	POR
FL9849602	9849602	SpillStopper Work Surface, 4' w x 36" d, with cupsink cutout, right rear, for Protector XStream Hoods	POR
FL9847804	9847804	SpillStopper Work Surface, 4' w x 36" d, with cupsink cutout, right side	POR
FL9849604	9849604	SpillStopper Work Surface, 4' w x 36" d, with cupsink cutout, right side, for Protector XStream Hoods	POR
FL9847805	9847805	SpillStopper Work Surface, 4' w x 36" d, with cupsink cutouts, left and right rear	POR
FL9849605	9849605	SpillStopper Work Surface, 4' w x 36" d, with cupsink cutouts, left and right rear, for Protector XStream Hoods	POR
FL9790892	9848500	SpillStopper Work Surface, 4' w x 42" d, no cutouts	POR
FL9848501	9848501	SpillStopper Work Surface, 4' w x 42" d, with cupsink cutout, left rear	POR
FL9848503	9848503	SpillStopper Work Surface, 4' w x 42" d, with cupsink cutout, left side	POR
FL9848502	9848502	SpillStopper Work Surface, 4' w x 42" d, with cupsink cutout, right rear	POR
FL9848504	9848504	SpillStopper Work Surface, 4' w x 42" d, with cupsink cutout, right side	POR
FL9848505	9848505	SpillStopper Work Surface, 4' w x 42" d, with cupsink cutouts, left and right rear	POR
FL9849202	9849202	SpillStopper Work Surface, 4' w x 31.5" d, with cupsink cutout, right rear, for Protector XL HOPEC IV Hoods	POR
FL9039018	9847200	SpillStopper Work Surface, 5' w x 30" d, no cutouts	94034
FLS94278	9972500	SpillStopper Work Surface, 5' w x 30" d, no cutouts, for Protector Pass-Through Laboratory Hoods	94034
FL9039019	9847201	SpillStopper Work Surface, 5' w x 30" d, with cupsink cutout, left rear	POR
FL9847203	9847203	SpillStopper Work Surface, 5' w x 30" d, with cupsink cutout, left side	POR
FL9039020	9847202	SpillStopper Work Surface, 5' w x 30" d, with cupsink cutout, right rear	POR
FL9847204	9847204	SpillStopper Work Surface, 5' w x 30" d, with cupsink cutout, right side	POR
FL9039023	9847205	SpillStopper Work Surface, 5' w x 30" d, with cupsink cutouts, left and right rear	POR
FL9849300	9849300	SpillStopper Work Surface, 5' w x 31.5" d, no cutouts, for Protector XL HOPEC IV Hoods	POR
FL9849301	9849301	SpillStopper Work Surface, 5' w x 31.5" d, with cupsink cutout, left rear, for Protector XL HOPEC IV Hoods	POR

Prices mentioned are for one unit unless pack size is mentioned in the description

Contact: India Toll Free.: 1 800 209 7001 Fax: 022-6680 3001 / 02 e-mail: qfc.customer@thermofisher.com

Part No.	Vendor Part No	Description	Price in Rs.
FL9849303	9849303	SpillStopper Work Surface, 5' w x 31.5" d, with cupsink cutout, left side, for Protector XL HOPEC IV Hoods	POR
FL9849302	9849302	SpillStopper Work Surface, 5' w x 31.5" d, with cupsink cutout, right rear, for Protector XL HOPEC IV Hoods	POR
FL9849304	9849304	SpillStopper Work Surface, 5' w x 31.5" d, with cupsink cutout, right side, for Protector XL HOPEC IV Hoods	POR
FL9849305	9849305	SpillStopper Work Surface, 5' w x 31.5" d, with cupsink cutouts, left and right rear, for Protector XL HOPEC IV Hoods	POR
FL9969500	9969500	SpillStopper Work Surface, 5' w x 33.5" d, no cutouts, for Protector XLE Laboratory Hoods	POR
FL9969501	9969501	SpillStopper Work Surface, 5' w x 33.5" d, with cupsink cutout left rear, for Protector XLE Laboratory Hoods	POR
FL9969503	9969503	SpillStopper Work Surface, 5' w x 33.5" d, with cupsink cutout left side, for Protector XLE Laboratory Hoods	POR
FL9969502	9969502	SpillStopper Work Surface, 5' w x 33.5" d, with cupsink cutout right rear, for Protector XLE Laboratory Hoods	POR
FL9969504	9969504	SpillStopper Work Surface, 5' w x 33.5" d, with cupsink cutout right side, for Protector XLE Laboratory Hoods	POR
FL9969505	9969505	SpillStopper Work Surface, 5' w x 33.5" d, with cupsink cutouts left and right rear, for Protector XLE Laboratory Hoods	POR
FL9847900	9847900	SpillStopper Work Surface, 5' w x 36" d, no cutouts	POR
FL9849700	9849700	SpillStopper Work Surface, 5' w x 36" d, no cutouts, for Protector XStream Hoods	POR
FL9847901	9847901	SpillStopper Work Surface, 5' w x 36" d, with cupsink cutout, left rear	POR
FL6071111	9849701	SpillStopper Work Surface, 5' w x 36" d, with cupsink cutout, left rear, for Protector XStream Hoods	POR
FL9847903	9847903	SpillStopper Work Surface, 5' w x 36" d, with cupsink cutout, left side	POR
FL9847902	9847902	SpillStopper Work Surface, 5' w x 36" d, with cupsink cutout, right rear	POR
FL6071112	9849702	SpillStopper Work Surface, 5' w x 36" d, with cupsink cutout, right rear, for Protector XStream Hoods	POR
FL9847904	9847904	SpillStopper Work Surface, 5' w x 36" d, with cupsink cutout, right side	POR
FL9849704	9849704	SpillStopper Work Surface, 5' w x 36" d, with cupsink cutout, right side, for Protector XStream Hoods	POR
FL9847905	9847905	SpillStopper Work Surface, 5' w x 36" d, with cupsink cutouts, left and right rear	POR
FL9849705	9849705	SpillStopper Work Surface, 5' w x 36" d, with cupsink cutouts, left and right rear, for Protector XStream Hoods	POR
FL9848600	9848600	SpillStopper Work Surface, 5' w x 42" d, no cutouts	POR
FL9848601	9848601	SpillStopper Work Surface, 5' w x 42" d, with cupsink cutout, left rear	POR
FL9848603	9848603	SpillStopper Work Surface, 5' w x 42" d, with cupsink cutout, left side	POR
FL9848602	9848602	SpillStopper Work Surface, 5' w x 42" d, with cupsink cutout, right rear	POR
FL9848604	9848604	SpillStopper Work Surface, 5' w x 42" d, with cupsink cutout, right side	POR
FL9848605	9848605	SpillStopper Work Surface, 5' w x 42" d, with cupsink cutouts, left and right rear	POR
FL9849703	9849703	SpillStopper Work Surface, 5' w x 36" d, with cupsink cutout, left side, for Protector XStream Hoods	POR
FL9039024	9847300	SpillStopper Work Surface, 6' w x 30" d, no cutouts	POR
FLS94279	9972600	SpillStopper Work Surface, 6' w x 30" d, no cutouts, for Protector Pass-Through Laboratory Hoods	POR
FL9039025	9847301	SpillStopper Work Surface, 6' w x 30" d, with cupsink cutout, left rear	POR
FL9039027	9847303	SpillStopper Work Surface, 6' w x 30" d, with cupsink cutout, left side	POR
FL9039026	9847302	SpillStopper Work Surface, 6' w x 30" d, with cupsink cutout, right rear	POR
FL9785131	9847304	SpillStopper Work Surface, 6' w x 30" d, with cupsink cutout, right side	POR
FL9039029	9847305	SpillStopper Work Surface, 6' w x 30" d, with cupsink cutouts, left and right rear	POR
FL9849400	9849400	SpillStopper Work Surface, 6' w x 31.5" d, no cutouts, for Protector XL HOPEC IV Hoods	POR
FL9849401	9849401	SpillStopper Work Surface, 6' w x 31.5" d, with cupsink cutout, left rear, for Protector XL HOPEC IV Hoods	POR
FL9849403	9849403	SpillStopper Work Surface, 6' w x 31.5" d, with cupsink cutout, left side, for Protector XL HOPEC IV Hoods	POR
FL9849402	9849402	SpillStopper Work Surface, 6' w x 31.5" d, with cupsink cutout, right rear, for Protector XL HOPEC IV Hoods	POR
FL9849404	9849404	SpillStopper Work Surface, 6' w x 31.5" d, with cupsink cutout, right side, for Protector XL HOPEC IV Hoods	POR
FL9849405	9849405	SpillStopper Work Surface, 6' w x 31.5" d, with cupsink cutouts, left and right rear, for Protector XL HOPEC IV Hoods	POR
FL9969600	9969600	SpillStopper Work Surface, 6' w x 33.5" d, no cutouts, for Protector XLE Laboratory Hoods	POR
FL9969601	9969601	SpillStopper Work Surface, 6' w x 33.5" d, with cupsink cutout left rear, for Protector XLE Laboratory Hoods	POR
FL9969603	9969603	SpillStopper Work Surface, 6' w x 33.5" d, with cupsink cutout left side, for Protector XLE Laboratory Hoods	POR
FL9969602	9969602	SpillStopper Work Surface, 6' w x 33.5" d, with cupsink cutout right rear, for Protector XLE Laboratory Hoods	POR

Prices mentioned are for one unit unless pack size is mentioned in the description

Part No.	Vendor Part No	Description	Price in Rs.
FL9969604	9969604	SpillStopper Work Surface, 6' w x 33.5" d, with cupsink cutout right side, for Protector XLE Laboratory Hoods	POR
FL9969605	9969605	SpillStopper Work Surface, 6' w x 33.5" d, with cupsink cutouts left and right rear, for Protector XLE Laboratory Hoods	POR
FL9848000	9848000	SpillStopper Work Surface, 6' w x 36" d, no cutouts	POR
FL6071116	9849800	SpillStopper Work Surface, 6' w x 36" d, no cutouts, for Protector XStream Hoods	POR
FL9848001	9848001	SpillStopper Work Surface, 6' w x 36" d, with cupsink cutout, left rear	POR
FL6071117	9849801	SpillStopper Work Surface, 6' w x 36" d, with cupsink cutout, left rear, for Protector XStream Hoods	POR
FL9794685	9848003	SpillStopper Work Surface, 6' w x 36" d, with cupsink cutout, left side	POR
FL9849803	9849803	SpillStopper Work Surface, 6' w x 36" d, with cupsink cutout, left side, for Protector XStream Hoods	POR
FL9848002	9848002	SpillStopper Work Surface, 6' w x 36" d, with cupsink cutout, right rear	POR
FL6071118	9849802	SpillStopper Work Surface, 6' w x 36" d, with cupsink cutout, right rear, for Protector XStream Hoods	POR
FL9848004	9848004	SpillStopper Work Surface, 6' w x 36" d, with cupsink cutout, right side	POR
FL9849804	9849804	SpillStopper Work Surface, 6' w x 36" d, with cupsink cutout, right side, for Protector XStream Hoods	POR
FL9848005	9848005	SpillStopper Work Surface, 6' w x 36" d, with cupsink cutouts, left and right rear	POR
FL6071121	9849805	SpillStopper Work Surface, 6' w x 36" d, with cupsink cutouts, left and right rear, for Protector XStream Hoods	POR
FL9848700	9848700	SpillStopper Work Surface, 6' w x 42" d, no cutouts	POR
FL9848701	9848701	SpillStopper Work Surface, 6' w x 42" d, with cupsink cutout, left rear	POR
FL9848703	9848703	SpillStopper Work Surface, 6' w x 42" d, with cupsink cutout, left side	POR
FL9848702	9848702	SpillStopper Work Surface, 6' w x 42" d, with cupsink cutout, right rear	POR
FL9848704	9848704	SpillStopper Work Surface, 6' w x 42" d, with cupsink cutout, right side	POR
FL9848705	9848705	SpillStopper Work Surface, 6' w x 42" d, with cupsink cutouts, left and right rear	POR
FL9969700	9969700	SpillStopper Work Surface, 7' w x 33.5" d, no cutouts, for Protector XLE Laboratory Hoods	POR
FL9969701	9969701	SpillStopper Work Surface, 7' w x 33.5" d, with cupsink cutout left rear, for Protector XLE Laboratory Hoods	POR
FL9969703	9969703	SpillStopper Work Surface, 7' w x 33.5" d, with cupsink cutout left side, for Protector XLE Laboratory Hoods	POR
FL9969702	9969702	SpillStopper Work Surface, 7' w x 33.5" d, with cupsink cutout right rear, for Protector XLE Laboratory Hoods	POR
FL9969704	9969704	SpillStopper Work Surface, 7' w x 33.5" d, with cupsink cutout right side, for Protector XLE Laboratory Hoods	POR
FL9969705	9969705	SpillStopper Work Surface, 7' w x 33.5" d, with cupsink cutouts left and right rear, for Protector XLE Laboratory Hoods	POR
FL9039030	9847400	SpillStopper Work Surface, 8' w x 30" d, no cutouts	POR
FL9039031	9847401	SpillStopper Work Surface, 8' w x 30" d, with cupsink cutout, left rear	POR
FL9847403	9847403	SpillStopper Work Surface, 8' w x 30" d, with cupsink cutout, left side	POR
FL9847402	9847402	SpillStopper Work Surface, 8' w x 30" d, with cupsink cutout, right rear	POR
FL9847404	9847404	SpillStopper Work Surface, 8' w x 30" d, with cupsink cutout, right side	POR
FL9039035	9847405	SpillStopper Work Surface, 8' w x 30" d, with cupsink cutouts, left and right rear	POR
FL9849500	9849500	SpillStopper Work Surface, 8' w x 31.5" d, no cutouts, for Protector XL HOPEC IV Hoods	POR
FL9849501	9849501	SpillStopper Work Surface, 8' w x 31.5" d, with cupsink cutout, left rear, for Protector XL HOPEC IV Hoods	POR
FL9849503	9849503	SpillStopper Work Surface, 8' w x 31.5" d, with cupsink cutout, left side, for Protector XL HOPEC IV Hoods	POR
FL9849502	9849502	SpillStopper Work Surface, 8' w x 31.5" d, with cupsink cutout, right rear, for Protector XL HOPEC IV Hoods	POR
FL9849504	9849504	SpillStopper Work Surface, 8' w x 31.5" d, with cupsink cutout, right side, for Protector XL HOPEC IV Hoods	POR
FL9849505	9849505	SpillStopper Work Surface, 8' w x 31.5" d, with cupsink cutouts, left and right rear, for Protector XL HOPEC IV Hoods	POR
FL9969800	9969800	SpillStopper Work Surface, 8' w x 33.5" d, no cutouts, for Protector XLE Laboratory Hoods	POR
FL9969801	9969801	SpillStopper Work Surface, 8' w x 33.5" d, with cupsink cutout left rear, for Protector XLE Laboratory Hoods	POR
FL9969803	9969803	SpillStopper Work Surface, 8' w x 33.5" d, with cupsink cutout left side, for Protector XLE Laboratory Hoods	POR
FL9969802	9969802	SpillStopper Work Surface, 8' w x 33.5" d, with cupsink cutout right rear, for Protector XLE Laboratory Hoods	POR
FL9969804	9969804	SpillStopper Work Surface, 8' w x 33.5" d, with cupsink cutout right side, for Protector XLE Laboratory Hoods	POR
FL9969805	9969805	SpillStopper Work Surface, 8' w x 33.5" d, with cupsink cutouts left and right rear, for Protector XLE Laboratory Hoods	POR
FL9848100	9848100	SpillStopper Work Surface, 8' w x 36" d, no cutouts	POR

Prices mentioned are for one unit unless pack size is mentioned in the description

Contact: India Toll Free.: 1 800 209 7001 Fax: 022-6680 3001 / 02 e-mail: qfc.customer@thermofisher.com

Part No.	Vendor Part No	Description	Price in Rs.
FL6071122	9849900	SpillStopper Work Surface, 8' w x 36" d, no cutouts, for Protector XStream Hoods	POR
FL9756194	9848101	SpillStopper Work Surface, 8' w x 36" d, with cupsink cutout, left rear	POR
FL6071123	9849901	SpillStopper Work Surface, 8' w x 36" d, with cupsink cutout, left rear, for Protector XStream Hoods	POR
FL9848103	9848103	SpillStopper Work Surface, 8' w x 36" d, with cupsink cutout, left side	POR
FL9849903	9849903	SpillStopper Work Surface, 8' w x 36" d, with cupsink cutout, left side, for Protector XStream Hoods	POR
FL9848102	9848102	SpillStopper Work Surface, 8' w x 36" d, with cupsink cutout, right rear	POR
FL9849902	9849902	SpillStopper Work Surface, 8' w x 36" d, with cupsink cutout, right rear, for Protector XStream Hoods	POR
FL9848104	9848104	SpillStopper Work Surface, 8' w x 36" d, with cupsink cutout, right side	POR
FL9849904	9849904	SpillStopper Work Surface, 8' w x 36" d, with cupsink cutout, right side, for Protector XStream Hoods	POR
FL9848105	9848105	SpillStopper Work Surface, 8' w x 36" d, with cupsink cutouts, left and right rear	POR
FL9039069	9849905	SpillStopper Work Surface, 8' w x 36" d, with cupsink cutouts, left and right rear, for Protector XStream Hoods	POR
FL9848800	9848800	SpillStopper Work Surface, 8' w x 42" d, no cutouts	POR
FL9848801	9848801	SpillStopper Work Surface, 8' w x 42" d, with cupsink cutout, left rear	POR
FL9848803	9848803	SpillStopper Work Surface, 8' w x 42" d, with cupsink cutout, left side	POR
FL9848802	9848802	SpillStopper Work Surface, 8' w x 42" d, with cupsink cutout, right rear	POR
FL9848804	9848804	SpillStopper Work Surface, 8' w x 42" d, with cupsink cutout, right side	POR
FL9848805	9848805	SpillStopper Work Surface, 8' w x 42" d, with cupsink cutouts, left and right rear	POR
FL6108298	6942003	Work Surface with Sink, Gooseneck Faucet and Spray Nozzle for Protector Work Station	POR

Furniture

Part No.	Vendor Part No	Description	Price in Rs.
Storage Cabinets			
FL9904200	9904200	12" ADA Standard Base Cabinet, Right Hinge Door	86266
FL9900800	9900800	12" Standard Base Cabinet, Left Hinge Door	80951
FL9900500	9900500	12" Standard Base Cabinet, Right Hinge Door	80951
FL9905300	9905300	18" ADA Acid Cabinet, Left Hinge Door	POR
FL9905100	9905100	18" ADA Acid Cabinet, Right Hinge Door	POR
FL9904400	9904400	18" ADA Standard Base Cabinet, Left Hinge Door	91172
FL9904100	9904100	18" ADA Standard Base Cabinet, Right Hinge Door	91172
FL9900700	9900700	18" Standard Base Cabinet, Left Hinge Door	85040
FL9900400	9900400	18" Standard Base Cabinet, Right Hinge Door	85040
FL9907100	9907100	18" Vacuum Pump Storage Cabinet, Left Hinged Door	91172
FL9905000	9905000	24" ADA Acid Cabinet, Right Hinge Door	POR
FL9906300	9906300	24" ADA Solvent Cabinet with Self-Closing Door, includes Shelf, Left Hinge Door	POR
FL9906200	9906200	24" ADA Solvent Cabinet with Self-Closing Door, includes Shelf, Right Hinge Door	POR
FL9906100	9906100	24" ADA Solvent Cabinet, includes Shelf, Left Hinge Door	POR
FL9904300	9904300	24" ADA Standard Base Cabinet, Left Hinge Door	94443
FL9903400	9903400	24" Solvent Cabinet with Self-Closing Door, includes Shelf, Left Hinge Door	POR
FL9835359	9903300	24" Solvent Cabinet with Self-Closing Door, includes Shelf, Right Hinge Door	POR
FL9903200	9903200	30" Solvent Cabinet with Self-Closing Doors, includes Shelf	POR

Gas Accessories

Part No.	Vendor Part No	Description	Price in Rs.
Gas Detection Monitors			
FL6108384	5244501	Oxygen Monitor, 230V	POR

Prices mentioned are for one unit unless pack size is mentioned in the description

Glove Boxes

Part No.	Vendor Part No	Description	Price in Rs.
Glove Boxes			
FL1620010	5005900	Accordion Sleeves, one pair	46268
FL1620023	5005501	Butyl Gloves, Size 8 1/2, one pair	43883
FL1620021	5005601	Butyl Gloves, Size 9 3/4, one pair	45791
FL1620022	5005502	Hypalon Gloves, Size 8 1/2, one pair	37682
FL1620020	5005602	Hypalon Gloves, Size 9 3/4, one pair	37682
FL1620025	5005603	Latex Gloves, Size 9 3/4, one pair	24994
FL1620017	5006200	Latex Hands, Size 7, pkg of 12	8109
FL1620016	5006300	Latex Hands, Size 9, pkg of 12	8109
FL162002	5005600	Neoprene Gloves, Size 9 3/4, one pair	32435
FL1620015	5033100	Neoprene Hands, Size 10, pkg of 12	22132
FL161013	5006000	Neoprene Hands, Size 7 1/2, pkg of 12	21083
FL161014	5006100	Neoprene Hands, Size 9, pkg of 12	21083
FL0358101	5220020	Precise Basic Glove Box, 230V, 50 Hz	POR
FL5220021	5220021	Precise Basic Glove Box, 230V, 60 Hz	POR
FL162005	5005800	Straight Sleeves, one pair	32435

Gloves

Part No.	Vendor Part No	Description	Price in Rs.
Gloves			
FL5005500	5005500	Neoprene Gloves, Size 8 1/2, one pair	32435

Hygrometers

Part No.	Vendor Part No	Description	Price in Rs.
Hygrometers			
FL6108387	5244800	Hand-held Digital Hygrometer, 0 - 100%	53422
FL6108389	5244901	Moisture Monitor/Hygrometer, 230V	POR

Pumps

Part No.	Vendor Part No	Description	Price in Rs.
Vacuum Pumps			
FL7584002	7584002	ChemVac Combination Pump with Reverse IEC Plug, 110/ 96 liters/min, 230V, 50/60Hz, International	POR
FL7584001	7584001	ChemVac Combination Pump, 110/96 liters/min, 230V, 50/60Hz, International	POR
FL7539901	7539901	ChemVac Combination Pump, 183 liters/min, 230V 50/60Hz, International	POR
FL7539902	7539902	ChemVac Combination Pump, 183 liters/min, with reverse IEC plug, 230V 50/60Hz, International	POR
FL6108379	5248201	Diaphragm Vacuum Pump, 230V, 50 Hz	POR
FL3875164	7914101	Diaphragm Vacuum Pump, 36 LPM, 230V, 50 Hz	88242
FL1631554	7924801	Diaphragm Vacuum Pump, EP, 36 LPM, 230V, 50 Hz	POR
FL1631643	7991000	Vacuum Controller	55330
FL6108436	7739402	Vacuum Pump with Filter Exhaust, 117 liters/min., 230V, 50 Hz with IEC plug	POR
FL7739402	7739402	Vacuum Pump with Filter Exhaust, 117 liters/min., 230V, 50 Hz with IEC plug	POR
FL1631551	7739400	Vacuum Pump with Filter Exhaust, 117 liters/min., 230V, 50/60 Hz	POR

Prices mentioned are for one unit unless pack size is mentioned in the description

Part No.	Vendor Part No	Description	Price in Rs.
FL7739400	7739400	Vacuum Pump with Filter Exhaust, 117 liters/min., 230V, 50/60 Hz	POR
FL9295583	7739403	Vacuum Pump with Filter Exhaust, 195 liters/min., 230V, 50 Hz with IEC plug	POR
FL7739403	7739403	Vacuum Pump with Filter Exhaust, 195 liters/min., 230V, 50 Hz with IEC plug	POR
FL1631552	7739401	Vacuum Pump with Filter Exhaust, 195 liters/min., 230V, 50/60 Hz	POR
FL7739401	7739401	Vacuum Pump with Filter Exhaust, 195 liters/min., 230V, 50/60 Hz	POR
Vacuum Pumps-Diaphragm			
FL7393001	7393001	Diaphragm Vacuum Pump, 230V, 50 Hz	POR
FL7393001	7393001	Diaphragm Vacuum Pump, 230V, 50 Hz	POR
Pump Oil			
FL7541300	7541300	Vacuum Pump Oil, one gallon	38636

Washers/Dryers

Part No.	Vendor Part No	Description	Price in Rs.
GWashers and Dryers for Glassware			
FL0359113	4420421	FlaskScrubber Glassware Washer, freestanding with high heat, 208/240V, 50/60 Hz	POR
FL0359115	4420431	FlaskScrubber Glassware Washer, freestanding with window and high heat, 208/240V, 50/60 Hz	POR
FL0359109	4420321	FlaskScrubber Glassware Washer, undercounter with high heat, 208/240V, 50/60 Hz	POR
FL0359111	4420331	FlaskScrubber Glassware Washer, undercounter with window and high heat, 208/240V, 50/60 Hz	POR
FL0359116	4540031	FlaskScrubber Vantage Series Glassware Washer, 208/240V, 50/60 Hz	POR
FL0359105	4400421	SteamScrubber Glassware Washer, freestanding with high heat, 208/240V, 50/60 Hz	POR
FL0359107	4400431	SteamScrubber Glassware Washer, freestanding with window and high heat, 208/240V, 50/60 Hz	POR
FL0359101	4400321	SteamScrubber Glassware Washer, undercounter with high heat, 208/240V, 50/60 Hz	POR
FL0359103	4400331	SteamScrubber Glassware Washer, undercounter with window and high heat, 208/240V, 50/60 Hz	POR
FL1608037	4401102	Standard Top Rack, stainless steel, for SteamScrubber mfd. through 08/2007	32435

Water Purification

Part No.	Vendor Part No	Description	Price in Rs.
Pretreatment and Polishing Systems			
FL6107158	9000705	WaterPro PS HPLC/UF Hybrid Polishing Station, 230V, 50 Hz	POR
FL6107154	9000503	WaterPro PS Pistol Polishing Station, 220V, 50 Hz	POR
FL6107109	9000502	WaterPro PS Polishing Station, 220V, 50 Hz	POR
FL6107156	9000603	WaterPro PS/HPLC Pistol Polishing Station, 220V, 50 Hz	POR
FL6107110	9000602	WaterPro PS/HPLC Polishing Station, 220V, 50 Hz	POR
FL6107157	9000703	WaterPro PS/UF Pistol Polishing Station, 220V, 50 Hz	POR
FL6107155	9000702	WaterPro PS/UF Polishing Station, 220V, 50 Hz	POR

Prices mentioned are for one unit unless pack size is mentioned in the description