

Part No.	Description	Price in Rs.
FB69109	Fisherbrand* Power supply HT 50 accessory for FB69075 - FB69088 230V 50Hz for heating stage	POR
FB69128	Fisherbrand* Projection lens 2x for photomicrography	9272
FB69054	Fisherbrand* Si-3000, 3Mpx digital camera including software	POR
FB69225	Fisherbrand* Stage clamp, pair	4156
FB69107	Fisherbrand* Stage factory fitted order with microscope accessory for FB69075 - FB69088 heating built-in standard mechanical stage	POR
FB69108	Fisherbrand* Stage heating accessory for FB69075 - FB69088 130mm x 120mm clamp-on	POR
FB69145	Fisherbrand* Stage plate, black/white dia. 80mm	2003
FB69153	Fisherbrand* Telescope accessory for FB69075 - FB69088 centering	15093
FB69037	Fisherbrand* Telescope centering accessory for FB69019/FB69020 to be used with simple phase contrast	18298
FB69015	Fisherbrand* Turret phase contrast kit	92013

Mixers

Part No.	Description	Price in Rs.
FB15012	Fisherbrand* Vortex mixer 230V 50Hz ZX Classic	24607
FB15013	Fisherbrand* ZX Wizard vortex mixer with infrared sensor	30986
FB15034	Fisherbrand* Foam attachment for No. 19 micro vials and 1.5mL Eppendorf® tubes	6380
FB15035	Fisherbrand* Foam attachment, customisable	4557
FB15036	Fisherbrand* Foam attachment for No. 5 test tubes, 16mm diameter	6380
FB15037	Fisherbrand* Foam attachment for microtitre plate	6380
FB15038	Fisherbrand* Rubber supporting plate, 50mm diameter	3190
FB15039	Fisherbrand* Rubber supporting plate, 94mm diameter (for FB15012 only)	3645
FB15040	Fisherbrand* Foam attachment for 4 x test tubes, 29mm diameter	6380
FB15024	Fisherbrand* Vortex mixer variable speed 220-240V 50Hz 45W 500rpm to 2,400rpm 150mm x 134mm	23088
FB69402	Fisherbrand* Microtube plate up to 25 x 1.5mL Eppendorf type	6835
FB69403	Fisherbrand* Microplate 96 well	5696
FB69404	Fisherbrand* Plate supporting 90mm diameter for use with FB69401	5240
FB15033	Fisherbrand* Mixing cup spare for FB15024 vortex mixer	1549
02215361	Fisher Scientific* Mixer, Vortex; Fixed-speed; 3200rpm; For flasks, beakers, tubes, and microwell plates; Includes cup head and 3 in. head w/cover; 230V 50/60Hz; 75w	18382
02215371	Fisher Scientific* Mixer, Vortex; Digital; 100 to 3200rpm +/- 25rpm Accuracy; 230V 50/60Hz; 75w; Suitable for flasks, beakers, tubes, and microwell plates; Durable; rugged	24402
02215376	Fisher Scientific* Mixer, Vortex; Pulsing; Pulse feature reduces heat generation while delivering more effective mixing; Variable speed control from 500 to 3000rpm; 230V 50/60Hz, 75w	30782
02215366	Fisher Scientific* Mixer, Vortex; Analog; 100 to 3200rpm +/- 25rpm Accuracy; 230V 50/60Hz; 75w; Suitable for flasks, beakers, tubes, and microwell plates; Durable; rugged	30782
14505513	Fisher Scientific* Mixer, Vortexing; miniRoto; Tube capacity 50mL; Tube size 30mm dia.; Shaking motion/range: orbital/4.5mm; Fixed speed 2800rpm; 100 dia. x 70mmH; IP 40; With 12V power pack; 230V 50/60Hz	18926
1281111Q	Fisher Scientific* Mixer, variable-speed to 2600rpm, 230V 50Hz, 0.4A	42038
12811SQ	Fisher Scientific* Mixer, single speed, 2800rpm, 230V 50Hz, 0.4A	31427
09047114Q	Thermo Scientific* Barnstead* Lab-Line* Vortex Mixer, 240V, CE Marked	45177

Prices mentioned are for one unit unless pack size is mentioned in the description

Contact: India Toll Free.: 1 800 209 7001 Fax: 022-6680 3001 / 02 e-mail: qfc.customer@thermofisher.com

Part No.	Description	Price in Rs.
02215381	Troemner* Vortexer Acc 3" Head w/ Cover	2820
02215367	Troemner* Vortex Mixer-Standard 230V UK	19983
02215372	Troemner* Vortex Mixer-Deluxe 230V UK	25765
02215454	Troemner* Accessory Foam Rack 10mm Tubes	2061
02215455	Troemner* Accessory Foam Rack 12mm Tubes	2061
02215456	Troemner* Accessory Foam Rack 13mm Tubes	2061
02215457	Troemner* Accessory Foam Rack 15ml Tubes	2845
02215458	Troemner* Accessory Foam Rack 25mm Tubes	2845
02215459	Troemner* Accessory Foam Rack 50ml Tubes	2845
02215460	Troemner* Tray Pad Set Replacement	3139
02215461	Troemner* Post Extension Kit	10301
02215451	Troemner*Fisher Analog Multi-Tube Vortexer 230v	POR
02215453	Troemner* Fisher Digital Multi-Tube Vortexer 230v	POR
02215361	Fisher Scientific* Mixer, Vortex; Fixed-speed; 3200rpm; For flasks, beakers, tubes, and microwell plates; Includes cup head and 3 in. head w/cover; 230V 50/60Hz; 75w	18382
02215366	Fisher Scientific* Mixer, Vortex; Analog; 100 to 3200rpm +/- 25rpm Accuracy; 230V 50/60Hz; 75w; Suitable for flasks, beakers, tubes, and microwell plates; Durable; rugged	18926
02215371	Fisher Scientific* Mixer, Vortex; Digital; 100 to 3200rpm +/- 25rpm Accuracy; 230V 50/60Hz; 75w; Suitable for flasks, beakers, tubes, and microwell plates; Durable; rugged	24402
02215376	Fisher Scientific* Mixer, Vortex; Pulsing; Pulse feature reduces heat generation while delivering more effective mixing; Variable speed control from 500 to 3000rpm; 230V 50/60Hz, 75w	30782
02215380	Troemner* Vortex Mixer Acc. Cup Head	1881
02215382	Troemner* Vortex Mixer Acc. 3" Head	2077
02215383	Troemner* Vortex Mixer Acc 3" Head Cover	1909
02215384	Troemner* Foam Rack Kit W/ Retainer	5557
02215386	Troemner* 48 Hole Micro Tube Foam Rack	2904
02215387	Troemner* Micro Well Plate Foam Rack	2986
02215388	Troemner* Foam Insert Kit With Retainer	10310
02215391	Troemner* Insert Retainer	6595
02215392	Troemner* Vessel Harness (Pk2)	416
02215393	Troemner* Foam Insert For 9-13mm Tubes	1369
02215394	Troemner* Foam Insert For 14-19mm Tubes	1369
02215395	Troemner* Foam Insert For 20-25mm Tubes	1306
02215397	Troemner* Blank Foam Insert (Pack Of 2)	1460
02215398	Troemner* Small Ampule Tube Attachment	6843
02215399	Troemner* Large Ampule Tube Attachemnt	10036
02215400	Troemner* 1.5-2.0 ml Multitube Holder	13686
02215402	Troemner* .5ml Single Microtube Holder	4146
02215403	Troemner* 1.5ml Single Tube Holder	4562
02215404	Troemner* Single Tube Holder Fisher Mixer	8130

Prices mentioned are for one unit unless pack size is mentioned in the description

Part No.	Description	Price in Rs.
02215405	Troemner* SingleTube Adaptor Plate Genie Mix	4650
02215362	Troemner* Vortex Mixer, Touch, 230V UK	19408
02215396	Troemner* Foam Insert Variety Pack	2820
02215389	Troemner* Micro Tube Kit	5932
02215390	Troemner* Micro Well Plate Kit.	5932
02215377	Troemner* Vortex Mixer-Pulsing 230V UK	32501
FB11150	Fisherbrand* MiniMix 100 P, solid stainless steel door, adjustable paddles	POR
FB51657	Fisherbrand* BagOpen 100, bag opener	14886
FB51661	Fisherbrand* BagClip 100, closing clips for bags - Pk of 50	15189
FB51667	Fisherbrand* BagPage 100, with filter - Pk of 500	41011
FB51669	Fisherbrand* BagLight 100, without filter - Pk of 500	10329
FB11151	Fisherbrand* BagMixer 3500 P, solid stainless steel door, adjustable paddles	POR
FB51681	Fisherbrand* BagFilter 3500, filter bags - Pk of 100	28556
FB51683	Fisherbrand* BagPage 3500, filter bags - Pk of 100	28556
FB51685	Fisherbrand* BagLight 3500, bags without filter - Pk of 500	35847
FB51687	Fisherbrand* BagPipet, pipettor	43138
FB51689	Fisherbrand* BagTips, sterile pipette straw, for use with or without pipettor - Pk of 1000	7595
FB11152	Fisherbrand* BagMixer 400 P, solid stainless steel door, adjustable paddles	POR
FB51659	Fisherbrand* BagOpen 400, bag opener	14886
FB51663	Fisherbrand* BagClip 400 - Pk of 50	15189
FB51665	Fisherbrand* BagRack	22784
FB51671	Fisherbrand* BagLight 400, without filter - Pk of 1000	16101
FB51673	Fisherbrand* BagFilter filter bags, sterile, pack of 500	41315
FB51675	Fisherbrand* BagFilter S, filter bags, for pipetting - Pk of 500	47087
FB51677	Fisherbrand* BagPage Plus filter bags, sterile - Pk of 500	41619
FB15003	Fisherbrand* Thermoregulator VTF stainless steel probe type PT100 supplied with UK instructions 230V 50Hz probe 250mm length x 3mm diameter -50°C to 250°C Fuzzy Logic	38885
FB51654	Fisherbrand* MiniMix 100 W, with window, adjustable paddles, drip tray	POR
FB51657	Fisherbrand* BagOpen 100, bag opener	14886
FB51661	Fisherbrand* BagClip 100, closing clips for bags - Pk of 50	15189
FB51667	Fisherbrand* BagPage 100, with filter - Pk of 500	41011
FB51669	Fisherbrand* BagLight 100, without filter - Pk of 500	10329
FB51655	Fisherbrand* BagMixer 3500 W, with window, adjustable paddles, drip tray	POR
FB51681	Fisherbrand* BagFilter 3500, filter bags - Pk of 100	28556
FB51683	Fisherbrand* BagPage 3500, filter bags - Pk of 100	28556
FB51685	Fisherbrand* BagLight 3500, bags without filter - Pk of 500	35847
FB51687	Fisherbrand* BagPipet, pipettor	43138
FB51689	Fisherbrand* BagTips, sterile pipette straw, for use with or without pipettor - Pk of 1000	7595
FB51658	Fisherbrand* BagMixer 400 VW, with window, adjustable paddles, drip tray	POR

Prices mentioned are for one unit unless pack size is mentioned in the description

Contact: India Toll Free.: 1 800 209 7001 Fax: 022-6680 3001 / 02 e-mail: qfc.customer@thermofisher.com

Part No.	Description	Price in Rs.
FB51664	Fisherbrand* Mixer blender accessory for BagRack 100 for FB51658	20961
FB68460	Fisherbrand* Mixer Whirlmixer Plus vortex base unit only with variable speed control allowing for interchangeable platforms 230V 50/60Hz 75W overall 200-2800rpm, platform 200-1400rpm 150mm x 175mm x 150mm	50914
FB68461	Fisherbrand* Platform for 2 x 25mL flasks	6567
FB68462	Fisherbrand* Platform for microtitre plate	5978
FB68463	Fisherbrand* Platform for 1.5mL microtubes	5251
FB68464	Fisherbrand* Cup for mixing up to 25mm dia. tubes	3953
FB68465	Fisherbrand* Platform for PCR* plate	10198
FB68780	Fisherbrand* Mixer rotary for general use with adjustable angle base unit only 230V 50/60Hz 5 to 30rpm 200mm x 250mm x 175mm	70850
FB68781	Fisherbrand* 24 clip disc for tube diameter 8mm to 11mm	12830
FB68782	Fisherbrand* 12 clip disc for tube diameter 15mm to 17mm	12830
FB68783	Fisherbrand* 6 clip disc for tube diameter 27mm to 30mm	12830
FB68784	Fisherbrand* Carousel for 16mm tubes	18357
FB68785	Fisherbrand* Carousel for 25mm tubes	18357
FB68913	Fisherbrand* Disc assembly 3 tier with 24 clips for FB68780 8mm to 11mm tube diameter	27088
FB68914	Fisherbrand* Disc assembly 3 tier with 12 clips for FB68780 15mm to 17mm tube diameter	27088
FB68915	Fisherbrand* Rotary mixer disc for FB68780	12541
FB68916	Fisherbrand* Clip for FB68915 for 8-11mm diameter tubes	252
FB68917	Fisherbrand* Clip for FB68915 for 15-17mm diameter tubes	497
FB68918	Fisherbrand* Clip for FB68915 for 27-30mm diameter tubes	497

Ovens

Part No.	Description	Price in Rs.
Convection Ovens		
13247725G	Fisher Scientific* Isotemp* OVEN GRAVITY Capacity (Chamber Volume): 2.5 cu. ft.; Model: Small Electrical Requirements: 120V 60Hz, 11A, 1300w;	POR
13247737G	Fisher Scientific* Isotemp* Oven, Premium Lab Gravity Flow; 120V 60Hz, 15A, 1800w; Capacity (Chamber Volume): 3.75 cu. ft.; Model: Medium; 23-1/2 L x 25-3/4 W x 33 in. H	POR
13247750G	Fisher Scientific* Isotemp* OVEN PRE GRAVITY Capacity (Chamber Volume): 5.0 cu. ft.; Model: Large Electrical Requirements: 120V 60Hz, 15A, 1800w;	POR
13247725F	Fisher Scientific* Isotemp* Oven; Premium Lab Forced Air; 120V 60Hz, 15A, 1800w; Capacity (Chamber Volume): 2.5 cu. ft.; Model: Small; 23-1/2 L x 25-3/4 W x 26 in. H	POR
13247737F	Fisher Scientific* Isotemp* Oven; Premium Lab Forced Air; 120V 60Hz, 15A, 1800w; Capacity (Chamber Volume): 3.75 cu. ft.; Model: Medium; 23-1/2 L x 25-3/4 W x 33 in. H	POR
13247750F	Fisher Scientific* Isotemp* Oven; Premium Lab Forced Air; 120V 60Hz, 15A, 1800w; Capacity (Chamber Volume): 5.0 cu. ft.; Model: Large; 23-1/2 L x 25-3/4 W x 39-1/4 in. H	POR
13247825F	Fisher Scientific* Isotemp* OVEN PROG Capacity (Chamber Volume): 2.5 cu. ft.; Model: Small Electrical Requirements: 120V 60Hz, 15A4, 1800w;	POR
13247838F	Fisher Scientific* Isotemp* Oven; Programmable Model: Medium; Capacity Chamber: 3.75 cu. ft.; Range: 50-325 deg. . C; Uniformity (200 deg. . C): +/-2 deg. . C; Inside: 18D x 18W x 20 in. H; Exterior: 23-1/2L x 25-3/4W x 33 in. H; 240V 50/60Hz, 14A, 3300w	POR
13247851F	Fisher Scientific* Isotemp* OVEN PROG Capacity (Chamber Volume): 5.0 cu. ft.; Model: Large Electrical Requirements: 240V 50/60Hz, 14A, 3300w;	POR
13247625G	Fisher Scientific* Isotemp* Oven, General Purpose Capacity 2.5 cu. ft.; Temp. range 50 deg. to 225 deg. C; 1325 BTU/hr. at 200 deg. C; 24 air exchanges/hr.; Exterior 23-1/2L x 25-3/4W x 26 in.H; Chamber 18D x 18W x 13-1/2 in. H; 120V 60Hz, 11A, 1300w	POR
13247637G	Fisher Scientific* Isotemp* OVEN STD Capacity (Chamber Volume): 3.75 cu. ft.; Model: Medium Electrical Requirements: 120V 60Hz, 11A, 1300w;	POR

Prices mentioned are for one unit unless pack size is mentioned in the description