

Part No.	Description	Price in Rs.
Automatic Temperature Compensation Probes		
1362020	Fisher Scientific* accumet accumet Automatic Temperature Compensation Probes for AP71/ AP72	12380
13620AP53	Fisher Scientific* accumet* Probes, Automatic Temperature Compensation Mini-phone plug connector; For accumet models AP63, AP62, AP61; 3 ft. cable	12482
1362016	Fisher Scientific* accumet* Probes, Automatic Temperature Compensation 1/4 in. phone plug connector; For discontinued accumet models 150, 50, 30, 25, 20, 15, 10, 950, 925, 915, 900, 825MP, 815MP, 805MP, 750; 316 SS; 3 ft. cable	15842
1362018	Fisher Scientific* accumet accumet Automatic Temperature Compensation Probes	17972
1362019	Fisher Scientific* accumet* Probes, Automatic Temperature Compensation Mini-phone plug connector; For accumet models XL15, XL20, XL25, XL50, XL60, AB15, AB30, AR10, AR15, AR20, AR25, AR50, AR60; 316 stainless steel; 3 ft. cable	12642

Pumps

Part No.	Description	Price in Rs.
Peristaltic Pumps		
138764	Fisherbrand* Pump, Peristaltic; UltraLow Flow; rate: 0.005 to 0.900mL/min.; use with liquids and gases; 6-5/8 L x 4-3/4 W x 4-1/2 in. H; autoclavable tubing; 115V; chemical-resistant ABS plastic case	18046
138763	Fisherbrand* Pump, Peristaltic; Medium High Flow; rate: 10.0 to 600mL/min.; Use with liquids and gases; 6-5/8L x 4-3/4W x 4-1/2 in.H; Autoclavable tubing; 115V; Chemical-resistant ABS plastic case	34277
138762	Fisherbrand* Pump, Peristaltic; Medium Flow; rate: 0.4 to 85.0mL/min.; Use with liquids and gases; 6-5/8L x 4-3/4W x 4-1/2 in.H; Autoclavable tubing; 115V; Chemical-resistant ABS plastic case	18046
138761	Fisherbrand* Pump, Peristaltic; Low Flow; rate: 0.03 to 8.20mL/min.; Use with liquids and gases; 6-5/8L x 4-3/4W x 4-1/2 in.H; Autoclavable tubing; 115V; Chemical-resistant ABS plastic case	18046
Vacuum Pumps		
FB59576	Fisherbrand* Vacuum pump MZ 2C + 2 AK with pump support 230V 50Hz 240mm x 340mm x 330mm 35L/min complete system	POR
FB65270	Fisherbrand* Pump vacuum diaphragm oil free for laboratory use PTFE corrosion and chemical resistant 230V 50/60Hz 331mm x 214mm x 136mm (l x w x h) 8mbar 20L/min	POR
Pump accessories		
FB65273	Fisherbrand* Separator kit inlet/outlet trap for FB65270 / FB65271	51092
FB65274	Fisherbrand* Condenser kit for FB65270 / FB65271	98453
FB65275	Fisherbrand* Vacuum controller kit 230V 50Hz for FB65270 / FB65271	POR
Vacuum Pumps		
FB65271	Fisherbrand* Pump vacuum diaphragm oil free for laboratory use PTFE corrosion and chemical resistant 230V 50/60Hz 331mm x 214mm x 136mm (l x w x h) 8mbar 38L/min	POR
Pump accessories		
FB65273	Fisherbrand* Separator kit inlet/outlet trap for FB65270 / FB65271	51092
FB65274	Fisherbrand* Condenser kit for FB65270 / FB65271	98453
FB65275	Fisherbrand* Vacuum controller kit 230V 50Hz for FB65270 / FB65271	POR
FB65276	Fisherbrand* Pump vacuum, flow rate 60L/min, mass 12kg, 230V 50Hz vacuum 12mbar ABS 393mm x 214mm x 136mm	POR
FB65273	Fisherbrand* Separator kit inlet/outlet trap for FB65270 / FB65271	51092
FB65274	Fisherbrand* Condenser kit for FB65270 / FB65271	98453
FB65275	Fisherbrand* Vacuum controller kit 230V 50Hz for FB65270 / FB65271	POR
FB70100	Fisherbrand* Oil for Maxima C+ range 1L Maxima	3978
FB70101	Fisherbrand* Oil Maxima for Maxima C+ range 1 gall	14237
FB70102	Fisherbrand* Oil filter canister Maxima for Maxima C+ range inlet	76055
FB70103	Fisherbrand* Oil inlet filter Maxima for Maxima C+ range mechanical	22519
FB70104	Fisherbrand* Oil filter Maxima for Maxima C+ range chemical inlet	38973
FB70105	Fisherbrand* Oil recycler Maxima exhaust type 1 7A for model M2C of the Maxima C+ range	49046

Prices mentioned are for one unit unless pack size is mentioned in the description

Part No.	Description	Price in Rs.
FB70106	Fisherbrand* Oil recycler Maxima exhaust type 1 7B for Maxima C+ range except model M2C	68994
FB70109	Fisherbrand* Oil filter Maxima for FB7000 exhaust STD 5A	24138
FB70111	Fisherbrand* Oil filter Maxima for FB70030 and FB70040 exhaust STD 5C	60425
FB70112	Fisherbrand* Filter element for exhaust filter for FB70109 Maxima 6A	12774
FB70113	Fisherbrand* Filter element for exhaust filter for FB70110 Maxima 6B	14394
FB70115	Fisherbrand* Coaxial trap Maxima NW16 15A	80388
FB70116	Fisherbrand* Coaxial trap Maxima NW25	88093
FB70117	Fisherbrand* Coaxial trap Maxima NW16 15A	11667
FB70118	Fisherbrand* Filter element for FB70116 Maxima 15E	15667
FB70119	Fisherbrand* Molecular sieve trap NW16 Maxima 19A	19172
FB70120	Fisherbrand* Molecular sieve trap NW25 Maxima 19B	19172
FB70121	Fisherbrand* Filter element Maxima for FB70119 and FB70120 Zeolite 19D	19172
FB70122	Fisherbrand* Cold trap Maxima with 2.8L well for dry ice and alcohol slurry producing a temperature as low as -79°C dry ice	POR
FB70123	Fisherbrand* Hose adapter Maxima to 7/16 hose	5502
FB70124	Fisherbrand* Hose adapter Maxima to 13/16 hose	5659
FB70125	Fisherbrand* Clamp Maxima NW16 hinged	3892
FB70126	Fisherbrand* Clamp Maxima NW25 hinged	4049
FB70127	Fisherbrand* Centring ring assembly Maxima NW16	3601
FB70128	Fisherbrand* Centring ring assembly Maxima NW25	4049
FB70135	Fisherbrand* Gasket kit vacuum pump Maxima M8/M12C	23107
FB70136	Fisherbrand* Gasket kit vacuum pump Maxima M16C	23107
FB70137	Fisherbrand* Repair kit Maxima M2/M4C	21672
FB70138	Fisherbrand* Repair kit Maxima M8/M12C	38130
FB70139	Fisherbrand* Repair kit Maxima M16C	37725
Vacuum Pumps		
FB65540	Fisherbrand* Piston Vacuum Pump Oil Free, Ultimate Vacuum 300mbar pumping speed - 10L/min	28107
FB70159	Fisherbrand* Aspirator pump with 2L collection receiver flow rate 34L/min 230V 50/60Hz 210mm (w) x 375mm (d) x 255mm (h) 93mbar	POR
Pump accessories		
FB70160	Fisherbrand* Receiver and tube for FB70159 1.2L capacity	23844
FB70161	Fisherbrand* Footswitch variable on/off for FB70159	21037
Vacuum Pumps		
FB70162	Fisherbrand* Pump vacuum oil free flow rate 7L/min 230V 50/60Hz 114mm (w) x 194mm (d) x 191mm (h) 220mbar	83001
FB70163	Fisherbrand* Pump vacuum oil free flow rate 13L/min 230V 50/60Hz 184mm (w) x 235mm (d) x 216mm (h) 200mbar	95451
FB70380	Fisherbrand* Pump mini 230V 50Hz	25881
FB70381	Fisherbrand* Pump mini 230V 50Hz	25881
FB70382	Fisherbrand* Pump mini 230V 50Hz	25881
FB70383	Fisherbrand* Pump mini 230V 50Hz	49159
1388019	Fisher Scientific* MaximaDry Pump, Vacuum Oil Free; 2-Stage; 230V, 50Hz; 1/6hp; 15psig; 20L/min.; 6 torr	POR
1388015	Fisher Scientific* MaximaDry Pump, Vacuum Oil Free; Single-Stage; 230V, 50Hz; 1/6hp; 15psig; 20L/min.; 75 torr	POR

Prices mentioned are for one unit unless pack size is mentioned in the description

Contact: India Toll Free.: 1 800 209 7001 Fax: 022-6680 3001 / 02 e-mail: qfc.customer@thermofisher.com

Part No.	Description	Price in Rs.
1388021	Fisher Scientific* MaximaDry Pump, Vacuum Oil Free; 2-Stage; 230V, 50Hz; 1/3hp; 15psig; 35L/min; 6 torr	POR
1388017	Fisher Scientific* MaximaDry Pump, Vacuum Oil Free; Single-Stage; 230V, 50Hz; 1/6hp; 15psig; 40L/min.; 65 torr	POR
1388023	Fisher Scientific* MaximaDry 1/3 15psig 35L/min 1.5 torr Vacuum Pump, Oil Free, 2-Stage 230V 50Hz	POR
0125712	Fisher Scientific* Hose Adapter Kit, Pump Inlet O.D.: 3/8 to 7/16. For Fisher Scientific Maxima C Plus Vacuum Pump.	17222
0125717A	Fisher Scientific* Pumps, vacuum Kits, pump repair; For minor pump repairs; Include gasket set, exhaust valves, valve springs, lip seals, O-rings, motor coupling; For models M2C and M4C1;	14719
0125717B	Fisher Scientific* Pumps, vacuum Kits, pump repair; For minor pump repairs; Include gasket set, exhaust valves, valve springs, lip seals, O-rings, motor coupling; For models M8C1; and M12C	25893
0125717C	Fisher Scientific* Pumps, vacuum Kits, pump repair; For minor pump repairs; Include gasket set, exhaust valves, valve springs, lip seals, O-rings, motor coupling; For model M16C	25617
0125749	Fisher Scientific* Pump Repair Kit, For Models: M4C, M6C and M8C Maxima C Plus Pumps	24870
FBGDPX20	FisherBiotech* Pumps, vacuum; Vacuum systems; For gel drying systems; For quick gel drying; As supplied with FBGDx1 systems; Work with most gel dryers like Bio-Rad, Hoefer Scientific, Labconco; Schuko line cord; 230V 50Hz	POR
Drum Transfer Pumps		
1507767	Fisherbrand* Pump, Chemical Transfer; Variable Flow; Drum; 0.12 to 202L/min.; Viscosity to 200 centipoise (0.2 Pa s). 8 L x 4-3/4 W x 4-1/3 in. H; 1 lb.; Precise, seamless speed control with all-day performance	24617
Rubber Tubing		
141502H	Fisherbrand* Tubing, Rubber; For pressure and vacuum work; Black; 50 ft. (15.2m); I.D. x O.D.: 0.5 x 1 in. (12.7 x 25.4mm); Wall thickness: 0.25 in. (6.4mm)	10350
141502J	Fisherbrand* Tubing, Rubber Pressure and Vacuum; Black Tubing on reel of 50 ft. (15.2m); I.D.: 1/4 in. (6.4mm); O.D.: 5/8 in. (15.9mm); Wall Thickness: 3/16 in. (4.8mm)	5694
141502K	Fisherbrand* Tubing, Rubber; For pressure and vacuum work; Black; 50 ft. (15.2m); I.D. x O.D.: 0.312 x 0.687 in. (7.9 x 17.5mm); Wall thickness: 0.187 in. (4.8mm)	6759
141502L	Fisherbrand* Tubing, Rubber; For pressure and vacuum work; Black; 50 ft. (15.2m); I.D. x O.D.: 0.375 x 0.875 in. (9.5 x 22.2mm); Wall thickness: 0.25 in. (6.4mm)	8836
14173C	Fisherbrand* Tubing; Rubber; Pressure and Vacuum; Red; 1/4ID x 3/16 in. thick; 12 ft.	1223
14173D	Fisherbrand* Tubing, Rubber; Thick walls for pressure and vacuum work; Color: Red; I.D.: 3/8 in. (9.5mm), Wall thickness: 5/16 in. (7.9mm); O.D.: 1 in. (25.4mm); 12-ft length/ea	2957
14175B	Fisherbrand* Tubing, Rubber; For pressure and vacuum work; Black; 12 ft. (3.7m); I.D. x O.D.: 0.187 x 0.562 in. (4.8 x 14.3mm); Wall thickness: 0.187 in. (4.8mm)	1205
14175C	Fisherbrand* Tubing, Rubber; Pressure and Vacuum; Color: Black; I.D.: 1/4 in. (6.4mm)	1223
14175D	Fisherbrand* Tubing, Rubber; For pressure and vacuum work; Black; 12 ft. (3.7m); I.D. x O.D.: 0.312 x 0.687 in. (7.9 x 17.5mm); Wall thickness: 0.187 in. (4.8mm)	1363
14175E	Fisherbrand* Tubing, Rubber; For pressure and vacuum work; Black; 12 ft. (3.7m); I.D. x O.D.: 0.375 x 0.875 in. (9.5 x 22.2mm); Wall thickness: 0.25 in. (6.4mm)	2277
14175F	Fisherbrand* Tubing, Rubber; For pressure and vacuum work; Black; 12 ft. (3.7m); I.D. x O.D.: 0.5 x 1 in. (12.7 x 25.4mm); Wall thickness: 0.25 in. (6.4mm)	3469
14175G	Fisherbrand* Tubing, Rubber; Pressure and Vacuum; Color: Black; I.D.: 5/8 in. (15.9mm)	5870
14182A	Fisherbrand* Tubing; Gum Rubber; Heavy Wall; Red; Low vapor pressure; For vacuum; 12 ft. Long; I.D. x O.D.: 1/4 x 1 in.	2431
14182C	Fisherbrand* Tubing; Gum Rubber; Heavy Wall; Red; Low vapor pressure; For vacuum; 12 ft. Long; I.D. x O.D.: 1/2 x 1-1/4 in.	4479
14182D	Fisherbrand* Tubing; Gum Rubber; Heavy Wall; Red; Low vapor pressure; For vacuum; 12 ft. Long; I.D. x O.D.: 1-3/4 x 1-1/2 in.	5745
14182E	Fisherbrand* Tubing; Gum Rubber; Heavy Wall; Red; Low vapor pressure; For vacuum; 12 ft. Long; I.D. x O.D.: 1 x 1-3/4 in.	1709
14182F	Fisherbrand* Tubing; Gum Rubber; Heavy Wall; Red; Low vapor pressure; For vacuum; 12 ft. Long; I.D. x O.D.: 1-1/4 x 2-1/4 in.	9816

Prices mentioned are for one unit unless pack size is mentioned in the description