

Refractometers

Part No.	Description	Price in Rs.
Benchtop Refractometers & Polarimeters		
1396411	Fisher Scientific* Abbe Benchtop Refractometers Electrical Requirements: 220V 50Hz (International Model)	POR
SPN11234	Fisherbrand* Clamps, for Head Assembly in Fisherbrand Refractometer (13-947)	5266
SPN11402	Fisherbrand* Prism, for Fisherbrand 13-947-1 Refractometer	12206

Refrigeration

Part No.	Description	Price in Rs.
Freezers		
979261	Fisher Scientific* Freezer; Undercounter General purpose storage; 5.6 cu. ft.; -20 to -15 deg. C; Manual defrost; 3 fixed shelves; 120V 60Hz	77895
1399088	Fisher Scientific* Isotemp* Freezer, Upright -86 deg. to -50 deg. C; 17.2 cu.ft.; 208/230V 60Hz	POR
1399090	Fisher Scientific* Isotemp* Freezer, Upright -86 deg. to -50 deg. C; 20.2 cu.ft.; 208/230V 60Hz	POR
1399092	Fisher Scientific* Isotemp* Freezer, Upright -86 deg. to -50 deg. C; 24.4 cu.ft.; 208/230V 60Hz	POR
1399006	Fisher Scientific* Isotemp* Freezers Basic -86 deg. C; Upright; Capacity: 17.2 cu. ft.; 208/230V 60Hz	POR
1399011	Fisher Scientific* Isotemp* Freezers Basic -86 deg. C; Upright; Capacity: 20.2 cu. ft.; 208-230V 60Hz	POR
1399012	Fisher Scientific* Isotemp* Freezers Basic -86 deg. C; Upright; Capacity: 20.2 cu. ft.; 230V 50Hz	POR
1399013	Fisher Scientific* Isotemp* Freezers Basic -86 deg. C; Upright; Capacity: 20.2 cu. ft.; 230V 50Hz	POR
1399015	Fisher Scientific* Isotemp* Freezers Basic -86 deg. C; Upright; Capacity: 24.4 cu. ft.; 208-230V 60Hz	POR
1399016	Fisher Scientific* Isotemp* Freezers Basic -86 deg. C; Upright; Capacity: 24.4 cu. ft.; 230V 50Hz	POR
1399029	Fisher Scientific* Isotemp* Freezers Basic Chest; -86 deg. to -40 deg. C; 10.0 cu. ft.; Meet UL and CUL criteria; 208/240V 60Hz	POR
1399033	Fisher Scientific* Isotemp* Freezers Basic Chest; -86 deg. to -40 deg. C; 14.0 cu. ft.; Meet UL and CUL criteria; 208/240V 60Hz	POR
1399034	Fisher Scientific* Isotemp* Freezers Basic Chest; -86 deg. to -40 deg. C; 14.0 cu. ft.; Meet UL and CUL criteria; 220V 50Hz	POR
1399019	Fisher Scientific* Isotemp* Freezers Basic Chest; -86 deg. to -40 deg. C; 3 cu. ft.; Meet UL and CUL criteria; 208/24-V 60Hz	POR
1399022	Fisher Scientific* Isotemp* Freezers Basic Chest; -86 deg. to -40 deg. C; 3 cu. ft.; Meet UL and CUL criteria; 220V 50Hz	POR
1399025	Fisher Scientific* Isotemp* Freezers Basic Chest; -86 deg. to -40 deg. C; 7.0 cu. ft.; Meet UL and CUL criteria; 115V 60Hz	POR
1399002	Fisher Scientific* Isotemp* Freezers Basic -86 deg. C; Upright 13 cu. ft.; 4 shelves; -86 to -50 deg. C; Solid-state controls, Alarm monitoring sys.; Air-cooled refrigeration; CFC-free; Meet UL/CUL criteria, 208/240V 60Hz	POR
1399003	Fisher Scientific* Isotemp* Freezers Basic -86 deg. C; Upright 13 cu. ft.; 4 shelves; -86 to -50 deg. C; Solid-state controls, Alarm monitoring sys.; Air-cooled refrigeration; CFC-free; Meet UL/CUL criteria, 220V 50Hz	POR
3986148ES	Fisher Scientific* Isotemp* Freezer, Enzyme 20.6 cu. ft.; 115V 60Hz	POR
3986154ES	Fisher Scientific* Isotemp* Freezer, Enzyme 5.0cu. ft.; 115V 60Hz	POR
13986525F	Fisher Scientific* Isotemp* Freezer, Explosion-Proof, 30 cu. ft., -30 deg. to -18 deg. C, 1 hinged solid door, 1/3hp, manual defrost, 120V 60Hz	POR
13986150	Fisher Scientific* Isotemp* Freezer, Explosion-Proof, 20.6 cu. ft., -20 deg. to -12 deg. C, 1 hinged solid door, 1/4hp, manual defrost, 115V 60Hz	POR
3986428FA	Fisher Scientific* Isotemp* Freezer, Flammable-materials Storage with Alarm 30 cu. ft., -25 to -10C, 1 hinged solid door, 1/3 hp, manual defrost, 115V 60Hz	POR
13986428F	Fisher Scientific* Isotemp* Freezer, Flammable-materials Storage 30 cu. ft., -25 to -10C, 1 hinged solid door, 1/3 hp, manual defrost, 115V 60Hz	POR
3986428FR	Fisher Scientific* Isotemp* Freezer, Flammable-materials Storage with Recorder 30 cu. ft., -25 to -10C, 1 hinged solid door, 1/3 hp, manual defrost, 115V 60Hz	POR
13986149	Fisher Scientific* Isotemp* Freezer, Flammable-materials Storage 20.6 cu. ft., -20 to -12C, 1 hinged solid door, 1/4hp, manual defrost, 115V 60Hz	POR
13986328F	Fisher Scientific* Isotemp* Freezer, General-purpose, 30 cu. ft., -25degree to -10degreeC, 1 hinged solid door, 1/3 hp, 115V 60Hz	POR

Prices mentioned are for one unit unless pack size is mentioned in the description

Contact: India Toll Free.: 1 800 209 7001 Fax: 022-6680 3001 / 02 e-mail: qfc.customer@thermofisher.com

Part No.	Description	Price in Rs.
13986148	Fisher Scientific* Isotemp* Freezer; General-purpose Capacity: 20.6 cu. ft.; -20 to -12 deg. C; With warning label; CFC free; 4 adj. Legs; 1 hinged solid door; 4 fixed shelves; 115V 60Hz	POR
13986154	Fisher Scientific* Isotemp* Freezer; General-purpose Capacity: 5 cu. ft.; -20 to -12 deg. C; With warning label; CFC free; 4 adj. Legs; 1 hinged solid door; 2 fixed shelves; 115V 60Hz	93286
3986223FA	Fisher Scientific* Isotemp* Freezer, General-purpose Lab with Recorder/Alarm, 23.1 cu. ft., -29 to -18C, 1 hinged solid door, 1/2 hp, 115V 60Hz	POR
3986247FA	Fisher Scientific* Isotemp* Freezer, General-purpose Lab with Recorder/Alarm, 46.6 cu. ft., -29 to -18C, 2 hinged solid doors, 3/4 hp, 230V 60Hz	POR
3986274FA	Fisher Scientific* Isotemp* Freezer, General-purpose Lab with Recorder/Alarm, 74 cu. ft., -29 to -18C, 3 hinged solid doors, 1hp, 230V 60Hz	POR
13986247F	Fisher Scientific* Isotemp* Freezer, General-purpose Lab, Basic Model, 46.6 cu. ft., -29 to -18C, 2 hinged solid doors, 3/4hp, 230V 60Hz	POR
13986274F	Fisher Scientific* Isotemp* Freezer, General-purpose Lab, Basic Model, 74 cu. ft., -29 to -18C, 3 hinged solid doors, 1hp, 230V 60Hz	POR
13986223F	Fisher Scientific* Isotemp* Freezer; General-purpose Lab; Model: Basic; Capacity: 23.1 cu. ft.; -29 to -18C; Microprocessor controlled; CFC free; 1 hinged solid door; 3 shelves; 115V 60Hz	POR
13986327L	Fisher Scientific* Isotemp* Freezer, General-purpose Lab, 27.3 cu. ft., -41 to -18C, 1 hinged solid outer/2 insulated inner doors, 1hp, 115V 60Hz	POR
3986327LA	Fisher Scientific* Isotemp* Freezer, General-purpose Lab with Recorder/Alarm, 27.3 cu. ft., -41 to -18C, 1 hinged solid outer/2 insulated inner doors, 1hp, 115V 60Hz	POR
13986142	Fisher Scientific* Isotemp* Freezer, General-Purpose Lab 23.1 cu. ft., -30 to -12C, 1 hinged solid lockable door, 1/2 hp, 115V 60Hz	POR
13986144	Fisher Scientific* Isotemp* Freezer, General-purpose Lab 30 cu. ft., -30 to -12C, 1 hinged solid lockable door, 1/2 hp, 115V 60Hz	POR
13986147	Fisher Scientific* Isotemp* Freezer, General-purpose Lab 46.6 cu. ft., -30 to -12C, 2 hinged solid lockable doors, 3/4 hp, 115-208/230V 60Hz	POR
13986142A	Fisher Scientific* Isotemp* Freezer with Alarm, General-Purpose Lab 23.1 cu. ft., -30 to -12C, 1 hinged solid lockable door, 1/2hp, 115V 60Hz	POR
13986144A	Fisher Scientific* Isotemp* Freezer; Alarm General-purpose Lab; 30 cu. ft.; -30 to -12C, 1 hinged solid lockable door; 1/2 hp; 115V 60Hz	POR
13986142R	Fisher Scientific* Isotemp* Freezer with Recorder, General-Purpose Lab 23.1 cu. ft., -30 to -12C, 1 hinged solid lockable door, 1/2hp, 115V 60Hz	POR
13986144R	Fisher Scientific* Isotemp* Freezer with Recorder, General-purpose Lab 30 cu. ft., -30 to -12C, 1 hinged solid lockable door, 1/2hp, 115V 60Hz	POR
3986144RA	Fisher Scientific* Isotemp* Freezer with Recorder and Alarm General-purpose Lab; 30 cu. ft.; -30 to -12C, 1 hinged solid lockable door; 1/2hp; 115V 60Hz	POR
3986142RA	Fisher Scientific* Isotemp* Freezer with Recorder and Alarm, General-Purpose Lab 23.1 cu. ft., -30 to -12C, 1 hinged solid lockable door, 1/2hp, 115V 60Hz	POR
3986147RA	Fisher Scientific* Isotemp* Freezer with Recorder and Alarm, General-purpose Lab 46.6 cu. ft., -30 to -12C, 2 hinged solid lockable doors, 3/4hp, 115-208/230V 60Hz	POR
13990100	Fisher Scientific* Isotemp* Ultrafreezer, Chest -86C to -40C; 20.5 cu. ft. chest; 208/230V 60Hz	POR
1399086	Fisher Scientific* Isotemp* Ultrafreezer, Upright 13.4 cu. ft.; -86 to -50C; 208/230V 60Hz	POR
979281	Fisher Scientific* Freezer; Explosion-proof 5.6 cu. ft. undercounter; -26 to -15 deg. C; Manual defrost; Shelves: 3 fixed door, 2 fixed interior; Meets NFPA reqts.	POR
979251	Fisher Scientific* Freezer, Flammable Materials 5.6 cu. ft. undercounter; -26 to -15 deg. C; Manual defrost; Shelves: 3 fixed door, 2 fixed interior; Meets NFPA reqts.	POR
Freezer Storage Racks		
03395406	Fisherbrand* Rack; Lab Tower; Polycarbonate; 5 Level; Footprint: 16 x 16cm; Accommodates both 81-place and 100-place storage boxes for use in chest freezers	6562
03395407	Fisherbrand* Rack; Lab Tower; Polycarbonate; 10 Level; Footprint: 16 x 16cm; Accommodates both 81-place and 100-place storage boxes for use in chest freezers	12011
03395408	Fisherbrand* Racks; Freezer; Polycarbonate; CombiPack 500; Black, Five level benchtop carrier; 100 sections; Holds up to 500 samples; With lids; Frosted writing area	11579
03395409	Fisherbrand* Racks; Freezer; Polycarbonate; CombiPack 500; Multi, Five level benchtop carrier; 100 sections; Holds up to 500 samples; With lids; Frosted writing area	11579
03395410	Fisherbrand* Racks; Freezer; Polycarbonate; CombiPack 405; Multi, Five level benchtop carrier; 81 sections; Holds up to 405 samples; With lids; Frosted writing area	11579
03692148	Fisherbrand* Lab tower; Polycarbonate Storage System; 10 level; W/ 2 carry grips; 10x81 sectioned racks; H:82cm; Flexible, economical, multilevel rack, ideal for general storage, transportation, cryogenic, wet/dry incubation applications	32688

Prices mentioned are for one unit unless pack size is mentioned in the description

Part No.	Description	Price in Rs.
03692150	Fisherbrand* Lab tower, 8 level; Polycarbonate, With 2 carry grips, 8 x 81 sectioned racks	26154
03692152	Fisherbrand* Lab tower; Polycarbonate Storage System; 5 Level; 5 x 81 sectioned racks; Height 42cm; Flexible, economical, multilevel rack, ideal for general storage, transportation, cryogenic, wet/dry incubation applications	19811
1200943A	Fisherbrand* Rack, Storage; Refrigerator/Freezer; Clear acrylic; Store 16mm O.D. specimen tubes; Handgrips for easy carrying; No. of places: 100; L x W x H: 9-1/2 x 9-1/2 x 2-1/2 in. (24.1 x 24.1 x 6.3cm)	3418
1200943B	Fisherbrand* Rack, Storage; Refrigerator/Freezer; Clear acrylic; Store 16mm O.D. specimen tubes; Handgrips for easy carrying; No. of Places: 200; L x W x H: 18-1/2 x 9-1/2 x 2-1/2 in. (47 x 24.1 x 6.3cm)	5756
1200943C	Fisherbrand* Rack, Storage; Refrigerator/Freezer; Clear acrylic; Store 16mm O.D. specimen tubes; Handgrips for easy carrying; No. of Places: 300; L x W x H: 27 x 9-1/2 x 2-1/2 in. (68.6 x 24.1 x 6.3cm)	6735
Full Size Refrigerators & Refrigerator Freezers		
3986127GA	Fisher Scientific* Isotemp* Refrigerator, Chromatography With Recorder/Alarm; 27 cu. ft., 1 hinged glass door, 1degree to 12degreeC, 115V 60Hz	POR
3986145GA	Fisher Scientific* Isotemp* Refrigerator, Chromatography With Recorder/Alarm; 45 cu. ft., 2 glass sliding doors, 1degree to 12degreeC, 115V 60Hz	POR
3986149GA	Fisher Scientific* Isotemp* Refrigerator, Chromatography With Recorder/Alarm; 49 cu. ft., 2 glass hinged doors, 1degree to 12degreeC, 115V 60Hz	POR
3986172GA	Fisher Scientific* Isotemp* Refrigerator, Chromatography With Recorder/Alarm; 72 cu. ft., 3 hinged glass doors, 1degree to 12degreeC, 115V 60Hz	POR
13986138G	Fisher Scientific* Isotemp* Refrigerator, Chromatography 38 cu. ft., 2 glass sliding doors, 1/2 hp, 115V 60Hz	POR
3986138GA	Fisher Scientific* Isotemp* Refrigerator, Chromatography With Recorder/Alarm; 38 cu. ft., 2 glass sliding doors, 1degree to 12degreeC, 115V 60Hz	POR
13986127G	Fisher Scientific* Isotemp* Refrigerator, Chromatography 27 cu. ft., 1 hinged glass door, 1 deg. to 12 deg. C, 115V 60Hz	POR
13986145G	Fisher Scientific* Isotemp* Refrigerator, Chromatography 45 cu. ft., 2 glass sliding doors, 1 deg. to 12 deg. C, 115V 60Hz	POR
13986149G	Fisher Scientific* Isotemp* Refrigerator, Chromatography 49 cu. ft., 2 glass hinged doors, 1 deg. to 12 deg. C, 115V 60Hz	POR
13986172G	Fisher Scientific* Isotemp* Refrigerator, Chromatography 72 cu. ft., 3 hinged glass doors, 1 deg. to 12 deg. C, 115V 60Hz	POR
FSREC2304	Thermo Scientific* Revco* Upright Chromatography Refrigerator, 23.3 cu.ft., Single glass door 230V	POR
FSREC3004	Thermo Scientific* Revco* Upright Chromatography Refrigerator, 29.2 cu.ft., Single swing glass door 230V	POR
FSREC4504	Thermo Scientific* Revco* Upright Chromatography Refrigerator, 45.8 cu.ft., double sliding glass door 230V	POR
FSREC5004	Thermo Scientific* Revco* Upright Chromatography Refrigerator, 51.1 cu.ft., Double swing glass door 230V	POR
13986153	Fisher Scientific* Isotemp* Refrigerator, Explosion-proof; 20.6 cu. ft., 2 deg. to 10 deg. C, 1 hinged solid door, 1/4hp, manual defrost, 115V 60Hz	POR
13986525D	Fisher Scientific* Isotemp* Refrigerator/Freezer, Explosion-proof, 25 cu. ft. Refrigerator/5 cu. ft. Freezer, 1 solid hinged door, 115V 60Hz	POR
13986116D	Fisher Scientific* Isotemp* Refrigerator/Freezer, Explosion-proof, 8.5 cu. ft. Refrigerator/ 2.5 cu. ft. Freezer, 2 solid hinged doors, 115V 60Hz	POR
3986426DR	Fisher Scientific* Isotemp* Refrigerator/Freezer Flammable-Materials Storage, Recorder Model, 27.5 cu. ft., One Hinged Solid Door, 115V 60Hz	POR
3986426DA	Fisher Scientific* Isotemp* Refrigerator/Freezer Flammable-Materials Storage, Recorder/Alarm Model, 27.5 cu. ft., One Hinged Solid Door, 115V 60Hz	POR
13986426D	Fisher Scientific* Isotemp* Refrigerator/Freezer Flammable-Materials Storage, Basic Model, 27.5 cu. ft., One Hinged Solid Door, 115V 60Hz	POR
13986111D	Fisher Scientific* Isotemp* Refrigerator/Freezer Flammable-Materials Storage, Basic Model; 11 cu. ft., Two Hinged Solid Doors, 115V 60Hz	POR
13986450R	Fisher Scientific* Refrigerator, Flammable-materials Storage, 50 cu. ft., 1 deg. to 8 deg. C, 2 hinged solid doors, 1/3hp, manual defrost, 120V 60Hz	POR
3986450RA	Fisher Scientific* Isotemp* Refrigerator, Flammable-materials Storage with Recorder/Alarm; 50 cu. ft., 1 deg. to 8 deg. C, 2 hinged solid doors, 1/3hp, manual defrost, 120V 60Hz	POR
3986450RR	Fisher Scientific* Isotemp* Refrigerator, Flammable-materials Storage with Recorder; 50 cu. ft., 1 deg. to 8 deg. C, 2 hinged solid doors, 1/3hp, manual defrost, 120V 60Hz	POR
3986428RA	Fisher Scientific* Isotemp* Refrigerator, Flammable-materials Storage; With Recorder/Alarm, 30 cu. ft., 3degree to 10degreeC, 1 hinged solid door, 1/3 hp, manual defrost, 120V 60Hz	POR
3986428RR	Fisher Scientific* Isotemp* Refrigerator; Flammable-materials storage With recorder; Capacity: 30 cu. ft.; 3 to 10 deg. C; 1 hinged solid door; 3 fixed, 5 adjustable, 2 half-size shelves; Manual defrost; Meet NFPA Code 99; 120V 60Hz	POR
13986428R	Fisher Scientific* Isotemp* Refrigerator, Flammable-materials Storage; 30 cu. ft., 3degree to 10degreeC, 1 hinged solid door, 1/3 hp, manual defrost, 120V 60Hz	POR
13986152	Fisher Scientific* Isotemp* Refrigerator, Flammable-materials Storage; 20.6 cu. ft., 2 deg. to 10 deg. C, 1 hinged solid door, 1/4hp, manual defrost, 115V 60Hz	POR

Prices mentioned are for one unit unless pack size is mentioned in the description

Contact: India Toll Free.: 1 800 209 7001 Fax: 022-6680 3001 / 02 e-mail: qfc.customer@thermofisher.com

Part No.	Description	Price in Rs.
13986151B	Fisher Scientific* Isotemp* Refrigerator; General-purpose Capacity: 17 cu. ft.; 2 to 8 deg. C; 1 hinged solid door; 5 fixed shelves; Automatic defrost; CFC free; 115V 60Hz	POR
13986106A	Fisher Scientific* Isotemp* Refrigerator/Freezer; General-purpose; Total capacity: 17.9 cu. ft.; Refrigerator: 2-13 deg. C; Freezer: -18 to -10 deg. C; 2 hinged doors; CFC-free, W/warning label; 115V 60Hz	POR
3986227GA	Fisher Scientific* Isotemp* Refrigerator, Lab With Recorder/Alarm; 27 cu. ft.; 1 to 12 deg. C; Microprocessor control; CFC free; 1 hinged glass door; 4 full-size shelves; 115V 60Hz	POR
3986227RA	Fisher Scientific* Isotemp* Refrigerator, Lab With Recorder/Alarm; Microprocessor control; 27 cu. ft., 1degree to 12degreeC, 1 hinged solid lockable door, 1/3 hp, 115V 60Hz	POR
3986245GA	Fisher Scientific* Isotemp* Refrigerator, Lab With Recorder/Alarm; Microprocessor control; 45 cu. ft.; 1 to 12 deg. C; 2 sliding glass lockable doors; 1/2hp; 115V 60Hz	POR
3986249GA	Fisher Scientific* Isotemp* Refrigerator, Lab With Recorder/Alarm; Microprocessor control; 49 cu. ft. 1 to 12 deg. C; 2 hinged glass lockable doors; 1/2hp; 115V 60Hz	POR
3986249RA	Fisher Scientific* Isotemp* Refrigerator, Lab With Recorder/Alarm; Microprocessor control; 49 cu. ft., 1 deg. to 12 deg. C, 2 hinged solid lockable doors, 1/2hp, 115V 60Hz	POR
3986272GA	Fisher Scientific* Isotemp* Refrigerator, Lab With Recorder/Alarm; Microprocessor control; 72 cu. ft., 1 deg. to 12 deg. C, 3 hinged glass lockable doors, 3/4hp, 115V 60Hz	POR
3986238GA	Fisher Scientific* Isotemp* Refrigerator, Lab With Recorder/Alarm; Microprocessor control; 33 cu. ft., 1 deg. to 12 deg. C, 2 sliding glass lockable doors, 1/2hp, 115V 60Hz	POR
13986238G	Fisher Scientific* Isotemp* Refrigerator, Lab 38 cu. ft.; 1 to 12 deg. C; Microprocessor control; CFC free; 2 sliding glass doors; 8 half-size shelves; 115V 60Hz	POR
13986227G	Fisher Scientific* Isotemp* Refrigerator, Lab 27 cu. ft.; 1 to 12 deg. C; Microprocessor control; CFC free; 1 hinged glass door; 4 full-size shelves; 115V 60Hz	POR
13986227R	Fisher Scientific* Isotemp* Refrigerator, Lab 27 cu. ft., 1 deg. to 12 deg. C, Microprocessor control; 1 hinged solid lockable door, 1/3hp, 115V 60Hz	POR
13986245G	Fisher Scientific* Isotemp* Refrigerator, Lab 45 cu. ft.; 1 to 12 deg. C; Microprocessor control; CFC free; 2 sliding glass doors; 8 half-size shelves; 115V 60Hz	POR
13986249G	Fisher Scientific* Isotemp* Refrigerator, Lab Microprocessor control; 49 cu. ft., 1 deg. to 12 deg. C, 2 hinged glass lockable doors, 1/2hp, 115V 60Hz	POR
13986249R	Fisher Scientific* Isotemp* Refrigerator, Lab 49 cu. ft., Microprocessor control; 1 deg. to 12 deg. C, 2 hinged solid lockable doors, 1/2hp, 115V 60Hz	POR
13986272G	Fisher Scientific* Isotemp* Refrigerator, Lab 72 cu. ft.; 1 to 12 deg. C; Microprocessor control; CFC free; 3 hinged glass doors; 12 third shelves; 115V 60Hz	POR
FSREL1204	Thermo Scientific* Revco* Upright General Purpose Laboratory Refrigerator, 11.5 cu.ft., Single hinged solid door 230V	POR
FSREL2304	Thermo Scientific* Revco* Upright General Purpose Laboratory Refrigerator, 23.3 cu.ft., Single hinged solid door 230V	POR
FSREL3004	Thermo Scientific* Revco* Upright General Purpose Laboratory Refrigerator, 29.2 cu.ft., Single hinged solid door 230V	POR
FSREL4504	Thermo Scientific* Revco* Upright General Purpose Laboratory Refrigerator, 45.8 cu.ft., double sliding glass door 230V	POR
Lab Fridge Freezers		
FSULT1230	Thermo Scientific* Revco* Upright Laboratory Freezer, -30°C, 11.5 cu.ft., Single door 230V	POR
FSULT2330	Thermo Scientific* Revco* Upright Laboratory Freezer, -30°C, 23.3 cu.ft., Single door 230V	POR
FSULT3030	Thermo Scientific* Revco* Upright Laboratory Freezer, -30°C, 29.2 cu.ft., Single door 230V	POR
FSULT5030	Thermo Scientific* Revco* Upright Laboratory Freezer, -30°C, 51.1 cu.ft., Double solid door 230V	POR
Full Size Refrigerators & Refrigerator Freezers		
13986136S	Fisher Scientific* Isotemp* Refrigerator, Chromatography Basic Model, 45.5 cu. ft., 2 sliding glass doors, 1degree to 12degreeC, 115V 60Hz	POR
3986136SA	Fisher Scientific* Isotemp* Refrigerator, Chromatography Alarm Model, 45.5 cu. ft., 2 sliding glass doors, 1degree to 12degreeC, 115V 60Hz	POR
3986136SR	Fisher Scientific* Isotemp* Refrigerator, Chromatography Recorder Model, 45.5 cu. ft., 2 sliding glass doors, 1degree to 12degreeC, 115V 60Hz	POR
13986134	Fisher Scientific* Isotemp* Refrigerator, Chromatography Basic Model, 23.1 cu. ft., 1 hinged glass door, 1degree to 12degreeC, 115V 60Hz	POR
13986138	Fisher Scientific* Isotemp* Refrigerator, Chromatography Basic Model, 46.6 cu. ft., 2 sliding glass doors, 1degree to 12degreeC, 115V 60Hz	POR
13986140	Fisher Scientific* Isotemp* Refrigerator, Chromatography Basic Model, 74 cu. ft., 3 hinged glass doors, 1degree to 12degreeC, 115V 60Hz	POR

Prices mentioned are for one unit unless pack size is mentioned in the description

Part No.	Description	Price in Rs.
13986138A	Fisher Scientific* Isotemp* Refrigerator, Chromatography Alarm Model, 46.6 cu. ft., 2 sliding glass doors, 1degree to 12degreeC, 115V 60Hz	POR
13986140A	Fisher Scientific* Isotemp* Refrigerator, Chromatography Alarm Model, 74 cu. ft., 3 hinged glass doors, 1degree to 12degreeC, 115V 60Hz	POR
13986134A	Fisher Scientific* Isotemp* Refrigerator, Chromatography Alarm Model, 23.1 cu. ft., 1 hinged glass door, 1degree to 12degreeC, 115V 60Hz	POR
3986134RA	Fisher Scientific* Isotemp* Refrigerator, Chromatography Recorder/Alarm Model, 23.1 cu. ft., 1 hinged glass door, 1degree to 12degreeC, 115V 60Hz	POR
3986138RA	Fisher Scientific* Isotemp* Refrigerator, Chromatography Recorder/Alarm Model, 46.6 cu. ft., 2 sliding glass doors, 1degree to 12degreeC, 115V 60Hz	POR
3986140RA	Fisher Scientific* Isotemp* Refrigerator, Chromatography Recorder/Alarm Model, 74 cu. ft., 3 hinged glass doors, 1degree to 12degreeC, 115V 60Hz	POR
13986126	Fisher Scientific* Isotemp* Refrigerator Microprocessor control; Autodefrost; 46.6 cu. ft., 1degree to 12degreeC, 2 hinged solid lockable doors, 1/2 hp, 115V 60Hz	POR
13986120	Fisher Scientific* Isotemp* Refrigerator Microprocessor control; Autodefrost; 23.1 cu. ft., 1degree to 12degreeC, 1 hinged solid lockable door, 1/4 hp, 115V 60Hz	POR
13986122	Fisher Scientific* Isotemp* Refrigerator Microprocessor control; Autodefrost; 30 cu. ft., 1degree to 12degreeC, 1 hinged solid lockable door, 1/2 hp, 115V 60Hz	POR
13986124	Fisher Scientific* Isotemp* Refrigerator Microprocessor control; Autodefrost; 30 cu. ft., 1 deg. to 12 deg. C, 1 hinged glass lockable door, 1/2hp, 115V 60Hz	POR
13986130	Fisher Scientific* Isotemp* Refrigerator Microprocessor control; Autodefrost; 74 cu. ft., 1 deg. to 12 deg. C, 3 hinged solid lockable doors, 1/2hp, 115V 60Hz	POR
13986132	Fisher Scientific* Isotemp* Refrigerator Microprocessor control; Autodefrost; 74 cu. ft., 1degree to 12degreeC, 3 hinged glass lockable doors, 1/2 hp, 115V 60Hz	POR
13986120A	Fisher Scientific* Isotemp* Refrigerator Microprocessor control; Autodefrost; With alarm; 23.1 cu. ft., 1degree to 12degreeC, 1 hinged solid lockable door, 1/4 hp, 115V 60Hz	POR
13986130A	Fisher Scientific* Isotemp* Refrigerator Microprocessor control; Autodefrost; With alarm; 74 cu. ft., 1 deg. to 12 deg. C, 3 hinged solid lockable doors, 1/2hp, 115V 60Hz	POR
13986132A	Fisher Scientific* Isotemp* Refrigerator Microprocessor control; Autodefrost; With alarm; 74 cu. ft., 1degree to 12degreeC, 3 hinged glass lockable doors, 1/2 hp, 115V 60Hz	POR
13986120R	Fisher Scientific* Isotemp* Refrigerator Microprocessor control; Autodefrost; With recorder; 23.1 cu. ft., 1 deg. to 12 deg. C, 1 hinged solid lockable door, 1/4hp, 115V 60Hz	POR
13986132R	Fisher Scientific* Isotemp* Refrigerator Microprocessor control; Autodefrost; With recorder; 74 cu. ft., 1degree to 12degreeC, 3 hinged glass lockable doors, 1/2 hp, 115V 60Hz	POR
3986130RA	Fisher Scientific* Isotemp* Refrigerator Microprocessor control; Autodefrost; With recorder/alarm; 74 cu. ft., 1 deg. to 12 deg. C, 3 hinged solid lockable doors, 1/2hp, 115V 60Hz	POR
3986132RA	Fisher Scientific* Isotemp* Refrigerator Microprocessor control; Autodefrost; With recorder/alarm; 74 cu. ft., 1 deg. to 12 deg. C, 3 hinged glass lockable doors, 1/2hp, 115V 60Hz	POR
13986128S	Fisher Scientific* Isotemp* Refrigerator Microprocessor control; Autodefrost; 45.4 cu. ft.; 1 to 12 deg. C; Microprocessor controlled; Auto defrost; CFC free; 2 sliding glass lockable doors; 8 full-size shelves; 115V 60Hz	POR
3986128SA	Fisher Scientific* Isotemp* Refrigerator Microprocessor control; Autodefrost; With alarm; 45.4 cu. ft., 1degree to 12degreeC, 2 sliding glass lockable doors, 1/2 hp, 115V 60Hz	POR
3986128SR	Fisher Scientific* Isotemp* Refrigerator Microprocessor control; Autodefrost; With recorder; 45.4 cu. ft., 1degree to 12degreeC, 2 sliding glass lockable doors, 1/2 hp, 115V 60Hz	POR
3986126RA	Fisher Scientific* Isotemp* Refrigerator Microprocessor control; Autodefrost; With recorder/alarm; 46.6 cu. ft., 1 deg. to 12 deg. C, 2 hinged solid lockable doors, 1/2hp, 115V 60Hz	POR
13986122A	Fisher Scientific* Isotemp* Refrigerator Microprocessor control; Autodefrost; With alarm; 30 cu. ft., 1degree to 12degreeC, 1 hinged solid lockable door, 1/2 hp, 115V 60Hz	POR
13986124A	Fisher Scientific* Isotemp* Refrigerator Microprocessor control; Autodefrost; With Alarm; 30 cu. ft., 1 deg. to 12 deg. C, 1 hinged glass lockable door, 1/2hp, 115V 60Hz	POR
13986126A	Fisher Scientific* Isotemp* Refrigerator Microprocessor control; Autodefrost; With Alarm; 46.6 cu. ft., 1degree to 12degreeC, 2 hinged solid lockable doors, 1/2 hp, 115V 60Hz	POR
13986122R	Fisher Scientific* Isotemp* Refrigerator Microprocessor control; Autodefrost; With Recorder; 30 cu. ft., 1degree to 12degreeC, 1 hinged solid lockable door, 1/2 hp, 115V 60Hz	POR

Prices mentioned are for one unit unless pack size is mentioned in the description

Part No.	Description	Price in Rs.
13986124R	Fisher Scientific* Isotemp* Refrigerator Microprocessor control; Autodefrost; With Recorder; 30 cu. ft., 1 to 12 deg. C, 1 hinged glass lockable door, 1/2hp, 115V 60Hz	POR
13986126R	Fisher Scientific* Isotemp* Refrigerator Microprocessor control; Autodefrost; With recorder; 46.6 cu. ft., 1 deg. to 12 deg. C, 2 hinged solid lockable doors, 1/2hp, 115V 60Hz	POR
3986120RA	Fisher Scientific* Isotemp* Refrigerator Microprocessor control; Autodefrost; With Recorder/Alarm; Capacity: 23.1 cu. ft.; 1 to 12 deg. C; CFC free; 1 hinged solid door; 4 full-size shelves; 115V 60Hz	POR
3986122RA	Fisher Scientific* Isotemp* Refrigerator Microprocessor control; Autodefrost; With recorder/alarm; 30 cu. ft., 1 deg. to 12 deg. C, 1 hinged solid lockable door, 1/2hp, 115V 60Hz	POR
3986124RA	Fisher Scientific* Isotemp* Refrigerator Microprocessor control; Autodefrost; With Recorder/Alarm; 30 cu. ft.; 1-12 deg. C; 1 hinged glass lockable door; 1/2hp; 115V 60Hz	POR
986136SRA	Fisher Scientific* Isotemp* Refrigerator, Chromatography; Alarm/Recorder Model, 45.5 cu. ft., 2 sliding glass doors, 1degree to 12degreeC, 115V 60Hz	POR
986128SRA	Fisher Scientific* Isotemp* Refrigerator, Microprocessor control; Autodefrost; With alarm/recorder; 45.4 cu. ft., 1degree to 12degreeC, 2 sliding glass lockable doors, 1/2 hp, 115V 60Hz	POR
FSREB1204	Thermo Scientific* Revco* Upright Bloodbank Refrigerator, 11.5 cu.ft., Single hinged glass door 230V	POR
FSRPR1204	Thermo Scientific* Revco* Upright Pharmacy Refrigerator, 11.5 cu.ft., Single glass door 230V	POR
FSRPR2304	Thermo Scientific* Revco* Upright Pharmacy Refrigerator, 23.3 cu.ft. 230V	POR
FSRPR3004	Thermo Scientific* Revco* Upright Pharmacy Refrigerator, 29.2 cu.ft., Single glass door 230V	POR
Undercounter Refrigerators & Refrigerator Freezers		
979201	Fisher Scientific* Refrigerator Undercounter; General purpose; CFC free; Manual defrost; Temp. range: 2 to 7 deg. C; 3 interior shelves; 1 door with flat door liner; 5.6 cu. ft.; 19W x 27 1/2H x 13 in.D interior; 120V 60Hz, 160w	65687
979601	Fisher Scientific* Refrigerator/Freezer; Undercounter; General purpose 5.6 cu. ft.; Manual defrost; 120V 60Hz	71356
979151	Fisher Scientific* Refrigerator/Freezer; Portable; General purpose 1.7 cu. ft.; Manual defrost; 120V 60Hz	28474
979521	Fisher Scientific* Refrigerator/Freezer, Explosion-proof 5.6 cu. ft.; Manual defrost; 120V 60Hz	POR
979351	Fisher Scientific* Refrigerator/Freezer, Flammable-Materials Storage 5.6 cu. ft.; Manual defrost; 120V 60Hz	POR
979501	Fisher Scientific* Refrigerator, Undercounter, Explosion-Proof 2 to 7 deg. C (36 to 45 deg. F), 3 interior shelves, 5.6 cu. ft., 19W x 27 1/2H x 13 in.D interior, 1 door with flat door liner, 120V 60Hz, 160w	POR
979381	Fisher Scientific* Refrigerator, Undercounter, Flammable Materials 2 to 7 deg. C (36 to 45 deg. F), 3 interior shelves, 5.6 cu. ft., 19W x 27 1/2H x 13 in.D interior, 1 door with flat door liner, 120V 60Hz, 160w	POR
Refrigerator & Freezer Accessories		
13986212A	Fisher Scientific* Crate, Inventory; Use with 27 cu. ft. Fisher Scientific Isotemp Refrigerators	43025
13986212C	Fisher Scientific* Crate, Inventory; Use with 45.4 cu. ft. Fisher Scientific Isotemp Refrigerators	43025
13986212D	Fisher Scientific* Crate, Inventory; Use with 72 cu. ft. Fisher Scientific Isotemp Refrigerators	43025
13986212K	Fisher Scientific* Isotemp* Crate, Inventory; Use with Frigidaire Refrigerators	43025
13986212L	Fisher Scientific* Isotemp* Crate, Inventory; Use with 11 cu. ft. General Electric Refrigerators	43025
03395600	Fisherbrand* Rack, Upright Freezer For 2" boxes; 9 shelves (3 x 3 array); Stainless steel	5734
03395601	Fisherbrand* Rack, Upright Freezer For 2" boxes; 12 shelves (3 x 4 array); Stainless steel	6300
03395602	Fisherbrand* Rack, Upright Freezer For 2" boxes; 15 shelves (3 x 5 array); Stainless steel	8104
03395603	Fisherbrand* Rack, Upright Freezer For 2" boxes; 12 shelves (4 x 3 array); Stainless steel	6300
03395604	Fisherbrand* Rack, Upright Freezer For 2" boxes; 16 shelves (4 x 4 array); Stainless steel	8931
03395605	Fisherbrand* Rack, Upright Freezer For 2" boxes; 20 shelves (4 x 5 array); Stainless steel	11118
03395606	Fisherbrand* Rack, Upright Freezer For 2" boxes; 24 shelves (4 x 6 array); Stainless steel	16151
03395607	Fisherbrand* Rack, Upright Freezer For 2" boxes; 20 shelves (5 x 4 array); Stainless steel	12979
03395608	Fisherbrand* Drawer Rack, Upright Freezer For 2" boxes; 9 shelves (3 x 3 array); Stainless steel	8416

Prices mentioned are for one unit unless pack size is mentioned in the description

Part No.	Description	Price in Rs.
03395609	Fisherbrand* Drawer Rack, Upright Freezer For 2" boxes; 12 shelves (4 x 3 array); Stainless steel	11312
03395610	Fisherbrand* Drawer Rack, Upright Freezer For 2" boxes; 12 shelves (4 x 3 array); Stainless steel	11312
03395611	Fisherbrand* Drawer Rack, Upright Freezer For 2" boxes; 16 shelves (4 x 4 array); Stainless steel	15178
03395612	Fisherbrand* Drawer Rack, Upright Freezer For 2" boxes; 20 shelves (4 x 5 array); Stainless steel	18729
03395613	Fisherbrand* Rack, Chest Freezer For 2" boxes; 10 shelves; With handle; Stainless steel	6470
03395614	Fisherbrand* Rack, Chest Freezer For 2" boxes; 11 shelves; Stainless steel	7102
03395615	Fisherbrand* Rack, Chest Freezer For 2" boxes; 12 shelves; Stainless steel	7761
03395616	Fisherbrand* Rack, Chest Freezer For 2" boxes; 16 shelves; Stainless steel	8416
03395617	Fisherbrand* Rack, Chest Freezer; 12 shelves (4 x 3 array); Stainless steel	8172
03395618	Fisherbrand* Drawer Rack, Upright Freezer For 3" boxes; 12 shelves (4 x 3 array); Stainless steel	11627
03395619	Fisherbrand* Rack, Upright Freezer For 96- and 384-well Microtiter Plates; Holds 84 plates w/lids, 96 w/o lids; Stainless steel	11312
03395620	Fisherbrand* Rack, Upright Freezer For 96- and 384-well Microtiter Plates; Holds 96 plates w/lids, 120 w/o lids; Stainless steel	12285
03395621	Fisherbrand* Drawer Rack, Upright Freezer For 15 & 50mL centrifuge tube boxes; Holds 120-15mL tubes; Stainless steel	14738
03395622	Fisherbrand* Drawer Rack, Upright Freezer For 15 & 50mL centrifuge tube boxes; Holds 78-50mL tubes; Stainless steel	17124
03395623	Fisherbrand* Drawer Rack, Upright Freezer For 15 & 50mL centrifuge tube boxes; Holds 80-15mL tubes; Stainless steel	11870
03395624	Fisherbrand* Drawer Rack, Upright Freezer For 15 & 50mL centrifuge tube boxes; Holds 120-15mL tubes; Stainless steel	14205
03395625	Fisherbrand* Rack, Upright Freezer For 100-place cell hinged-top plastic storage boxes; 12 shelves (4 x 3 array); Stainless steel	8776
03395626	Fisherbrand* Rack, Upright Freezer For 15 & 50mL tube boxes; 6 shelves (3 x 2 array); Stainless steel	9713
03395627	Fisherbrand* Rack, Upright Freezer For 15 & 50mL tube boxes; 8 shelves (4 x 2 array); Stainless steel	12922
03395628	Fisherbrand* Rack, Chest Freezer For 15 & 50mL tube boxes; 5 shelves; Stainless steel	6327
03395629	Fisherbrand* Rack, Chest Freezer For 15 & 50mL tube boxes; 6 shelves; Stainless steel	7294
03395630	Fisherbrand* Mini-Rack, Vertical Freezer For mini 2" boxes; 9 shelves; Stainless steel	3943
03395631	Fisherbrand* Rack, Chest Freezer For 2" boxes; 9 shelves; Stainless steel	5735
03395632	Fisherbrand* Rack, Chest Freezer For 2" boxes; 4 shelves; Stainless steel	2688
03395634	Fisherbrand* Rack, Chest Freezer For 2" boxes; 6 shelves; Stainless steel	3943
03395638	Fisherbrand* Mini-Rack, Vertical Freezer For mini 2" boxes; 12 shelves; Stainless steel	4481

Lab Fridge Freezers

FSFR1561	Thermo Scientific* Revco* Audible, visual alarm thermometer & external alarm system	40428
FSFR1562	Thermo Scientific* Revco* Thermostat connected to external alarm system	18534
FSFR1563	Thermo Scientific* Revco* Audible, visual alarm thermometer	22009
FSFR1565	Thermo Scientific* Revco* Additional shelf for FR156SF and FR157SF units only	5560
FSFR1566	Thermo Scientific* Revco* Security autodialer	44482
FSFR1567	Thermo Scientific* Revco* 7 day chart recorder 0 to -50°C includes 100 charts and 2 disposable long life pens	POR
FSFR1568	Thermo Scientific* Revco* 7 day chart recorder -25 to +25°C includes 100 charts and 2 disposable long life pens	POR
FSFR1569	Thermo Scientific* Revco* Optional locking system with 2 keys	8340
FSFR15611	Thermo Scientific* Revco* Datalogger supplied with Windows software, no cable required	36605
FSFR15612	Thermo Scientific* Revco* 7 day chart recorder -25 to +50°C 100 charts and disposable long life pen	POR
FSFR15614	Thermo Scientific* Revco* Audible, visual alarm with battery back up	POR
FSFR15615	Thermo Scientific* Revco* 7 day chart recorder for -40°C freezers	POR

Prices mentioned are for one unit unless pack size is mentioned in the description

Part No.	Description	Price in Rs.
FSFR15616	Thermo Scientific* Revco* Port (factory fitted) 25 mm	30466
FSFR15617	Thermo Scientific* Revco* Internal light and timer (x2)	POR
FSFR15618	Thermo Scientific* Revco* Single internal light	23168
FSFR15619	Thermo Scientific* Revco* LCD Display	7877
FSFR15621	Thermo Scientific* Revco* Port (factory fitted) 56 mm	30466
FSFR15622	Thermo Scientific* Revco* 4-20 milliamp analog output	57572
FSBB1001	Thermo Scientific* Revco* Key Pad Access Lock	67766
Mech Cryo Freezer		
FSU101409	Thermo Scientific* Revco* Ultima II -140°C Cryogenic Chest Freezer, 230 V / 50 Hz 1ø	POR
FSUL71509	Thermo Scientific* Revco* Ultima II -150°C Cryogenic Chest Freezer, 230 V / 50 Hz 1ø	POR
ULT		
FSU178610	Thermo Scientific* Revco* -86 Ultima PLUS - 17.2 cu.ft. Upright Freezer 230V/50 Hz 1ø	POR
FSU218610	Thermo Scientific* Revco* -86 Ultima PLUS - 20.2 cu.ft. Upright Freezer 230V/50 Hz 1ø	POR
FSU258610	Thermo Scientific* Revco* -86 Ultima PLUS - 24.4 cu.ft. Upright Freezer 230V/50 Hz 1ø	POR
FSUL17866	Thermo Scientific* Revco* -86 Elite PLUS - 17.2 cu.ft. Upright Freezer 230V/50 Hz 1ø	POR
FSUL21866	Thermo Scientific* Revco* -86 Elite PLUS - 20.2 cu.ft. Upright Freezer 230V/50 Hz 1ø	POR
FSUL25866	Thermo Scientific* Revco* -86 Elite PLUS - 24.4 cu.ft. Upright Freezer 230V/50 Hz 1ø	POR
FSUL17864	Thermo Scientific* Revco* -86 Value PLUS - 17.2 cu.ft. Upright Freezer 230V/50 Hz 1ø	POR
FSUL21864	Thermo Scientific* Revco* -86 Value PLUS - 20.2 cu.ft. Upright Freezer 230V/50 Hz 1ø	POR
FSUL25864	Thermo Scientific* Revco* -86 Value PLUS - 24.4 cu.ft. Upright Freezer 230V/50 Hz 1ø	POR
FSUL13869	Thermo Scientific* Revco* Ultima II -86°C Upright Freezer, 13.4 cu.ft., 230 V / 50 Hz 1ø	POR
FSULT3909	Thermo Scientific* Revco* Ultima II -86°C Chest Freezers, 3.1 cu.ft., 230 V / 50 Hz 1ø	POR
FSULT7909	Thermo Scientific* Revco* Ultima II -86°C Chest Freezer, 6.8 cu.ft., 230 V / 50 Hz 1ø	POR
FSUL10909	Thermo Scientific* Revco* Ultima II -86°C Chest Freezer, 10.3 cu.ft., 230 V / 50 Hz 1ø	POR
FSUL14909	Thermo Scientific* Revco* Ultima II -86°C Chest Freezer, 13.7 cu.ft., 230 V / 50 Hz 1ø	POR
FSUL17909	Thermo Scientific* Revco* Ultima II -86°C Chest Freezer, 17.1 cu.ft., 230 V / 50 Hz 1ø	POR
FSUL20909	Thermo Scientific* Revco* Ultima II -86°C Chest Freezer, 20.5 cu.ft., 230 V / 50 Hz 1ø	POR
FSUL13409	Thermo Scientific* Revco* Ultima II -40°C Upright Freezer, 13.4 cu.ft. 230V	POR
FSUL17409	Thermo Scientific* Revco* Ultima II -40°C Upright Freezer, 17.2 cu.ft. 230V	POR
FSUL21409	Thermo Scientific* Revco* Ultima II -40°C Upright Freezer, 20.2 cu.ft. 230V	POR
FSUL25409	Thermo Scientific* Revco* Ultima II -40°C Upright Freezer, 24.4 cu.ft. 230V	POR
FSULT3509	Thermo Scientific* Revco* Ultima II -40°C Chest Freezer, 3.1 cu.ft. 230V	POR
FSULT7509	Thermo Scientific* Revco* Ultima II -40°C Chest Freezer, 6.8 cu.ft. 230V	POR
FSUL10509	Thermo Scientific* Revco* Ultima II -40°C Chest Freezer, 10.3 cu.ft. 230V	POR
FSUL14509	Thermo Scientific* Revco* Ultima II -40°C Chest Freezer, 13.7 cu.ft. 230V	POR
FSUL17509	Thermo Scientific* Revco* Ultima II -40°C Chest Freezer, 17.1 cu.ft., 230 V / 50 Hz 1ø	POR
FSUL20509	Thermo Scientific* Revco* Ultima II -40°C Chest Freezer, 20.5 cu.ft., 230 V / 50 Hz 1ø	POR
FSUL13865	Thermo Scientific* Revco* Elite -86°C Upright Freezer, 13.4 cu.ft., 230 V / 50 Hz 1ø	POR
FSULT3905	Thermo Scientific* Revco* Elite -86°C Chest Freezer, 3.1 cu.ft., 230 V / 50 Hz 1ø	POR

Prices mentioned are for one unit unless pack size is mentioned in the description

Part No.	Description	Price in Rs.
FSUL7905	Thermo Scientific* Revco* Elite -86°C Chest Freezer, 6.8 cu.ft., 230 V / 50 Hz 1ø	POR
FSUL10905	Thermo Scientific* Revco* Elite -86°C Chest Freezer, 10.3 cu.ft., 230 V / 50 Hz 1ø	POR
FSUL14905	Thermo Scientific* Revco* Elite -86°C Chest Freezer, 13.7 cu.ft., 230 V / 50 Hz 1ø	POR
FSUL17905	Thermo Scientific* Revco* Elite -86°C Chest Freezer, 17.1 cu.ft., 230 V / 50 Hz 1ø	POR
FSUL20905	Thermo Scientific* Revco* Elite -86°C Chest Freezer, 20.5 cu.ft., 230 V / 50 Hz 1ø	POR
FSUL13405	Thermo Scientific* Revco* Elite -40°C Upright Freezer, 13.4 cu.ft. 230V	POR
FSUL17405	Thermo Scientific* Revco* Elite -40°C Upright Freezer, 17.2 cu.ft. 230V	POR
FSUL21405	Thermo Scientific* Revco* Elite -40°C Upright Freezer, 20.2 cu.ft. 230V	POR
FSUL25405	Thermo Scientific* Revco* Elite -40°C Upright Freezer, 24.4 cu.ft. 230V	POR
FSULT3505	Thermo Scientific* Revco* Elite -40°C Chest Freezer, 3.1 cu.ft. 230V	POR
FSULT7505	Thermo Scientific* Revco* Elite -40°C Chest Freezer, 6.8 cu.ft. 230V	POR
FSUL10505	Thermo Scientific* Revco* Elite -40°C Chest Freezer, 10.3 cu.ft. 230V	POR
FSUL14505	Thermo Scientific* Revco* Elite -40°C Chest Freezer, 13.7 cu.ft. 230V	POR
FSUL17505	Thermo Scientific* Revco* Elite -40°C Chest Freezer, 17.1 cu.ft. 230V	POR
FSUL20505	Thermo Scientific* Revco* Elite -40°C Chest Freezer, 20.5 cu.ft. 230V	POR
FSUL13863	Thermo Scientific* Revco* Value -86°C Upright Freezer, 13.4 cu.ft., 230 V / 50 Hz 1ø	POR
FSULT3903	Thermo Scientific* Revco* Value -86°C Chest Freezer, 3.1 cu.ft., 230 V / 50 Hz 1ø	POR
FSULT7903	Thermo Scientific* Revco* Value -86°C Chest Freezer, 6.8 cu.ft., 230 V / 50 Hz 1ø	POR
FSUL10903	Thermo Scientific* Revco* Value -86°C Chest Freezer, 10.3 cu.ft., 230 V / 50 Hz 1ø	POR
FSUL14903	Thermo Scientific* Revco* Value -86°C Chest Freezer, 13.7 cu.ft., 230 V / 50 Hz 1ø	POR
FSUL17903	Thermo Scientific* Revco* Value -86°C Chest Freezer, 17.1 cu.ft., 230 V / 50 Hz 1ø	POR
FSUL20903	Thermo Scientific* Revco* Value -86°C Chest Freezer, 20.5 cu.ft., 230 V / 50 Hz 1ø	POR
FSUL13403	Thermo Scientific* Revco* Value -40°C Upright Freezer, 13.4 cu.ft. 230V	POR
FSUL17403	Thermo Scientific* Revco* Value -40°C Upright Freezer, 17.2 cu.ft. 230V	POR
FSUL21403	Thermo Scientific* Revco* Value -40°C Upright Freezer, 20.2 cu.ft. 230V	POR
FSUL25403	Thermo Scientific* Revco* Value -40°C Upright Freezer, 24.4 cu.ft. 230V	POR
FSULT3503	Thermo Scientific* Revco* Value -40°C Chest Freezer, 3.1 cu.ft. 230V	POR
FSULT7503	Thermo Scientific* Revco* Value -40°C Chest Freezer, 6.8 cu.ft. 230V	POR
FSUL10503	Thermo Scientific* Revco* Value -40°C Chest Freezer, 10.3 cu.ft. 230V	POR
FSUL14503	Thermo Scientific* Revco* Value -40°C Chest Freezer, 13.7 cu.ft. 230V	POR
FSUL17503	Thermo Scientific* Revco* Value -40°C Chest Freezer, 17.1 cu.ft. 230V	POR
FSUL20503	Thermo Scientific* Revco* Value -40°C Chest Freezer, 20.5 cu.ft. 230V	POR
1167824A	Thermo Scientific* Revco* 2 x 5.25" x 5.25" fiberboard box	3455
1167824B	Thermo Scientific* Revco* 3 x 5.25" x 5.25" fiberboard box	4341
1167824C	Thermo Scientific* Revco* 7/16" grid box divider (100-12 mm vials)	2480
1399233	Thermo Scientific* Revco* 9/16" grid box divider (64-14 mm vials)	2215
1167826D	Thermo Scientific* Revco* 5/8" grid box divider (49-16 mm vials)	2215
13989218	Thermo Scientific* Revco* 1/2" grid box divider (81-13 mm vials)	2215
9772266CN	Thermo Scientific* Revco* Single Full Rack with Shelf Lip holds (11) 2" Boxes 5 3/8"W x 5 3/8"D x 26 3/32"H (all models except 3 cu.ft.)	10807

Prices mentioned are for one unit unless pack size is mentioned in the description

Contact: India Toll Free.: 1 800 209 7001 Fax: 022-6680 3001 / 02 e-mail: qfc.customer@thermofisher.com

Part No.	Description	Price in Rs.
50824059	Thermo Scientific* Revco* Single Full Rack with Shelf Lip holds (8) 3" Boxes 5 3/8"W x 5 3/8"D x 25 3/4"H (all models except 3 cu.ft.)	10364
50824060	Thermo Scientific* Revco* Single Full Rack, holds thirteen plasma boxes (all models except 3 cu.ft.), 5"Wx5 1/4"Dx26 3/8"H	10098
1167828A	Thermo Scientific* Revco* Single Full Rack with Shelf Lip holds (7) 2" Boxes 5 3/8"W x 5 3/8"D x 16.56"H (for 3 cu.ft. model)	9035
1167828B	Thermo Scientific* Revco* Single Full Rack with Shelf Lip holds (5) 3" Boxes 5 3/8" W x 5 3/8" D x 16 1/2" H (for 3 cu.ft. model)	7441
1399221	Thermo Scientific* Revco* Single Split Rack with Locking Rod holds (6) 2" Boxes 5 1/2" x 5 1/2" x 13 1/8"H (for all models except 3 cu.ft.)	4429
1399222	Thermo Scientific* Revco* Single Split Rack with Locking Rod holds (4) 3" Boxes 5 3/8"W x 5 1/2"D x 13 1/8"H (for all models except 3 cu.ft.)	3543
50869736	Thermo Scientific* Revco* Single Full Rack with Locking Rod holds (4) 2" Boxes 3/8" W x 5 1/2"D x 9.7" H (for countertop model)	5226
11731024	Thermo Scientific* Revco* Single Full Rack with Locking Rod holds (3) 3" Boxes 5 3/8"W x 5 1/2"D x 9.7"H (for countertop model)	5226
FS61101	Thermo Scientific* Revco* Plasma Rack, Holds twelve plasma boxes	13022
FS61111	Thermo Scientific* Revco* Plasma Rack, Holds sixteen plasma boxes	14085
1167829E	Thermo Scientific* Revco* Adjustable single stack holds 16(2") or 12(3") boxes. 9.08" H x 5.44" W x 22.19" H (for pre-'94 models and newer)	12756
50869724	Thermo Scientific* Revco* Rack weld assembly holds 12 x 2" boxes	14882
50869725	Thermo Scientific* Revco* Rack weld assembly holds 16 x 2" boxes	18514
11731022	Thermo Scientific* Revco* Red Cell Press	7352
50868139	Thermo Scientific* Revco* Dividers for 23, 50, 75 cu. ft. (OLD)	15148
50869737	Thermo Scientific* Revco* 2" x 5.25" 64 cell, PLASTIC, 6/Pk	6555
FS5955	Thermo Scientific* Revco* 2 x 5.25 x 5.25 Stainless Steel Box/Per Each	1949
FS5957	Thermo Scientific* Revco* 3 x 5.25 x 5.25 Stainless Steel Box/Per Each	1860
FS5953	Thermo Scientific* Revco* Cover for Stainless Steel Box/Per Each	1949
13990211	Thermo Scientific* Revco* Rack for 13 cu.ft. freezer, 4 per shelf, 44 plates/rack	13287
13990212	Thermo Scientific* Revco* Rack for 17, 21, and 25 cu.ft. freezer, (4 per shelf for 17cf, 5 per shelf for 21 cf., 6 per shelf for 25cf) 66 plates/rack	16388
10549273	Thermo Scientific* Revco* Rack for 13 cu.ft. freezer, 4 per shelf, 70 plates/rack w/lids. 85 w/out	12933
10549274	Thermo Scientific* Revco* Rack for 13 cu.ft. freezer, 4 per shelf, 70 plates/rack w/lids. 80 w/out	13199
10549280	Thermo Scientific* Revco* Rack for 17, 21, and 25 cu.ft. freezer, (4 per shelf for 17cf, 5 per shelf for 21 cf., 6 per shelf for 25cf) 84 plates/rack w/ lids. 102 w/out	14439
10549281	Thermo Scientific* Revco* Rack for 17, 21, and 25 cu.ft. freezer, (4 per shelf for 17cf, 5 per shelf for 21 cf., 6 per shelf for 25cf) 84 plates/rack w/ lids. 96 w/out	16831
9567583CN	Thermo Scientific* Revco* Rack for 13 cu.ft. freezer, 4 per shelf, 25 plates/rack	14528
9572595CN	Thermo Scientific* Revco* Rack for 13 cu.ft. freezer, 4 per shelf, 25 plates/rack. With locking rod	16299
10549282	Thermo Scientific* Revco* Rack for 17, 21, and 25 cu.ft. freezer, (4 per shelf for 17cf, 5 per shelf for 21 cf., 6 per shelf for 25cf) 30 plates/rack	16299
FS7143	Thermo Scientific* Revco* Rack for 13 cu.ft. freezer, 4 per shelf, 60 plates/rack or 20 boxes	13996
FS7144	Thermo Scientific* Revco* Rack for 13 cu.ft. freezer, 4 per shelf, 60 plates/rack or 20 boxes with locking rod.	15679
10549284	Thermo Scientific* Revco* Rack for 17, 21, and 25 cu.ft. freezer, (4 per shelf for 17cf, 5 per shelf for 21 cf., 6 per shelf for 25cf) 72 plates/rack or 24 boxes	16388
50824067	Thermo Scientific* Revco* Rack for 17, 21, and 25 cu.ft. freezer, (4 per shelf for 17cf, 5 per shelf for 21 cf., 6 per shelf for 25cf) 72 plates/rack or 24 boxes with locking rod.	18602
FS7153	Thermo Scientific* Revco* Rack for 3.1cu.ft.chest freezer. 12 racks per freezer. Capacity, 25 microplates with lids and 30 plates without lids. Rack has 5 compartments	7175
50824069	Thermo Scientific* Revco* Rack for all chest freezers, excluding 3.1cu.ft. Capacity, 35 microplates with lids and 42 plates without lids. Rack has 7 compartments	8327
10549289	Thermo Scientific* Revco* Rack for all chest freezers, excluding 3.1cu.ft. Capacity, 35 microplates with lids and 42 plates without lids. Rack has 7 compartments and incorporates a locking rod	9833
9794445CN	Thermo Scientific* Revco* Rack for 3.1cu.ft.chest freezer. 12 racks per freezer. Capacity, 9 deepwell microplates. Rack has 9 compartments	9301

Prices mentioned are for one unit unless pack size is mentioned in the description

Part No.	Description	Price in Rs.
FS7159	Thermo Scientific* Revco* Rack for all chest freezers, excluding 3.1cu.ft. Capacity, 14 deepwell microplates. Rack has 14 compartments incorporates a locking rod	11782
11731035	Thermo Scientific* Revco* Rack for all chest freezers, excluding 3.1cu.ft. Capacity, 14 deepwell microplates. Rack has 14 compartments and incorporates a locking rod.	13110
FS7161	Thermo Scientific* Revco* Rack for all chest freezers, excluding 3.1cu.ft. Capacity, 11 microtube boxes. Rack has 11 compartments. Rack can also accommodate 33 microplates with lids and 44 without lids.	10276
11731036	Thermo Scientific* Revco* Rack for all chest freezers, excluding 3.1cu.ft. capacity, 11 microtube boxes. Rack has 11 compartments. Rack can also accommodate 33 microplates with lids and 44 without lids. Rack incorporates a locking bar.	11516
10549272	Thermo Scientific* Revco* Upright freezer racks to hold (12) 2" boxes, non-adjustable, individual compartments, 16 1/2" L x 8 7/8" H x 5 1/2" W	12845
9572587CN	Thermo Scientific* Revco* Upright freezer racks to hold (16) 2" boxes, non-adjustable 22" L x 8 7/8" H x 5 1/2" W	13908
50869733	Thermo Scientific* Revco* 7 cu.ft. Chest - 2 lg. baskets - bottom, 1 lg. basket - middle, 1 sm. basket - top.	40394
50869734	Thermo Scientific* Revco* 10 cu.ft. Chest -3 lg. baskets- bottom, 2 sm. baskets-middle, 2 lg. baskets-top.	58642
50869730	Thermo Scientific* Revco* 14 cu.ft. Chest -4 lg. baskets- bottom, 3 lg. baskets -top, 4 sm. baskets -middle.	83800
50869731	Thermo Scientific* Revco* 17 cu.ft. Chest - 5 lg. baskets- bottom, 5 sm. baskets -middle, 4 lg. baskets- top.	99922
50869732	Thermo Scientific* Revco* 20 cu.ft. Chest - 6 lg. baskets- bottom, 6 sm. baskets -middle, 5 lg. baskets- top.	POR
1399238	Thermo Scientific* Revco* Inventory system for 1.0 cu.ft. with 2" Fiberboard Boxes	21083
1399240	Thermo Scientific* Revco* Inventory system for 1.0 cuft with 3" Fiberboard Boxes	18691
1399242	Thermo Scientific* Revco* Packs for 3.1 cu.ft. (9ea) 5972 Racks, (6dz) 5954 2" Fiberboard Boxes, (7dz) 5958 100 Cell Div.	77333
1399244	Thermo Scientific* Revco* Packs for 3.1 cu.ft. (9ea) 5973 Racks, (4dz) 5956 3" Fiberboard Boxes, (5dz) 5958 100 Cell Div.	62274
FS6854	Thermo Scientific* Revco* 2 Fiberboard Boxes, (7dz) 5958 100 Cell Div., (12ea) 5972 Racks, (7dz) 5954	98061
FS6861	Thermo Scientific* Revco* 3" Fiberboard Boxes, (5dz) 5958 100 Cell Div., (12ea) 5973 Racks, (5dz) 5956	81319
1399250	Thermo Scientific* Revco* Packs for 6.8 cu.ft. (12ea) 5972 Racks, (7dz) 5954 2" Fiberboard Boxes, (22dz) 5958 100 Cell Div.	POR
FS6863	Thermo Scientific* Revco* Packs for 6.8 cu.ft. (12ea) 5973 Racks, (5dz) 5956 3" Fiberboard Boxes, (16dz) 5958 100 Cell Div.	POR
9772265CN	Thermo Scientific* Revco* Packs for 10.3 cu.ft. (18ea) 5978 Racks, (17dz) 5954 2" Fiberboard Boxes, (28dz) 5958 100 Cell Div.	POR
FS6872	Thermo Scientific* Revco* Packs for 10.3 cu.ft. (18ea) 6096 Racks, (12dz) 5956 3" Fiberboard Boxes, (20dz) 5958 100 Cell Div.	POR
1399258	Thermo Scientific* Revco* Packs for 13.7 cu.ft. (24ea) 5978 Racks, (22dz) 5954 2" Fiberboard Boxes, (33dz) 5958 100 Cell Div.	POR
1399260	Thermo Scientific* Revco* Packs for 13.7 cu.ft. (24ea) 6096 Racks, (16dz) 5956 3" Fiberboard Boxes, (24dz) 5958 100 Cell Div.	POR
1399262	Thermo Scientific* Revco* Packs for 17.1 cu.ft. (30ea) 5978 Racks, (28dz) 5954 2" Fiberboard Boxes, (28dz) 5958 100 Cell Div.	POR
FS6876	Thermo Scientific* Revco* Packs for 17.1 cu.ft. (30ea) 6096 Racks, (20dz) 5956 3" Fiberboard Boxes, (20dz) 5958 100 Cell Div.	POR
1399266	Thermo Scientific* Revco* Packs for 20.5 cu.ft. (36ea) 5978 Racks, (33dz) 5954 2" Fiberboard Boxes, (33dz) 5958 100 Cell Div.	POR
1399268	Thermo Scientific* Revco* Packs for 20.5 cu.ft. (36ea) 6096 Racks, (24dz) 5956 3	POR
9502713CN	Thermo Scientific* Revco* 2" fiberboard boxes, (15dz) 5958 100 cell dividers, (15ea) 6112-1 racks, (15dz) 5954	POR
50870109	Thermo Scientific* Revco* 2 Fiberboard Boxes, (15dz) 6212 81 C. Div., (15ea) 6112-1 Racks, (15dz) 5954	POR
50869773	Thermo Scientific* Revco* 3" fiberboard boxes, (12dz) 5958 100 cell dividers, (15ea) 6112-1 racks, (12dz) 5956	POR
1399270	Thermo Scientific* Revco* Packs for 13.4 cu.ft. (20ea) 6112-1 Racks, (20dz) 5954 2	POR
1399272	Thermo Scientific* Revco* Packs for 13.4 cu.ft. (20ea) 6112-1 Racks, (15dz) 5956 3	POR
1399274	Thermo Scientific* Revco* Pack for 17.2 cu.ft. (20ea) 6113-1 Racks, (27dz) 5954 2	POR
1399276	Thermo Scientific* Revco* Pack for 17.2 cu.ft. (20ea) 6113-1 Racks, (20dz) 5956 3	POR
1399278	Thermo Scientific* Revco* Packs for 20.2 cu.ft (25ea) 6113-1 Racks, (34dz) 5954 2	POR
1399280	Thermo Scientific* Revco* Packs for 20.2 cu.ft (25ea) 6113-1 Racks, (25dz) 5956 3	POR
9704392CN	Thermo Scientific* Revco* Packs for 24.4 cu ft (30ea) 6113-1 racks, (40dz) 5954 2" fiberboard boxes, (40dz) 5958 100 cell dividers	POR
1399284	Thermo Scientific* Revco* Packs for 24.4 cu ft (30ea) 6113-1 racks, (30dz) 5956 3" fiberboard boxes, (30dz) 5958 100 cell dividers	POR

Prices mentioned are for one unit unless pack size is mentioned in the description

Contact: India Toll Free.: 1 800 209 7001 Fax: 022-6680 3001 / 02 e-mail: qfc.customer@thermofisher.com

Part No.	Description	Price in Rs.
50869710	Thermo Scientific* Revco* Red Cell Storage System for 13' chest units. Top basket with bottom divider	59882
50869711	Thermo Scientific* Revco* Red Cell Storage System for 14' chest units. Top basket with bottom divider	POR
50869712	Thermo Scientific* Revco* Red Cell Storage System for 17' chest units. Top basket with bottom divider	POR
50869713	Thermo Scientific* Revco* Red Cell Storage System for 20' chest units. Top basket with bottom divider	POR
13990215	Thermo Scientific* Revco* 6", 7-Day, Circular Chart Recorder, Factory-installed (0 to -200°C)	POR
9614106CN	Thermo Scientific* Revco* 6" 7-Day Circular Chart Recorder, Factory Installed. -40°C to -95°C	POR
50869702	Thermo Scientific* Revco* Field-installed, Weksler Recorder (-200 to 0 °C)	POR
50869688	Thermo Scientific* Revco* Field Installed Chart Recorder. -40 thru -95 C	POR
13990219	Thermo Scientific* Revco* Free Standing Chart Recorder - Freezer (-40°C to -95°C)	POR
11731026	Thermo Scientific* Revco* Free Standing, 6", 7-Day Circular Chart Recorder (-120, -140, -150°C)	POR
1399016B	Thermo Scientific* Revco* 6" (152 mm) 7-day circular charts for 6183-6 and 6383-7 for freezers	6732
FS6198	Thermo Scientific* Revco* 4, 7-Day, Circular Charts (pkg. of 50, range of +40 to -50°C)	6909
FS6596	Thermo Scientific* Revco* 4", 7-Day, Circular Charts (pkg. of 50, range of 0 to -100°C)	6909
50868185	Thermo Scientific* Revco* 6", 7-Day, Circular Charts (pkg. of 50, range of -40C to +60C)	6998
13990214	Thermo Scientific* Revco* Chart Paper for 6183-5 (pkg. of 50, range of 0 to -200°C)	6732
FS5612	Thermo Scientific* Revco* Audible/visual remote alarm module for temperature rise or power failure, to be used with electronic alarm system	POR
22266267	Thermo Scientific* Revco* LN2 back up, electronic control assembly for backup protection or fast freeze. Will maintain -73°C for 4 for 32 hours on a 160 liter tank. Free standing field installed. Specify model number/voltage when ordering.	POR
13990112	Thermo Scientific* Revco* LN2 back up, built-in panel mounted, factory installed. Low battery indicator lights when battery needs to be replaced. Empty cylinder indicator lights when cylinder is exhausted.Ultima and Elite models only	POR
FS6593	Thermo Scientific* Revco* CO2 back-up system electronic control assembly for back-up protection. Will maintain -70°C at a 10/hr. flow rate. Free-standing, field-installed. Must specify freezer model number and voltage when ordering. (€135 fitting charge applicable)	POR
1399040	Thermo Scientific* Revco* Surge protectors provide protection against external electrical spikes. Free-standing for all models. Field installed by qualified electrician or factory installed by Authorized Service Center. For Elite and Value models.	61654
11731014	Thermo Scientific* Revco* Stainless Steel Interior - 13 cu.ft. Upright	42417
11731015	Thermo Scientific* Revco* Stainless Steel Interior - 17 cu.ft. Upright	49695
50869672	Thermo Scientific* Revco* Stainless Steel Interior - 21 cu.ft. (upright)	56339
50869726	Thermo Scientific* Revco* Stainless Steel Interior - 3 cu.ft. chest	17539
50869675	Thermo Scientific* Revco* Stainless Steel Interior - 7 cu.ft. chest	24360
50869727	Thermo Scientific* Revco* Stainless Steel Interior - 14 cu.ft. chest	39951
11731011	Thermo Scientific* Revco* Stainless Steel Interior - 17 cu.ft. Chest	48440
11731012	Thermo Scientific* Revco* Stainless Steel Interior - 20 cu.ft. Chest	58982
50870068	Thermo Scientific* Revco* Shelf angle, T Shape. Qty(1) for an upright freezer storage rack	709
50870069	Thermo Scientific* Revco* Shelf angle, L Shape. Qty (1) for an upright freezer storage rack	709
50869753	Thermo Scientific* Revco* Solid Stainless Steel Shelf - 13 cu.ft. upright	8504
50869754	Thermo Scientific* Revco* Solid Stainless Steel Shelf - 17 cu.ft. upright	8061
50869755	Thermo Scientific* Revco* Solid Stainless Steel Shelf - 21 cu.ft. upright (28W x 23D)	9035
50869714	Thermo Scientific* Revco* Medium, Mid-arm Glove	25778
50869715	Thermo Scientific* Revco* Large, Mid-arm Glove	25778
9795915CN	Thermo Scientific* Revco* Frame Wood Crating - Cold Products	18780
9645302CN	Thermo Scientific* Revco* Solid Wood Crating - Cold Products	36319
50869764	Thermo Scientific* Revco* Floor Anchor System, ULT upright	32510
50869765	Thermo Scientific* Revco* Floor Anchor System, ULT chest	55719
FS72492B	Thermo Scientific* Revco* Voltage Booster, Free Standing, -2B voltage	66437
FS72491B	Thermo Scientific* Revco* Voltage Booster, Free Standing, -1B voltage	66437

Prices mentioned are for one unit unless pack size is mentioned in the description