

Part No.	Description	Price in Rs.
<b>Rocking Shakers</b>		
FS46251CE	Thermo Scientific* Barnstead* Lab-Line* Titer Plate Shaker, 240	87254
1404122Q	Thermo Scientific* Barnstead* Lab-Line* Rocker Incubator, 240V, CE Marked	POR
FSM71010	Thermo Scientific* Barnstead* Lab-Line* Fixed Speed Test Tube Rocker, 240V, CE Marked	41538
FSM48720	Thermo Scientific* Barnstead* Lab-Line* Variable Speed Test Tube Rocker, 240V, CE Marked	75547
<b>Rotating and Gyrating Shakers</b>		
14252Q	Fisher Scientific* Shaker; Clinical Rotator 341; Fixed speed 100rpm; 8 x 10.5 in. platform; Rubber matting; 0-15 min. timer; Alarm; With cover; CSA; 115V 60Hz, 0.026A	49361
1140210Q	Fisher Scientific* Rotator, Clinical Lab 40-220rpm; 120V 60Hz, 0.4A, 50w; Overall 12.4D x 10.6W x 4.4 in. H; Platform 9 x 9 in.; 12 mo. warranty	POR
1140212Q	Fisher Scientific* Rotator, Clinical Lab 40-220rpm; 120V 60Hz, 0.4A, 50w; Overall 13.6D x 12W x 4.4 in. H; Platform 12 x 12 in.; 12 mo. warranty	POR
1167151Q	Thermo Scientific* Barnstead* Lab-Line* Lab Rotator 9X9 inch, 240V	95625
1167153Q	Thermo Scientific* Barnstead* Lab-Line* Lab Rotator 12X12 inch, 240V	POR
1451229Q	Thermo Scientific* Barnstead* Lab-Line* Large Bi-Directional Rotator, 240V	POR
9790830CN	Thermo Scientific* Barnstead* Lab-Line* Tube Shakers/Rotator 8 x 17-30 mm 360 Rotation	42040
FS415220	Thermo Scientific* Barnstead* Lab-Line* Tube Shakers/Rotator 32 x 10-19mm	45303
9790831CN	Thermo Scientific* Barnstead* Lab-Line* Tube Shakers/Rotator 14 x 17-30 m, 360 Rotation	49068
FS400220	Thermo Scientific* Barnstead* Lab-Line* Tube Shakers/Rotator 14 x 10-19 mm 360 Rotation	38652
9733010CN	Thermo Scientific* Barnstead* Lab-Line* Tube Shakers/Rotator with double deck tray (46 x 10ml Vacutainer tubes)	51644
FSC415222	Thermo Scientific* Barnstead* Lab-Line* Tube Shakers/Rotator 14 x 17-30 mm 360 Rotation	58819
FSC415220	Thermo Scientific* Barnstead* Lab-Line* Tube Shakers/Rotator 32 x 10-19 mm 360 Rotation	54833
FSM107620	Thermo Scientific* Barnstead* Lab-Line* Large Rotisserie holds four 38 x 300mm bottles or eight 50ml conical tubes	46181
1368768Q	Thermo Scientific* Barnstead* Lab-Line* Small Rotisserie holds four 38 x 150mm or 50ml conical tubes	42291

## Stirrers

Part No.	Description	Price in Rs.
<b>Motorized Stirrers</b>		
FB15028	Fisherbrand* Overhead stirrer BS for low to medium viscosity with UK power supply and instructions 220-240V 50/60Hz 80mm x 215mm x 196mm (w x h x d) 25L stirring volume 2000rpm *	85972
FB70165	Fisherbrand* Support rod and base for Fisherbrand overhead stirrers	29164
FB70166	Fisherbrand* Bosshead clamp for Fisherbrand overhead stirrers	6152
FB70167	Fisherbrand* Stirring shaft, straight blade	10025
FB70168	Fisherbrand* Stirring shaft, propeller blade	11848
FB70169	Fisherbrand* Stirring shaft, anchor blade	8886
FB15031	Fisherbrand* Overhead stirrer DLH digital display for high viscosity with UK power supply and instructions 220-240V 50/60Hz 80mm x 230mm x 196mm (w x h x d) 40L stirring volume 2000rpm *	POR
FB70165	Fisherbrand* Support rod and base for Fisherbrand overhead stirrers	29164
FB70166	Fisherbrand* Bosshead clamp for Fisherbrand overhead stirrers	6152
FB70167	Fisherbrand* Stirring shaft, straight blade	10025
FB70168	Fisherbrand* Stirring shaft, propeller blade	11848
FB70169	Fisherbrand* Stirring shaft, anchor blade	8886

Prices mentioned are for one unit unless pack size is mentioned in the description

Part No.	Description	Price in Rs.
FB15032	Fisherbrand* Overhead stirrer PW for high viscosity with UK power supply and instructions 220-240V 50/60Hz 80mm x 230mm x 196mm (w x h x d) 70L stirring volume 1200rpm *	POR
FB70165	Fisherbrand* Support rod and base for Fisherbrand overhead stirrers	29164
FB70166	Fisherbrand* Bosshead clamp for Fisherbrand overhead stirrers	6152
FB70167	Fisherbrand* Stirring shaft, straight blade	10025
FB70168	Fisherbrand* Stirring shaft, propeller blade	11848
FB70169	Fisherbrand* Stirring shaft, anchor blade	8886
14503Q	Fisher Scientific* Stirrer Economy Direct Drive 8 in Impeller L	22568
1449845AQ	Fisherbrand* STIRRER	90215
145015Q	Fisher Scientific* Jumbo Stirrer Impeller Length: 18 in.	36544
14501Q	Fisher Scientific* Jumbo Stirrer Impeller Length: 16 in.	39712
FSPS60006	Thermo Scientific* Barnstead* Six Channel Remote Control for Immersible Stir Pads	42166
FSPS60029	Thermo Scientific* Barnstead* Two Channel Remote Control for Immersible Stir Pads	20957
FSPS60002	Thermo Scientific* Barnstead* Immersible Stirrer, 400 ml Capacity	18949
FSPS60003	Thermo Scientific* Barnstead* Immersible Stirrer, 1000 ml Capacity	22463
FSPS60004	Thermo Scientific* Barnstead* Immersible Stirrer, 2000 ml Capacity	29365
FSPS60084	Thermo Scientific* Barnstead* Stir Pad with Remote Controller, 400 ml	45355
FSPS60085	Thermo Scientific* Barnstead* Stir Pad with Remote Controller, 1000 ml	58553
FSPS60086	Thermo Scientific* Barnstead* Stir Pad with Remote Controller, 2000 ml	52353
<b>Magnetic Stirrers</b>		
FB15044	Fisherbrand* Magnetic stirrer ATE with metal top 220-240V 50/60Hz 40W 120mm x 250mm x 285mm (h x w x h) 1,000rpm for up to 25L *	65922
FB15045	Fisherbrand* Magnetic stirrer AGE with metal top 220-240V 50/60Hz 40W 75mm x 171mm x 190mm (h x w x h) 1,200rpm for up to 8L *	20354
FB60037	Fisherbrand* Magnetic stirrer PTFE with power module 240V 50Hz white 50 to 800rpm standard	38535
FB60038	Fisherbrand* Magnetic stirrer Bio-Version PTFE with power module 240V 50Hz 10 to 160rpm white	40657
FB65306	Fisherbrand* Magnetic stirrer plate size 108mm x 108mm 220-240V 50/60Hz 143mm x 252mm x 95mm (w x d x h) 60 to 1,200 rpm ceramic	39513
FB65307	Fisherbrand* Magnetic stirrer plate size 184mm x 184mm 220-240V 50/60Hz 219mm x 331mm x 95mm (w x d x h) 60 to 1,200 rpm ceramic	51625
FB65308	Fisherbrand* Magnetic stirrer plate size 260mm x 260mm 220-240V 50/60Hz 298mm x 431mm x 95mm (w x d x h) 60 to 1,200 rpm ceramic	73693
FB65309	Fisherbrand* Magnetic stirrer digital plate size 184mm x 184mm 220-240V 50/60Hz 219mm x 331mm x 95mm (w x d x h) 50 to 1,200 rpm ceramic	POR
FB65310	Fisherbrand* Basic stirrer, aluminium	58229
FB70800	Fisherbrand* Basic mini stirrer	15569
FB70801	Fisherbrand* Digital mini stirrer	25533
FB70802	Fisherbrand* Stirrer magnetic mini portable 230V 50/60Hz 350 to 1400rpm speed 1L	15569
FB70803	Fisherbrand* Magnetic stirrer unheated polypropylene/polycarbonate top with stir bar and power supply 220-240V 50/60Hz 143mm x 143mm x 66mm (w x d x h) 350 to 2,000rpm Caffeine	15569
FB70804	Fisherbrand* Basic mini stirrer, Alchemist	15569
FB70805	Fisherbrand* Basic mini stirrer, DNA	15569
FB70806	Fisherbrand* Basic mini stirrer, Periodic table	15569
FB70807	Fisherbrand* Basic mini stirrer, White crystal	15569
1450521Q	Fisher Scientific* Mixer, Auto Power Requirements: 120V 60Hz, 0.5A, 60w; Stirring Speed: 150--2500rpm; Includes: Unit, stir bar, and 3-wire cord and plug	17013
1110016S	Fisher Scientific* Isotemp* Stirrer, Basic Magnetic Stirrers; Analog; Stir range 60-1200rpm; 4x4in., Ceramic, 120V, 50/60Hz; Load capacity: 25 lb. (11kg); Includes: Detachable 3-wire line cord and plug, PTFE stir bar	21998

Prices mentioned are for one unit unless pack size is mentioned in the description

Part No.	Description	Price in Rs.
1130049S	Fisher Scientific* Isotemp* Stirrer, Digital; Speed control from 60-1200rpm; Ceramic top; 7.25 x 7.25 in. top plate; 120V 50/60Hz; Load capacity: 25 lb. (11kg); Includes: Detachable 3-wire line cord and plug, PTFE stir bar	54954
1151049SQ	Fisher Scientific* Stirrer, Economy, 7 x 7" porcelain-coated stainless-steel top plate, speed 100-1200rpm, blue die-cast aluminum base, w/3-wire cord and plug, w/PTFE stir bar, 120V 60Hz, CSA	23004
1151016SQ	Fisher Scientific* Stirrer, Economy, 4 x 4" porcelain-coated stainless-steel top plate, speed 100-1200rpm, blue die-cast aluminum base, w/3-wire cord and plug, w/PTFE stir bar, 120V 60Hz, CSA	21660
4493120SQ	Fisher Scientific* Stirrer, Small Vessel 200-2500rpm; 120V 60Hz, 0.4A; 48w; 6 dia. x 3 in. H; molded thermoplastic polyester; With stir bar; and 3-wire cord and plug; CSA approved; Includes: Stirrer, stir bar, and 3-wire cord and plug	13925
1151050	Fisher Scientific* Stirrer; Twistir; Mini Stirrers; 115V; Speed 350-2000rpm; Capacity 1L; Desktop; Bacteria	15477
1151051	Fisher Scientific* Stirrer; Twistir; Mini Stirrers; 115V; Speed 350-2000rpm; Capacity 1L; Desktop; Caffeine	15506
1151055	Fisher Scientific* Stirrer; Twistir; Mini Stirrers; 115V; Speed 350-2000rpm; Capacity 1L; Desktop; Crystals	15506
1151053	Fisher Scientific* Stirrer; Twistir; Mini Stirrers; 115V; Speed 350-2000rpm; Capacity 1L; Desktop; DNA stirrer graphics	15506
1151054	Fisher Scientific* Stirrer; Twistir; Mini Stirrers; 115V; Speed 350-2000rpm; Capacity 1L; Desktop; Periodic table	15477
1151052	Fisher Scientific* Stirrer; Twistir; Mini Stirrers; 115V; Speed 350-2000rpm; Capacity 1L; Desktop; Alchemist	15477
14505122	Fisherbrand* LAB DISC STIRRER FISHER 115V	15525
14511210	Fisherbrand* Stirrers, Magnetic; Stirrer Magnet Non-electric; Turbine Stirrer; Includes: 6 ft. (1.8m) length of vinyl tubing for inlet and outlet and fitting for connecting stirrer to pressure line	4668
04979206	Thermo Scientific* Variomag Mini, incl. Telemodul, 230 V	44801
FS0088132	Thermo Scientific* Variomag Mini, incl. Telemodul, UK 230V	44801
04979207	Thermo Scientific* Variomag Mini 20, incl. Telemodul 20 C, 230V	89100
FS0088116	Thermo Scientific* Variomag Mini 04.40, Set of 4 units, incl. Telemodul 40 C, 230 V	POR
FS0088140	Thermo Scientific* Variomag Mini, without control unit	22338
04979252	Thermo Scientific* Variomag Micro, incl. Telemodul, 230 V	42040
FS0088151	Thermo Scientific* Variomag Micro, incl. Telemodul, UK 230V	42040
10490101	Thermo Scientific* Variomag Micro 20, incl. Telemodul 20 C, 230 V	85962
FS0088111	Thermo Scientific* Variomag Micro 04.40, Set of 4 units, incl. Telemodul 40 C, 230 V	POR
FS0088070	Thermo Scientific* Variomag Micro 08.40, Set of 8 units, incl. Telemodul 40, 230 V	POR
FS0088139	Thermo Scientific* Variomag Micro, without control unit	19326
FS0096340	Thermo Scientific* Variomag Micro, Stiring drive up to +200°C in air only	44926
04979221	Thermo Scientific* Variomag Compact, incl. Telemodul, 230 V	42542
FS0088153	Thermo Scientific* Variomag Compact, incl. Telemodul, UK 230V	42417
04979223	Thermo Scientific* Variomag Compact 20, incl. Telemodul 20 C, 230 V	86841
FS0088117	Thermo Scientific* Variomag Compact 04.40, Set of 4 units, incl. Telemodul 40 C, 230 V	POR
FS0088137	Thermo Scientific* Variomag Compact, Stiring drive only without control unit	20079
FS0088555	Thermo Scientific* Variomag Compact, Stiring drive up to +95°C in a water bath only , without control unit	36644
FS0088556	Thermo Scientific* Variomag Compact, Stiring drive up to +200°C in air only , without control unit	50072
FS0094711	Thermo Scientific* Variomag Mono Direct, incl. Power supply, 230 V	23593
FS0096203	Thermo Scientific* Variomag Mono Direct, incl. Power supply, UK 230V	23718
FS0087986	Thermo Scientific* Variomag Mono Direct, Power supply only, 5W, 230V	7153
FS0093115	Thermo Scientific* Variomag Mono Direct, Power supply only, 5W, UK 230V	7153
04979202	Thermo Scientific* Variomag Maxi Direct, incl. Power supply, 100-240V	57099
FS0094714	Thermo Scientific* Variomag Maxi Direct, without Power supply	52330

Prices mentioned are for one unit unless pack size is mentioned in the description

Contact: India Toll Free.: 1 800 209 7001 Fax: 022-6680 3001 / 02 e-mail: qfc.customer@thermofisher.com

Part No.	Description	Price in Rs.
04979225	Thermo Scientific* Variomag Maxi, incl. Telemodul, 230 V	47185
FS0088145	Thermo Scientific* Variomag Maxi, incl. Telemodul, UK 230V	47436
04979226	Thermo Scientific* Variomag Maxi 20, incl. Telemodul 20 C, 230 V	90982
04979227	Thermo Scientific* Variomag Maxi 40, incl. Telemodul 40 C, 230 V	POR
FS0088113	Thermo Scientific* Variomag Maxi 04.40, Set of 4 units, incl. Telemodul 40, 230 V	POR
FS0088127	Thermo Scientific* Variomag Maxi, without control unit	24095
FS0088558	Thermo Scientific* Variomag Maxi, Stiring drive up to +95°C in a water bath only	49444
FS0088559	Thermo Scientific* Variomag Maxi, Stiring drive up to +200°C in air only, without control unit	61742
04979205	Thermo Scientific* Variomag Multipoint 15, incl. Power supply, 100-240V	POR
FS0093533	Thermo Scientific* Variomag Multipoint 15, without Power supply	POR
04979204	Thermo Scientific* Variomag Multipoint 6, incl. Power supply; 100-240V	POR
FS0093556	Thermo Scientific* Variomag Multipoint 6, without Power supply	POR
FS0094596	Thermo Scientific* Variomag Poly 15, incl. Power supply, 100-240V	95249
FS0094595	Thermo Scientific* Variomag Poly 15, without Power supply	92112
FS0093506	Thermo Scientific* Variomag Poly 15 / Multipoint / Power Direct, Power supply only, 100-240V, 20W	16691
10490100	Thermo Scientific* Variomag Power Direct, incl. Power supply; 100-240V	99892
FS0098759	Thermo Scientific* Variomag Power Direct, without Power supply	94119
FS0100440	Thermo Scientific* Variomag Mobil 10, without control unit	49695
FS0100441	Thermo Scientific* Variomag Mobil 25, without control unit	POR
FS0088125	Thermo Scientific* Variomag Mobil 200, without control unit	POR
FS0088115	Thermo Scientific* Variomag Mobil 200, screw fastened mount for stand only	40911
FS0088114	Thermo Scientific* Variomag Mobil 200, stand with rollers only	POR
FS0088112	Thermo Scientific* Variomag Mobil 600, without control unit	POR
04979200	Thermo Scientific* Variomag Mobil Direct, incl. Power supply, 230 V	POR
FS0100547	Thermo Scientific* Variomag Mobil Direct, incl. Power supply, UK 230V	POR
FS0088121	Thermo Scientific* Variomag Mobil Direct, without Power supply	POR
FS0087979	Thermo Scientific* Variomag Mobil Direct, Power supply only, 40W, 230 V	39530
FS0100544	Thermo Scientific* Variomag Mobil Direct, Power supply only, 40W, UK 230V	38777
FS0088102	Thermo Scientific* Variomag Mobil -units, extension cord, 3m	13051
04979210	Thermo Scientific* Variomag Telesystem 06.07, incl. Telemodul, 230 V	POR
FS0088074	Thermo Scientific* Variomag Telesystem 06.07, incl. Telemodul, UK 230V	POR
04979211	Thermo Scientific* Variomag Telesystem 06.20, incl. Telemodul 20 C	POR
04979212	Thermo Scientific* Variomag Telesystem 06.40, incl. Telemodul 40 C	POR
FS0089552	Thermo Scientific* Variomag Telesystem 6, up to +95°C in a water bath, without control unit	POR
FS0088565	Thermo Scientific* Variomag Telesystem 6, up to +200°C in air, without control unit	POR
FS0088090	Thermo Scientific* Variomag Telesystem 6, without control unit	99892
04979213	Thermo Scientific* Variomag Telesystem 15.07, incl. Telemodul, 230 V	POR
FS0088031	Thermo Scientific* Variomag Telesystem 15.07, incl. Telemodul, UK 230V	POR
04979215	Thermo Scientific* Variomag Telesystem 15.20, incl. Telemodul 20 C	POR

Prices mentioned are for one unit unless pack size is mentioned in the description

Part No.	Description	Price in Rs.
04979220	Thermo Scientific* Variomag Telesystem 15.40, incl. Telemodul 40 C	POR
FS0088570	Thermo Scientific* Variomag Telesystem 15, Stiring drive up to +95°C in a water bath, without control unit	POR
FS0088029	Thermo Scientific* Variomag Telesystem 15, without control unit	POR
04979217	Thermo Scientific* Variomag Telesystem 60.07, incl. Telemodul, 230V	POR
FS0088027	Thermo Scientific* Variomag Telesystem 60.07, incl. Telemodul, UK 230V	POR
04979218	Thermo Scientific* Variomag Telesystem 60.20, incl. Telemodul 20 C	POR
04979219	Thermo Scientific* Variomag Telesystem 60.40, incl. Telemodul 40 C	POR
FS0088023	Thermo Scientific* Variomag Telesystem 60, without control unit	POR
FS0088552	Thermo Scientific* Variomag Telesystem 60, Stiring drive up to +95°C in a water bath, without control unit	POR
FS0088081	Thermo Scientific* Variomag Stiring Bath Thermostat 06.20, incl. Telemodul 20 C, 230V	POR
FS0088052	Thermo Scientific* Variomag Stiring Bath Thermostat 06.40, incl. Telemodul 40 C, 230V	POR
FS0088040	Thermo Scientific* Variomag Stiring Bath Thermostat 15.20, incl. Telemodul 20 C, 230V	POR
FS0088044	Thermo Scientific* Variomag Stiring Bath Thermostat 15.40, incl. Telemodul 40 C, 230V	POR
FS0088028	Thermo Scientific* Variomag Stiring Bath Thermostat 60.20, incl. Telemodul 20 C, 230V	POR
FS0088035	Thermo Scientific* Variomag Stiring Bath Thermostat 60.40, incl. Telemodul 40 C, 230V	POR
FS0087880	Thermo Scientific* Variomag Stiring Bath Thermostat, transparent acrylic bath usable for up to 60°C only	61240
FS0087882	Thermo Scientific* Variomag Stiring Bath Thermostat, stainless steel mount, usable for up to +95°C only	65382
FS0087884	Thermo Scientific* Variomag Stiring Bath Thermostat, immersion thermostat, up to +60°C, 230V only	91484
FS0087875	Thermo Scientific* Variomag Stiring Bath Thermostat, immersion thermostat, up to +95°C, 230V only	91484
04979232	Thermo Scientific* Variomag Biosystem 4 Direct, incl. Power supply, 100-240V	POR
FS0088060	Thermo Scientific* Variomag Biosystem 4, without Power supply	POR
FS0087976	Thermo Scientific* Variomag Biosystem 4 Direct, Power supply only, 20W, 230V	17067
FS0093119	Thermo Scientific* Variomag Biosystem 4 Direct, Power supply only, 20W, UK 230V	17192
FS0088059	Thermo Scientific* Variomag Biosystem 4, without Biomodul 40 B	POR
FS0088068	Thermo Scientific* Variomag Biosystem, without Biomodul 40 B	53962
FS0087910	Thermo Scientific* Variomag Biosystem Biomodul 40 B, control unit, 230V	POR
04979231	Thermo Scientific* Variomag Biosystem Direct, incl. Power supply, 230V	69146
FS0088057	Thermo Scientific* Variomag Biosystem Direct, incl. Power supply, UK 230V	70276
FS0088069	Thermo Scientific* Variomag Biosystem Direct, without Power supply	66511
FS0087991	Thermo Scientific* Variomag Biosystem Direct, Power supply only, 7W, 230V	7153
FS0087993	Thermo Scientific* Variomag Biosystem Direct, Power supply only, 7W, UK 230V	7153
FS0088021	Thermo Scientific* Variomag Biosystem, extension cord only, 3 m	10541
FS0087966	Thermo Scientific* Variomag Telemodul, control unit, 7W, 230V	22714
FS0087968	Thermo Scientific* Variomag Telemodul, control unit, 7W, UK 230V	22714
FS0100442	Thermo Scientific* Variomag Telemodul 10 M, control unit, 10W, 230 V	28361
04979237	Thermo Scientific* Variomag Telemodul 20 C, control unit, 20W, incl. Power supply, 100-240VAC	66260
FS0094707	Thermo Scientific* Variomag Telemodul 20 C, ohne Netzgerät	58982
04979238	Thermo Scientific* Variomag Telemodul 40 C, control unit, 40W, incl. Power supply, 100-240VAC	POR
FS0094705	Thermo Scientific* Variomag Telemodul 40 C, without Power supply	91233

Prices mentioned are for one unit unless pack size is mentioned in the description

Contact: India Toll Free.: 1 800 209 7001 Fax: 022-6680 3001 / 02 e-mail: qfc.customer@thermofisher.com

Part No.	Description	Price in Rs.
FS0094706	Thermo Scientific* Variomag Telemodul 40 C, Power supply only, 40W, 100-240V	26479
FS0087956	Thermo Scientific* Variomag Telemodul 40 M, control unit, 40W, 230V	POR
FS0087961	Thermo Scientific* Variomag Telemodul 80 M, control unit, 80W, 230V	POR
FS0091720	Thermo Scientific* Variomag Telemodul 4-fold distributor for 20/40 C	20330
FS0091721	Thermo Scientific* Variomag Telemodul 8-fold distributor for 20/40 C	28989
FS0088016	Thermo Scientific* Variomag Telemodul, extension cord only, 3 m	8032
04979248	Thermo Scientific* Komet 15, magnetic stirring bar, round ø9xL15 mm, 5 pcs.	6400
04979251	Thermo Scientific* Komet 30 Glide-Ring, magnetic stirring bar, ø17xL30 mm	5020
04979247	Thermo Scientific* Komet 30, magnetic stirring bar, round ø12xL30mm, 5 pcs.	9286
04979250	Thermo Scientific* Komet 50 Glide-Ring, magnetic stirring bar, ø26xL50 mm	7655
FS0087909	Thermo Scientific* Komet 50, magnetic stirring bar, round ø21xL50mm	3639
04979249	Thermo Scientific* Komet 90 Glide-Ring, magnetic stirring bar, ø31x90 mm	28989
04979245	Thermo Scientific* Komet 90, magnetic stirring bar, round shape, ø24xL90 mm	14181
FS0087869	Thermo Scientific* Komet Bearing-Bar, magnetic stirring bar, ø24xL90mm	41162
FS0087868	Thermo Scientific* Komet Twin-Bar, magnetic stirring bar, ø24xL90mm each	49193
FS0087889	Thermo Scientific* Variomag connection cable to 12 V car battery	4016
FS0094308	Thermo Scientific* Variomag Monoshake, incl. Power supply, 230V	88472
FS0095834	Thermo Scientific* Variomag Monoshake, incl. Power supply, UK 230V	86339
FS0101852	Thermo Scientific* Variomag Teleshake 1536-6, incl. control unit, 230V	POR
FS0101853	Thermo Scientific* Variomag Teleshake 1536-6, incl. control unit, UK 230V	POR
FS0101683	Thermo Scientific* Variomag Teleshake 1536-8, incl. control unit, 230V	POR
FS0101685	Thermo Scientific* Variomag Teleshake 1536-8, incl. control unit, UK 230V	POR
FS0101688	Thermo Scientific* Variomag Teleshake 1536-lift, incl. control unit, 230 V	POR
FS0101690	Thermo Scientific* Variomag Teleshake 1536-lift, incl. control unit, UK 230V	POR
FS0098767	Thermo Scientific* Variomag Teleshake 70, heatable up to 70°C, 230 V	POR
FS0104153	Thermo Scientific* Variomag Teleshake TS 70 Heater, incl. control unit, without Variomag Teleshake	POR
FS0094320	Thermo Scientific* Variomag Teleshake, incl. control unit, 230V	POR
FS0095890	Thermo Scientific* Variomag Teleshake, incl. control unit, UK 230V	POR
FS0094525	Thermo Scientific* Variomag Teleshake, without control unit	POR
FS0098768	Thermo Scientific* Variomag Thermoshake, heat- and coolable, 230 V	POR
09047128Q	Thermo Scientific* Barnstead* Cimarec Magnetic Stirrer, 4X4inch (10x10 cm) 230V	38526
09047129Q	Thermo Scientific* Barnstead* Cimarec Magnetic Stirrer, 7X7inch (18x18 cm) 230V	41915
09047130Q	Thermo Scientific* Barnstead* Cimarec Magnetic Stirrer, 10X10inch, (26x26 cm) 230V	50323
09047115Q	Thermo Scientific* Barnstead* Cimarec Magnetic Stirrer, 7X7inch, (18x18 cm) 230V	48566
09047117Q	Thermo Scientific* Barnstead* Super Nuova Magnetic Stirrer, 7.25X7.25inch, (18x18 cm) 230V	80943
09047120Q	Thermo Scientific* Barnstead* Super Nuova Magnetic Stirrer, 10.25X10.25inch, (26x26 cm) 230V	POR
09047143Q	Thermo Scientific* Barnstead* Stir Light Magnetic Stirrer, 230V, CE Marked	62997
F10852033	Thermo Scientific* Barnstead* SafeT S10 Magnetic Stirrer, Explosion-Proof 240V	POR
1147533Q	Thermo Scientific* Barnstead* Super Nuova Multi-Position Magnetic Stirrer 220-240V	POR

Prices mentioned are for one unit unless pack size is mentioned in the description